



CATALOGUE 2022



Owlett-Jaton

www.jcpfixings.co.uk • www.owlett-jaton.com

WELCOME TO JCP



OVER 20 YEARS OF FIXING EXPERTISE

JCP Construction Products is a leading supplier of high-quality construction fixings exclusively to the distributor and merchant trade. Established in 2001, we have grown to be a leading force in the UK fixings market, offering unrivalled technical support. The specialist fixings division of Owlett-Jaton, JCP supplies a wide range of anchoring products for use within the construction industry.

OUR COMMITMENT TO STOCK MEANS PRODUCTS ARE AVAILABLE, COMPETITIVELY PRICED, FOR NEXT-DAY DELIVERY THROUGHOUT MOST OF THE UK MAINLAND.

Supplying fixings to suit a variety of applications, JCP products come with full technical specification and include CE and ETA certified ranges. With quality and technical support underpinning JCP's approach, continual innovation ensures our range of products meets the ever-changing demands of the industry.

Our highly trained field representatives offer onsite testing throughout the UK, to demonstrate the suitability of our products.

FREE, NEXT-DAY DELIVERY WITH LOW MINIMUM ORDER LEVELS ACROSS THE MAJORITY OF THE UK MAINLAND.



In-depth technical support comes as standard with JCP.

TECHNICAL DATA LIBRARY

Datasheets can be found on the JCP website for products within the range. The data sheets provide detailed information on the following; where applicable.

- Product information
- Load and range data
- Performance data
- Installation instructions
- Features
- Base material guidance
- Related products


www.jcpfixings.co.uk



Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.owlett-jaton.com

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com



ANCHOR CALCULATION PROGRAM

The Anchor Calculation Program provides solutions for anchoring into both cracked and non-cracked concrete. The tool is designed for engineers, specifiers and architects to simplify specifying connections to surfaces such as floors, ceilings and walls, and takes into account loadings, spacing and edge distances. It includes 3D graphics, along with hole depth optimisation for chemical anchors.

Developed by our Technical Department, the JCP Anchor Specification Program also includes a rebar calculator, making it now a 'Suite' of programs. The two programs together, the ACP and Rebar calculator offer choice as to which one works best for the project being worked on.

It has the facility to calculate numerous configurations of fixings in different base plate geometry. Calculations are carried out in accordance with the current European Guide EOTA TR 029 for bonded anchors and EOTA ETAG-001 ANNEX C for mechanical anchors.


The software and database are updated regularly to ensure the program is compliant with any changes in legislation or industry standards.

The JCP Anchor Calculation Program is free to download via www.jcpfixings.co.uk/anchor-calculator-tool

RESIN CALCULATOR

Our free resin calculator helps to calculate the volume of resin required for a project based on the number of holes, anchor diameters and embedment depth. It is suitable for rebar and threaded bars..

The Resin Calculator is free to download via www.jcpfixings.co.uk



JCP IS A MEMBER OF THE EUROPEAN CONSORTIUM OF ANCHOR PRODUCERS.

A small group of small and medium-sized European producers, the members join forces in a 100 % self-financed consortium to influence the standardisation of their products. The products include mechanical, chemical and plastic anchors, powder actuated tools and their components, concrete and wood screws and 3-D nailing plates.



The Specialist Fixing Supplier

Exclusively to the Distributor



TECHNICAL SUPPORT



JCP
CONSTRUCTION
PRODUCTS

ON-SITE SUPPORT

Throughout the UK we offer on-site testing of our products by our highly experienced field representatives. Whether a building regulation requirement or for peace of mind, we will provide advice on behalf of a distributor. On-site pull out tests are part of the JCP culture.

In addition, our technical support team can provide a troubleshooting technical back up when required.

TRAINING

Our technical team offer training sessions to provide a hands-on-experience with our fixings. Sessions are tailored to meet the needs of the audience and can also be delivered virtually.

BASIC

For those who know very little about fixings and covers an introduction to fixings, fixings and construction regulations and practical fixing practices.

ADVANCE - FOR PEOPLE WITHOUT AN ENGINEERING BACKGROUND

For those with adequate industrial knowledge about fixings who wish to learn more. This covers an introduction to modern fixings, introduces JCP's anchor calculation program, looks at construction fixing regulations and detailed practical fixing practices.

ADVANCE - FOR ENGINEERS

For those with an engineering knowledge about fixings. This advanced session covers an introduction to connection design, Eurocodes and regulations for fixings, introduces JCP's anchor calculation program, result interpretation and passive fire resistance fixing design.

BACKED BY TECHNICAL KNOW-HOW AND EXPERIENCE

Further technical information, specifications, anchor calculations etc. are also available via our technical helpline. Highly experienced, our technical support team have many years of knowledge within the industry and can be relied on to offer guidance when required.

Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.owlett-jaton.com

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com

THE CERTIFIED RANGE

PROVIDING PEACE OF MIND

The JCP portfolio includes many certified products. Look for these symbols alongside the products to easily identify which they are.




CE - indicates the product conforms with harmonised standards within the European Economic Area.



ETA Option 1 - anchors which have been approved for use in cracked and non-cracked concrete. They can be used for safely supporting applications in area's most vulnerable to cracking.



ETA Option 7 - versatile anchors approved for use in non-cracked concrete. They are very versatile for concretes with a strength class over 20/25.



Seismic C1 + C2 - relates to anchors which are rated for use in concrete under seismic actions. C2 is the most stringent category. To qualify as C1 and /or C2 anchors must comply with EN1992-4 or TR045.

THROUGHBOLTS



PAGE 15



PAGE 15

HEAVY DUTY ANKERBOLTS



PAGE 19



DROP IN ANCHORS



PAGE 23

CHEMICAL ANCHORS



PAGE 38




PAGE 38

NYLON FRAME FIXING



PAGE 50



CONTENTS



HEAVY DUTY

Throughbolts NEW LINE ADDED	12
Wirehangers.....	16
Nail In Sockets	16
Ankerbolts NEW LINES ADDED	17
Ankerbolt Drop In	19
Socket Bolts.....	20
Hook and Eye Bolts.....	20
Torx Driver Bits	20
Sleeve Anchors	21
Drop In Anchors	23
Drop In Anchor Setting Punches	24
Stop Drill Bits NEW	24
Forged Hook Bolts.....	25
Forged Eye Bolts.....	25
Scaffold Ring Bolts	25
Scaffold Retaining Eyes	25
Scaffold Eye Plugs.....	25
Heavy Duty Anchors	26
Blind Bolts.....	29

MEDIUM DUTY

Shield Anchors.....	31
Concrete Screws	33

LIGHT DUTY

Nail In Anchors	34
Plastic Headed Nails	34
Masonry Nails	34
Grooved Nails	35
Sanitary Fixings	36
Vertical Flange Clips.....	36

Angle Brackets	36
Wall Screws	36
Bigtwist Nails.....	37
Fixing Bands NEW LINES ADDED	37

CHEMICAL ANCHORS AND ACCESSORIES

Pure Epoxy Resin	38
Vinylester Resin	38
Epoxy Acrylate Resin	38
Vinylester Fast Cure	39
Polyester Resins.....	39
Rockite	40
Kwixset	40
Glass Capsules.....	40
J-Fix Studs.....	41
Injection Resin Sockets.....	44
Internal Threaded Sockets	44
Injection Tools.....	45
Injection Tool Accessories	45
Nylon Sleeves	45
Wire Mesh Sleeve	45
Cleaning Brushes	46
Blow Out Pump.....	46
Crack Stitch Twist Starter Kit	46
Pointing Gun	46
Mixing Paddle.....	46
Stitching Bar.....	47
Cementitious Grout.....	47
B3 + B2 Expanding Foam.....	47
Fire Stop Expanding Foam and Silicone Sealant	48

Intumescent and Acoustic Mastic... ..	48
Polyurethane Cleaner.....	48
Applicator Guns.....	48

NYLON AND CAVITY

Hammer Screws	49
Nail Plugs.....	49
Nylon Frame Fixings.....	50
Push Plugs.....	51
Nylon Wall Plugs.....	52
Plastic Plugs.....	52
Metal Expansion Plugs.....	53
Plasterboard Fixings.....	53
Rosett Cavity Fixings.....	53
Ankernuts.....	54
Road Fixing Kit	54
Hollow Wall Anchors	54
Hollow Wall Anchor Setting Tool	55
Spring Toggles	55
Plastic Toggles	55

PA AND GAS

Drivefast Gas Nails	56
Ceiling Hangers.....	58
Cartridge Tool.....	58
Tool Kit PA97	58
Cartridge Strips	58
Shot Fired Pins	59
Plastic Washered Pins	59
Magazine Pins.....	59



SELF DRILLING SCREWS

Metalfix	60
Woodfix.....	61
Fibre Cement Screws	64
Coloured Cover Caps.....	66
Vertical Hangers	66
Horizontal Hangers	67
Setting Tools	67

DRILL BITS

SDS+ Drill Bits.....	68
Masonry Drill Bits.....	69
Masonry Drill Bit Sets.....	70
Drill Bit Sets.....	70
HSS Drill Bits (Metric).....	70
HSS Drill Bits (Imperial).....	71
HSS Cobalt Drill Bits	71
HSS Reduced Shanks.....	72
HSS Long Shanks NEW	72
HSS Drill Bit Cases	72
HSS Countersink Bits	72
Cobalt Countersink Bits	73
Cobalt Slotted Countersink Bits.....	73
Tungsten Carbide Drill Bits	73
Flat Wood Bits.....	74
Centre Spur Wood Bits.....	74

RETAIL BAGS

Throughbolts	78
Ankerbolts	78
Hook Bolts and Eye Bolts	79
Sleeve Anchors	79
Drop In Anchors	79
Shield Anchors.....	79
Concrete Screws	80
Nylon Hammer Screws	80
Nylon Frame Fixings.....	81
Wall Plugs	81
Rosett Cavity Fixings.....	81
Plasterboard Fixings.....	82
Plasterboard Plugs	82
Hollow Wall Anchors.....	82
Spring Toggles	82
Nylon Toggles.....	82
Plastic Headed Pins.....	83
Masonry Nails	83
Sanitary Fixings	83
Wall Screws	83
Bigtwist Nails.....	84
Self Drill Screws	84
Woodfix Screws	84
EPDM Washers.....	84
Gash Point Screws.....	85
Stitching Screws	85
Wafer Head Screws.....	85
Drive Sockets.....	85

TRADE BAGS

Throughbolts	86
Ankerbolts	86
Shield Anchors.....	87
Concrete Screws	87
Nylon Hammer Screws	87
Nylon Frame Fixings.....	88
Nylon Wall Plugs.....	88
Plasterboard Fixings.....	88
Rosett Cavity Fixings.....	88
Hollow Wall Anchors.....	88
Wall Screws	89
Gash Point Screws.....	89
Self Drill Screws NEW LINES ADDED ..	89
Woodfix Screws NEW LINES ADDED ..	90
Stitching Screws	90

The Specialist Fixing Supplier

Supersedes all previous price lists. All prices subject to change without notice. E&OE. Data subject to change without prior notification.



PRODUCT FINDER



Product	Page No.	Non-Cracked Concrete	Cracked Concrete	Stone	Dense Concrete Blocks-Solid	Solid Brickwork	Perforated Brickwork	Light Aggregate Block-Solid	Light Aggregate Block-Hollow	Aerated Concrete Blocks-Solid	Hollow Concrete Planks	Hollow Clay Pots	Plasterboard	Solid Steel	Hollow Steel Section	Timber
Throughbolt Zinc Plated	12	●			●											
Throughbolt Option 1	12	●	●		●											
Throughbolt Option 7	13	●			●											
Throughbolt Hot Dipped Galv	14	●			●											
Throughbolt Stainless Steel A2	14	●			●											
Throughbolt Stainless Steel A4	15	●			●											
Wire Hanger	16	●			●											
Nail In Socket	16	●			●											
Ankerbolt	17	●		●	●	●		●			●					
Ankerbolt Option 1	19	●	●	●	●	●		●			●					
Ankerbolt Stainless Steel	19	●		●	●	●		●			●					
Sleeve Anchor	21	●		●	●	●										
Drop In Anchor	23	●														
Lipped Drop In Anchor	23	●			●						●					
Approved Drop In Anchor	23	●	●													
Approved Lipped Drop In Anchor	23	●			●						●					
Drop In Anchor Stainless Steel	24	●														
Lipped Drop In Anchor Stainless Steel	24	●	●		●						●					
Scaffold Eye and Plugs	25	●		●	●	●		●								
Heavy Duty Anchors	26	●	●													
Blindbolt	29													●	●	
Shield Anchors	31	●		●	●	●										
Concrete Screws	33	●			●	●	●	●								
Nail In Anchors	34	●			●											
Masonry Nails	34					●	●	●								
Plastic Headed Nail	34					●	●	●								
Grooved Nail	35					●	●	●								
Sanitary Fixings	36	●			●	●		●								
Wall Screw	36	●			●	●	●	●	●	●	●		●			

Full Suitability ● More Suitable Alternative Available ●

Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.owlett-jaton.com

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com

Product	Page No.	Non-Cracked Concrete	Cracked Concrete	Stone	Dense Concrete Blocks-Solid	Solid Brickwork	Perforated Brickwork	Light Aggregate Block-Solid	Light Aggregate Block-Hollow	Aerated Concrete Blocks-Solid	Hollow Concrete Planks	Hollow Clay Pots	Plasterboard	Solid Steel	Hollow Steel Section	Timber
Epoxy Resin	38	●	●	●	●	●		●		●						
Vinylester Resin	38	●	●	●	●	●		●		●						
Epoxy Acrylate Resin	38	●		●	●											
Polyester Styrene Free Resin	39			●	●	●	●	●	●	●	●	●				
Polyester Resin	39			●	●	●	●	●	●	●	●	●				
Injection Resin Sleeve	45						●		●		●	●				
Spin In Capsules	40	●														
Hammer In Capsules	40	●														
Rockite (Interior)	40	●	●		●											
Kwikset (Exterior)	40	●	●		●											
Bigtwist	37															●
Crack Stitching	46					●	●	●	●	●						
Hammerscrews	49	●		●	●	●	●	●	●							
Nylon Frame Fixings	50	●		●	●	●		●	●							
Approved Frame Fixings	50	●		●	●	●	●	●	●	●						
Nylon Plugs	52	●		●	●	●	●	●	●	●	●					
Plastic Plugs	52	●		●	●	●	●	●	●	●	●					
Metal Plugs	53									●						
Plasterboard Fixings	53												●			
Rosett	54											●	●			
Ankernut	54	●					●		●			●	●			
Hollow Wall Anchor	54												●			
Spring Toggle	55												●			
Plastic Toggle	55												●			
Drivefast Nails	56															●
Powder Actuated Drive Pins	59	●			●	●								●	●	
Self Drilling Screws	60													●	●	
Gash Point Screws	62															●

Full Suitability ● More Suitable Alternative Available ●

The Specialist Fixing Supplier

Exclusively to the Distributor



NEW PRODUCTS FROM JCP

THROUGHBOLTS

NEW LINE ADDED

PAGE 15

A4-316
Stainless Steel



ETA Option 7
Non-Cracked
Concrete



ANKERBOLTS

NEW LINE ADDED

PAGE 19

Bright Zinc
Plated



ETA Option 1
Cracked
Concrete



STOP DRILL BITS

AVAILABLE FROM APRIL 2022

PAGE 24



3 METRE ROUND PERFORATED FIXING BANDS

NEW SIZE


PAGE 37



3 METRE STRAIGHT PERFORATED FIXING BANDS

NEW SIZE

PAGE 37



HSS LONG SHANK DRILL BITS

NEW

PAGE 72



NEW ADDITIONS TO THE TRADE BAG RANGE - SEE PAGES 89 & 90

WOODFIX LIGHT SECTION - NEW SIZES WOODFIX HEAVY SECTION - NEW SELF DRILL SCREWS HEAVY SECTION - NEW
SELF DRILL SCREWS WITH 16MM WASHER HEAVY SECTION - NEW SIZES



The **Product** Range

JCP
CONSTRUCTION
PRODUCTS



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25. • Min 5µm

Zinc and Yellow
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TB06045	6	45	18	5	35	100	1.26	68.82
TB06055	6	55	30	15	35	100	1.34	74.91
TB06085	6	85	60	45	35	100	2.12	79.70
TB08050	8	50	20	5	40	100	2.60	92.39
TB08065	8	65	30	20	40	100	3.14	98.81
TB08080	8	80	45	35	40	50	3.54	112.09
TB08100	8	100	60	55	40	50	4.08	117.90
TB08130	8	130	90	85	40	50	4.88	133.23
TB10065	10	65	30	8	50	50	4.80	124.38
TB10075	10	75	35	18	50	50	5.40	131.48
TB10090	10	90	55	33	50	50	6.32	144.18
TB10100	10	100	60	43	50	50	6.95	150.21
TB10120	10	120	80	63	50	20	8.20	169.88
TB10150	10	150	100	93	50	20	10.25	201.84
TB10175	10	175	100	118	50	20	12.30	217.37
TB12080	12	80	35	5	65	20	8.10	196.26
TB12100	12	100	55	25	65	20	9.60	206.29
TB12120	12	120	70	45	65	20	11.30	248.79
TB12140	12	140	90	65	65	20	13.00	273.60
TB12180	12	180	100	105	65	20	16.40	352.89
TB16105	16	105	55	10	85	20	19.85	384.35
TB16125	16	125	72	30	85	20	22.50	469.47
TB16150	16	150	90	55	85	20	26.18	523.72
TB16175	16	175	115	80	85	10	29.85	598.59
TB16220	16	220	125	125	85	10	35.00	707.39
TB20130	20	130	75	20	100	10	36.80	670.15
TB20160	20	160	100	50	100	10	45.20	745.61
TB20215	20	215	115	105	100	10	58.10	1,072.83
TB24180	24	180	105	45	120	10	69.00	1,589.15
TB24260	24	260	150	125	120	5	98.00	2,126.10

THROUGHBOLTS

Suitable for use in cracked concrete and non-cracked concrete. • Min 5µm

Bright Zinc
Plated



Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ETA08075	8	75	20	10	60	100	2.99	130.45
ETA08095	8	95	40	30	60	100	3.60	139.26
ETA08115	8	115	60	50	60	100	4.24	156.20
ETA10090	10	90	20	10	75	50	5.88	180.63
ETA10110	10	110	40	30	75	50	6.88	218.92
ETA10130	10	130	60	50	75	50	9.90	241.44
ETA12110	12	110	30	15	90	25	9.92	268.17
ETA12125	12	125	45	30	90	25	11.00	325.75
ETA12160	12	160	80	65	90	25	13.60	427.77
ETA12180	12	180	80	85	90	25	15.00	461.31
ETA16135	16	135	35	15	110	20	21.60	572.40
ETA16170	16	170	70	50	110	20	26.30	701.54
ETA16200	16	200	80	80	110	10	32.00	812.04
ETA20165	20	165	50	30	125	10	44.10	1,628.69
ETA20195	20	195	70	60	125	10	50.50	1,954.43



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25. • Min 5µm

Bright Zinc
Plated



•ETA*
Option 7
Non-Cracked
Concrete

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Standard Embedment		Shallow Embedment		Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
				Minimum Hole Depth mm	Max Fixture Thickness mm	Minimum Hole Depth	Max Fixture Thickness mm			
AWA06060	6	60	25	55	3	50*	8	100	1.36	98.09
AWA06080	6	80	45		23		28	100	2.10	105.35
AWA08050*	8	50	17	-	-	45*	3	100	2.60	98.66
AWA08065	8	65	22	65	-	50**	8	100	3.14	105.53
AWA08075	8	75	32		3		18	50	3.52	119.72
AWA08090	8	90	46		18		33	50	4.04	123.81
AWA08100	8	100	50		28		43	50	4.08	125.91
AWA08115	8	115	65		43		58	50	4.60	134.65
AWA08130	8	130	80		58		73	50	4.88	142.30
AWA10065*	10	65	22		-		-	55*	3	50
AWA10075	10	75	27	75	-	60	8	50	5.40	140.42
AWA10090	10	90	43		8		23	50	6.32	153.97
AWA10100	10	100	53		18		33	50	6.95	160.40
AWA10120	10	120	71		38		53	20	8.20	181.42
AWA10150	10	150	95		68		83	20	10.25	232.79
AWA12080	12	80	32		-		-	60*	10	20
AWA12090	12	90	35	85	-	70	10	20	9.35	214.62
AWA12100	12	100	44		5		20	20	9.60	220.32
AWA12110	12	110	53		15		30	20	10.50	245.17
AWA12120	12	120	63		25		40	20	11.30	265.71
AWA12140	12	140	83		45		60	20	13.00	292.19
AWA12160	12	160	95		65		80	20	15.05	334.27
AWA12180	12	180	95		85		100	20	16.40	376.87
AWA12200	12	200	95		105		120	20	18.00	391.72
AWA16105*	16	105	40	-	-	85*	6	20	19.85	410.47
AWA16125	16	125	60	115	-	100	11	20	22.50	501.38
AWA16145	16	145	80		16		31	20	25.80	559.31
AWA16170	16	170	105		41		56	10	29.10	639.27
AWA16220	16	220	115		91		106	10	35.00	755.46
AWA20130*	20	130	60		-		-	110	5	10
AWA20170	20	170	100	135	20	110	45	10	46.65	796.29
AWA20215	20	215	115		65		90	10	58.10	1,145.74
AWA24180	24	180	100	155	5	125	33	10	69.00	1,697.15
AWA24260	24	260	150		85		113	5	98.00	2,270.59

* Not included in ETA

** Use restricted to the anchoring of structural components which are statically indeterminate.





THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25. • BS EN ISO 1461:2009.

Hot Dipped
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TG08050	8	50	15	5*	45	100	2.32	162.37
TG08075	8	75	40	10	65	100	3.44	180.17
TG08095	8	95	50	30	65	100	4.19	196.39
TG08120	8	120	85	55	65	100	5.09	215.58
TG10060	10	60	20	10*	50	50	4.62	214.08
TG10070	10	70	30	20*	50	50	5.21	232.76
TG10080	10	80	40	10	70	50	6.00	234.65
TG10100	10	100	55	30	70	50	6.94	240.67
TG10125	10	125	80	50	70	50	8.42	271.69
TG12085	12	85	40	10*	70	25	10.00	330.74
TG12100	12	100	55	5	90	25	10.20	360.26
TG12115	12	115	60	20	90	25	11.36	366.15
TG12145	12	145	95	50	90	25	13.92	423.89
TG12180	12	180	110	85	90	25	16.84	587.69
TG16110	16	110	50	15*	85	20	20.70	617.21
TG16125	16	130	65	10	110	20	22.50	696.91
TG16150	16	150	90	30	110	20	25.20	782.11
TG16200	16	200	115	80	110	20	30.03	1,050.80
TG20170	20	170	100	25	130	10	49.60	1,541.65
TG20220	20	220	125	75	130	10	65.00	1,678.14
TG20280	20	280	150	135	130	10	72.49	2,129.91

* Reduced loading due to shallow embedment



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25.

A2-304
Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
TSSA206045	6	40	20	5	35	100	1.15	193.47
TSSA206065	6	65	30	25	35	100	1.38	218.49
TSSA208050	8	50	18	5	40	100	2.32	223.73
TSSA208075	8	75	41	30	40	50	3.44	256.91
TSSA208095	8	95	60	50	40	50	4.19	298.24
TSSA208120	8	120	64	75	40	50	5.09	331.61
TSSA210060	10	60	20	3	50	50	4.62	347.99
TSSA210080	10	80	40	23	50	50	6.00	381.14
TSSA210100	10	100	59	43	50	50	6.94	447.37
TSSA210125	10	125	85	68	50	20	8.42	514.05
TSSA210150	10	150	78	93	50	20	10.25	602.11
TSSA210175	10	175	88	118	50	20	11.4	684.55
TSSA212085	12	85	40	10	65	20	10.00	538.46
TSSA212100	12	100	60	25	65	20	10.20	580.02
TSSA212115	12	115	59	40	65	20	11.36	679.31
TSSA212145	12	145	80	70	65	20	13.92	778.95
TSSA212200	12	200	85	125	65	20	16.84	1,255.11
TSSA216110	16	110	50	15	85	20	16.80	1,233.07
TSSA216125	16	125	65	30	85	20	18.00	1,371.73
TSSA216150	16	150	90	55	85	20	25.20	1,615.48
TSSA216175	16	175	83	80	85	10	30.50	1,774.96
TSSA220170	20	170	83	60	100	10	49.60	2,762.05
TSSA220220	20	220	115	110	100	10	65.00	3,313.68



THROUGHBOLTS **NEW LINE ADDED**

Suitable for use in non-cracked concrete over C20/25.

A4-316
Stainless Steel



Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
TSS06040	6	40	16	5*	35	100	1.12	289.22
TSS06065	6	67	30	10	55	100	1.38	326.63
TSS08050	8	50	22	5*	45	100	2.32	334.47
TSS08075	8	75	40	10	65	100	3.44	384.05
TSS08095	8	95	60	30	65	100	4.19	445.85
TSS08120	8	120	85	55	65	100	5.09	495.54
TSS10060	10	60	25	10*	50	50	4.62	520.21
TSS10080	10	85	40	10	70	50	6.00	569.78
TSS10100	10	105	60	30	70	50	6.94	668.79
TSS10125	10	125	80	50	70	50	8.42	768.46
TSS10175	10	175	80	100	70	50	11.40	995.85
NEW TSS10215	10	215	80	140	70	25	12.40	1195.02
TSS12085	12	95	50	14*	80	25	10.00	804.83
TSS12100	12	105	60	10	90	25	10.20	867.09
TSS12115	12	115	70	20	90	25	11.36	1,015.49
TSS12145	12	145	100	50	90	25	13.92	1,164.48
TSS12200	12	200	100	105	90	25	16.84	1,876.29
TSS16110	16	115	60	13*	90	20	16.80	1,843.38
TSS16125	16	130	70	10	110	20	18.00	2,050.90
TSS16150	16	150	90	30	110	20	25.20	2,415.01
TSS16175	16	180	110	60	110	20	30.05	2,653.43
TSS20170	20	180	70	35	130	10	49.60	4,147.30
TSS20220	20	240	70	95	130	10	65.00	4,953.85


* Reduced loading due to shallow embedment



THROUGHBOLTS

Suitable for use in cracked and non-cracked concrete over C20/25.

A4-316
Stainless Steel



Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ETA08065SS*	8	65	22	11	50	100	2.69	356.22
ETA08080SS	8	80	37	15	60	100	3.14	409.10
ETA08095SS	8	95	52	30	60	100	3.60	475.89
ETA80115SS	8	115	72	50	60	100	4.24	528.77
ETA10080SS*	10	80	32	20	55	50	5.38	608.09
ETA10100SS	10	100	52	20	75	50	6.36	713.85
ETA10130SS	10	130	82	50	75	50	7.90	819.60
ETA10180SS	10	180	132	100	75	50	10.32	1,063.11
ETA12095SS*	12	95	36	20	70	25	9.12	925.35
ETA12110SS	12	110	51	15	90	25	10.20	1,083.98
ETA12125SS	12	125	66	30	90	25	11.36	1,224.52
ETA12160SS	12	160	101	65	90	25	13.92	1,808.95
ETA12200SS	12	200	135	105	90	25	16.84	1,967.58
ETA16115SS*	16	115	36	15	90	20	18.80	2,190.22
ETA16135SS	16	135	56	15	110	20	21.6	2,578.46
ETA16170SS	16	170	91	50	110	20	26.80	2,833.09
ETA16220SS	16	220	80	100	110	10	35.90	2,949.98
ETA20165SS	20	165	50	30	125	10	45.10	4,429.15
ETA20195SS	20	195	70	60	125	10	51.40	4,870.25
ETA20235SS	20	235	80	100	125	5	61.80	5,290.48

* Reduced loading due to shallow embedment



WIREHANGERS

An expansion anchor for security suspension wires. Suitable for use in non-cracked concrete over C20/25.

Part Number	Anchor Hole Size mm	Anchor Length mm	Eye Diameter mm	Minimum Hole Depth mm	Rec Tensile Load KN	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TW06055	6	55	6	40	1.5	100	1.15	53.70



NAIL IN SOCKETS

An M8 and M10 dual thread socket that is simply hammered in to the base material.

Part Number	Anchor Hole Size mm	Anchor Length mm	Internal Socket Diameter mm	Minimum Hole Depth mm	Rec Tensile Load KN	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
NAS0625	6	25	M8 & M10	30	2.14	100	2.75	160.71
NAS0630	6	30	M8 & M10	35	2.81	100	2.85	168.86



**ANKERBOLTS**

Hexagon Flange Head • Min 5µm

A self tapping anchor for use in a variety of base materials. The self tapping action provides a positive anchorage in non-cracked concrete, brick, stone and blocks.

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050	5	50	25	35	8mm A/F	100	0.98	34.18
JAB05/06075	5	75	50	35	8mm A/F	100	1.35	38.32
JAB05/06100	5	100	75	35	8mm A/F	100	1.60	52.27
JAB06/08030	6	30	5	35	10mm A/F	100	1.00	40.39
JAB06/08050	6	50	20	40	10mm A/F	100	1.49	54.89
JAB06/08075	6	75	45	40	10mm A/F	100	2.02	71.05
JAB06/08100	6	100	70	40	10mm A/F	100	2.57	87.85
JAB06/08130	6	130	100	40	10mm A/F	100	3.23	104.40
JAB06/08150	6	150	120	40	10mm A/F	100	3.66	114.09

**ANKERBOLTS**

Hexagon Head • Min 5µm

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10060	8	60	20	55	15mm A/F	100	2.99	70.91
JAB08/10075	8	75	35	55	15mm A/F	100	3.58	85.70
JAB08/10100	8	100	60	55	15mm A/F	100	4.53	119.00
JAB08/10130	8	130	90	55	15mm A/F	50	5.20	168.33
JAB08/10150	8	150	110	55	15mm A/F	50	5.48	183.36
JAB10/12060	10	60	10	70	17mm A/F	50	4.68	110.80
JAB10/12075	10	75	25	70	17mm A/F	50	5.50	123.71
JAB10/12100	10	100	50	70	17mm A/F	50	7.06	160.91
JAB10/12130	10	130	80	70	17mm A/F	25	9.50	204.13
JAB10/12150	10	150	100	70	17mm A/F	25	10.15	248.19
JAB12/14075	12	75	15	85	19mm A/F	50	8.00	207.36
JAB12/14100	12	100	40	85	19mm A/F	50	10.18	250.84
JAB12/14130	12	130	70	85	19mm A/F	25	12.75	320.53
JAB12/14150	12	150	90	85	19mm A/F	20	14.17	450.93
JAB12/14200	12	200	140	85	19mm A/F	20	18.90	549.67
JAB14/16075	14	75	5	100	24mm A/F	25	12.62	453.22
JAB14/16100	14	100	30	100	24mm A/F	25	15.51	511.45
JAB14/16130	14	130	60	100	24mm A/F	20	19.00	625.84
JAB14/16150	14	150	80	100	24mm A/F	10	21.30	678.37
JAB14/16200	14	200	130	100	24mm A/F	10	27.19	891.32
JAB16/18100*	16	100	20	110	27mm A/F	10	22.00	701.94
JAB16/18150*	16	150	70	110	27mm A/F	10	29.70	818.47
JAB16/18200*	16	200	120	110	27mm A/F	10	37.60	1,005.35

* Mechanical Galvanised • Min 40µm

**ANKERBOLTS**

Pan Head • Torx Drive • Min 5µm

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050PH	5	50	25	35	16	T25	100	1.08	47.53
JAB05/06075PH	5	75	50	35	16	T25	100	1.45	60.31
JAB05/06100PH	5	100	75	35	16	T25	100	1.81	73.62
JAB06/08030PH	6	30	5	35	16	T30	100	1.25	50.76
JAB06/08050PH	6	50	20	40	16	T30	100	1.70	72.02
JAB06/08075PH	6	75	45	40	16	T30	100	2.26	89.10
JAB06/08100PH	6	100	70	40	16	T30	100	2.82	115.03



ANKERBOLTS

Countersunk Head • Min 5µm

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06030CS	5	30	5	35	9.5	T25 Torx	100	0.83	31.76
JAB05/06050CS	5	50	20	40	9.5	T25 Torx	100	0.97	36.19
JAB05/06075CS	5	75	45	40	9.5	T25 Torx	100	1.32	39.50
JAB05/06100CS	5	100	70	40	9.5	T25 Torx	100	1.65	43.23
JAB06/08030CS	6	30	5	35	12.5	T30 Torx	100	0.85	41.57
JAB06/08050CS	6	50	20	40	12.5	T30 Torx	100	1.19	45.68
JAB06/08075CS	6	75	45	40	12.5	T30 Torx	100	1.73	57.44
JAB06/08100CS	6	100	70	40	12.5	T30 Torx	100	2.58	71.92
JAB06/08130CS	6	130	100	40	12.5	T30 Torx	100	2.94	92.45
JAB06/08150CS	6	150	120	40	12.5	T30 Torx	100	3.32	105.79
JAB08/10060CS	8	60	20	55	17.5	T45 Torx	100	2.89	79.13
JAB08/10075CS	8	75	35	55	17.5	T45 Torx	100	3.48	90.14
JAB08/10100CS	8	100	60	55	17.5	T45 Torx	100	4.43	116.66
JAB10/12060CS	10	60	10	70	21	T50 Torx	50	4.58	116.07
JAB10/12075CS	10	75	25	70	21	T50 Torx	50	5.40	136.74
JAB10/12100CS	10	100	50	70	21	T50 Torx	50	6.96	168.88



ANKERBOLTS

Hexagon Flange Head • Min 40µm

Mechanical
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050G	6	50	20	40	10mm A/F	100	1.49	64.34
JAB06/08075G	6	75	45	40	10mm A/F	100	2.02	83.29
JAB06/08100G	6	100	70	40	10mm A/F	100	2.57	103.02



ANKERBOLTS

Hexagon Head • Min 40µm

Mechanical
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10060G	8	60	20	55	15mm A/F	100	2.99	83.20
JAB08/10100G	8	100	60	55	15mm A/F	100	4.53	139.58
JAB08/10150G	8	150	110	55	15mm A/F	50	5.48	215.07
JAB10/12060G	10	60	10	70	17mm A/F	50	4.68	129.93
JAB10/12100G	10	100	50	70	17mm A/F	50	7.06	188.73
JAB10/12150G	10	150	100	70	17mm A/F	25	10.15	291.13
JAB12/14100G	12	100	40	85	19mm A/F	50	10.18	280.22
JAB12/14150G	12	150	90	85	19mm A/F	20	14.17	503.75
JAB12/14200G	12	200	140	85	19mm A/F	20	18.90	644.75

**ANKERBOLTS** NEW LINES ADDED

Hexagon Head • Suitable for cracked and non-cracked concrete.

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10075ETA	8	80	10	90	15mm A/F	100	3.58	98.01
JAB08/10100ETA	8	100	35	90	15mm A/F	100	4.53	135.29
JAB08/10130ETA	8	130	65	90	15mm A/F	50	5.20	183.87
JAB08/10150ETA	8	150	85	90	15mm A/F	50	5.48	194.36
JAB10/12100ETA	10	100	25	100	17mm A/F	50	7.06	181.21
JAB10/12130ETA	10	130	55	100	17mm A/F	25	9.50	230.74
JAB10/12150ETA	10	150	75	100	17mm A/F	25	10.15	257.04
JAB12/14100ETA	12	100	5	110	19mm A/F	50	10.18	287.81
JAB12/14130ETA	12	130	35	110	19mm A/F	25	12.75	349.14
JAB12/14150ETA	12	150	55	110	19mm A/F	20	14.17	458.97
JAB12/14200ETA	12	200	105	110	19mm A/F	20	18.90	608.84
NEW JAB14/16130ETA	14	130	20	130	24mm A/F	20	19.00	611.45
JAB14/16150ETA	14	150	40	130	24mm A/F	10	21.30	696.93
NEW JAB14/16200ETA	14	200	90	130	24mm A/F	10	27.19	841.77
NEW JAB16/18150ETA	16	150	30	145	27mm A/F	10	29.70	870.95
NEW JAB16/18200ETA	16	200	80	145	27mm A/F	10	37.60	1,127.93

**ANKERBOLTS**

Countersunk Head • Bi-metallic with Carbon Steel tip with leading threads to cut into the concrete.

A4-316
Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050CSSS*	6	50	20	40	15	T40	100	1.49	297.53
JAB06/08075CSSS	6	75	45	40	15	T40	100	2.04	370.63
JAB06/08100CSSS	6	100	70	40	15	T40	100	2.60	463.06

* Not included in ETA

**ANKERBOLTS**

Hexagon Flange Head • Bi-metallic with Carbon Steel tip with leading threads to cut into the concrete.

A4-316
Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050SS*	6	50	20	40	10mm A/F	100	1.54	297.53
JAB06/08075SS	6	75	45	40	10mm A/F	100	2.08	370.63
JAB06/08100SS	6	100	70	40	10mm A/F	100	2.63	462.54
JAB08/10060SS*	8	60	20	55	13mm A/F	100	3.27	521.02
JAB08/10075SS	8	75	35	55	13mm A/F	100	3.87	615.63
JAB08/10100SS	8	100	60	55	13mm A/F	100	4.88	769.80
JAB10/12075SS*	10	75	25	70	17mm A/F	50	6.44	846.06
JAB10/12100SS*	10	100	50	70	17mm A/F	50	7.96	1,053.68
JAB10/12150SS*	10	150	100	70	17mm A/F	25	11.04	1,590.67
JAB12/14100SS*	12	100	40	85	19mm A/F	50	11.53	1,382.27

* Not included in ETA

**ANKERBOLT DROP IN**

A self tapping anchor providing a flush internal thread. • Min 5µm

Bright Zinc
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JABDBM10	13	32	50	M10	N/A	6mm Hex	100	2.20	144.68



ANKERBOLT DROP IN SETTING TOOL

Part Number	Drive Size	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per Each
JABDBM10ST	1/2"	1	6.50	23.84



SOCKET BOLTS

Dual Threaded and Single Thread

Bright Zinc Plated



Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread	Across Flats mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08SOCKET	6	75	50	M8 + M10	17	50	6.42	216.07
JAB06/08SOCM08	6	55	50	M8	13	100	2.20	98.07
JAB06/08SOCM10	6	55	50	M10	13	100	2.00	98.93

JAB06/08SOCKET



JAB06/08SOCM08

JAB06/08SOCM10



SOCKET BOLTS

ETA Approved

Bright Zinc Plated

ETA
ETAG 001-6

Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread	Across Flats mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08SOCETA	6	85	65	M8 + M10	13	100	3.07	264.52

HOOK BOLTS AND EYE BOLTS

Min 5µm

Bright Zinc Plated



Hook Bolt

Part Number	Anchor Hole Size mm	Thread Length mm	Anchor Length mm	Minimum Hole Depth mm	Eye Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050HOOK	6	50	90	65	13	50	2.56	224.77
JAB08/10055HOOK	8	55	100	70	14	50	4.96	252.36
JAB06/08050EYE	6	50	90	65	13	50	2.80	350.39
JAB08/10055EYE	8	55	100	70	14	50	5.50	415.17



Eye Bolt



TORX DRIVER BITS

Part Number	Quantity Per Pack	Price £ Per Each
T25	1	3.17
T30	1	3.67
T40	1	3.84
T45	1	4.24
T50	1	5.03



SLEEVE ANCHORS

Hexagon Nut • Min 5µm

A thin walled sleeve anchor suitable for use in most types of non-cracked concrete or masonry.

Zinc and Yellow
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLN08040	8	40	5	35	100	1.60	72.07
SLN08065	8	65	30	40	50	2.42	92.06
SLN08085	8	85	45	40	50	3.14	119.76
SLN10050	10	50	5	45	50	3.26	96.40
SLN10075	10	75	30	45	50	4.64	120.36
SLN10100	10	100	55	45	50	6.04	160.47
SLN10125	10	125	80	45	50	6.40	183.40
SLN12060	12	60	15	50	50	6.52	149.52
SLN12075	12	75	20	60	50	6.84	164.78
SLN12100	12	95	50	60	25	8.90	213.21
SLN12125	12	125	65	60	25	10.95	282.49
SLN16065	16	65	10	60	25	14.60	252.93
SLN16110	16	105	50	65	10	15.80	343.15
SLN16150	16	150	90	65	10	20.10	449.55
SLN20080	20	80	15	70	10	21.60	522.80
SLN20110	20	110	45	70	10	27.60	623.62
SLN20150	20	150	85	70	10	36.80	769.23



SLEEVE ANCHORS

Hexagon Bolt • Min 5µm

A thin walled sleeve anchor suitable for use in most types of non-cracked concrete or masonry.

Zinc and Yellow
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB08045	8	45	2	45	100	1.85	79.99
SLB08070	8	70	25	45	50	2.54	95.89
SLB08090	8	90	45	45	50	3.22	129.59
SLB10045	10	45	5	45	50	3.26	106.98
SLB10055	10	55	15	45	50	3.56	111.56
SLB10080	10	80	30	50	50	4.84	119.78
SLB10100	10	100	50	50	50	6.00	164.15
SLB12065	12	65	5	65	50	5.92	165.97
SLB12080	12	80	20	65	50	7.20	181.67
SLB12100	12	100	40	65	25	8.80	224.27
SLB12125	12	125	65	65	25	10.80	264.91
SLB16075	16	75	5	65	25	10.75	275.51
SLB16110	16	110	40	65	10	16.10	385.20



SLEEVE ANCHORS

Countersunk Head • Min 5µm • Phillips No.3 Drive

Zinc and Yellow
Plated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08060	8	60	30	40	14	100	1.92	134.54
SLC08085	8	85	50	40	14	50	2.79	152.45
SLC10075	10	75	40	45	16	50	3.70	173.83
SLC10100	10	100	60	45	16	50	5.44	209.34



SLEEVE ANCHORS

Hexagon Nut • Min 5µm

A4-316
Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSS06060	6	55	25	35	100	1.26	257.48
SLSS08040	8	40	5	40	100	2.31	276.72
SLSS08065	8	65	30	40	50	2.48	342.06
SLSS10050	10	50	10	45	50	3.28	431.96
SLSS10075	10	75	35	45	50	4.62	558.01
SLSS10100	10	95	55	45	50	5.88	702.08
SLSS12060	12	55	10	50	50	5.81	718.14
SLSS12075	12	65	20	60	50	6.88	807.00
SLSS12100	12	95	50	60	25	9.05	1,017.96



SLEEVE ANCHORS

Countersunk Head • Hex Drive

A2-304
Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08045SS	8	45	8	50	12	100	1.62	300.51
SLC08060SS	8	60	18	60	12	100	1.93	358.23
SLC10060SS	10	60	9	60	16	100	3.15	417.15
SLC10080SS	10	80	19	80	16	100	4.20	533.96
SLC12070SS	12	70	10	75	20	100	5.83	771.31
SLC12100SS	12	100	30	100	20	100	7.66	983.68



Hook Bolt

SLEEVE ANCHORS

Eye Bolt and Hook Bolt • Min 5µm

Zinc and Yellow
Plated

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
Hookbolt-SLZH08040	8	11	45	100	2.47	166.89
Forged Eyebolt - SLZE08040F	8	10	45	20	2.12	166.89



Eye Bolt



SLEEVE ANCHORS

Eye Bolt

A2-304
Stainless Steel

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLZE08045SS	8	10	50	50	2.60	509.22
SLZE10060SS	10	11	65	50	5.00	863.46



DROP IN ANCHORS

Suitable for use in non-cracked concrete over C20/25. • Min 5µm

Zinc and Yellow
Plated

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06	M6	8	25	25	10	100	0.84	35.33
DBM08	M8	10	30	30	14	100	1.58	47.12
DBM10	M10	12	40	40	15	50	2.40	77.50
DBM12	M12	15	50	50	20	50	5.92	114.00
DBM16	M16	20	65	65	22	25	11.20	249.54
DBM20	M20	25	80	80	30	25	19.00	616.68



DROP IN ANCHORS

A deformation controlled anchor suitable for use in cracked and non-cracked concrete over C20/25. • Min 5µm

Bright Zinc
Plated



•ETA•
ETAG 001-6

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADBM08	M8	10	30	30	13	100	1.17	62.95
ADBM10	M10	12	40	40	15	50	2.14	102.91
ADBM12	M12	15	50	50	18	50	4.36	163.72
ADBM16	M16	20	65	65	23	25	10.20	323.51



LIPPED DROP IN ANCHORS

Lipped drop in anchors can be accurately set independent of hole depth and can be used in hollow base material application. • Min 5µm

Zinc and Yellow
Plated

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06SH	M6	8	25	25	10	100	0.84	49.64
DBM08SH	M8	10	30	30	14	100	1.58	67.10
DBM10SH	M10	12	30	30	15	50	2.00	75.82
DBM10SHL	M10	12	40	40	15	50	2.40	80.64
DBM12SH	M12	15	50	50	20	50	5.92	163.37
DBM16SH	M16	20	65	65	22	25	11.20	360.31



LIPPED DROP IN ANCHORS

The lipped drop in anchor is approved for redundant fastening for non-structural applications in cracked and non-cracked concrete. • Min 5µm

Bright Zinc
Plated



•ETA•
ETAG 001-6

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADBM0825SH	M8	10	25	25	12	100	1.05	60.46
ADBM0830SH	M8	10	30	35	13	100	1.15	97.61
ADBM1025SH	M10	12	25	25	12	50	0.80	77.90
ADBM1040SH	M10	12	40	40	15	50	2.20	102.93
ADBM1225SH	M12	15	25	25	12	50	2.30	131.49
ADBM1250SH	M12	15	50	50	18	50	4.30	153.61



DROP IN ANCHORS

A4-316
Stainless Steel



ETA
ETAG 001-6

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DSSM06	M6	8	30	30	11	100	0.82	350.34
DSSM08	M8	10	30	30	13	100	1.60	408.99
DSSM10	M10	12	40	40	15	50	2.38	569.31
DSSM12	M12	15	50	50	19	50	5.96	842.06
DSSM16	M16	20	65	65	25	25	11.80	1,693.83



LIPPED DROP IN ANCHORS

A4-316
Stainless Steel



ETA
ETAG 001-6

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADSSM08SH	M8	10	30	30	13	100	1.15	409.53
ADSSM10SH	M10	12	40	40	15	50	2.20	570.77
ADSSM12SH	M12	15	50	50	18	50	4.30	852.85



DROP IN ANCHOR SETTING PUNCHES

The correct size setting punch must be used to safely install drop in anchors.

Part Number	Thread Diameter mm	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DZSP06	-	-	-	-	-	1	0.10	7.60
DZSP08	-	-	-	-	-	1	0.15	7.96
DZSP10	-	-	-	-	-	1	0.16	10.51
DZSP12	-	-	-	-	-	1	0.22	11.21
DZSP16*	-	-	-	-	-	1	0.41	11.57
DZSP20*	-	-	-	-	-	1	0.55	12.55

With Hand Guard

* Without hand guard



Without Hand Guard



STOP DRILL BITS **NEW (Available April 2022)**

For drilling the correct hole depth for 25mm and 30mm drop in anchors.
Reduces the risk of hitting rebar.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
SD10025	10	25	110	1	0.71	11.50
SD10030	10	30	110	1	0.73	11.50
SD12025	12	25	110	1	0.8	12.50
SD12030	12	30	110	1	0.85	12.50

Bright Zinc
Plated**FORGED HOOK BOLTS**

Min 5µm

Part Number	Thread Diameter mm	Thread Length mm	Hook Diameter mm	Outside Hook Diameter mm	Quantity Per Box	Price £ Per 100
FHM06	6	50	8	22	50	153.22
FHM08	8	60	10	30	50	238.96
FHM10	10	73	12	36	25	378.85
FHM12	12	90	16	47	10	774.16

**FORGED EYE BOLTS**

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Outside Eye Diameter mm	Quantity Per Box	Price £ Per 100
FEM06	6	50	10	19	50	153.22
FEM08	8	60	11	23	50	238.96
FEM10	10	73	14	28	25	378.85
FEM12	12	90	16	34	10	774.16

**SCAFFOLD RING BOLTS**

Scaffolding ring bolts are used together with M16 drop in anchors or M16 internal threaded sockets for restraining scaffolding.

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DSRBM16	16	32	53	210	1	0.60	19.62

**SCAFFOLD RETAINING EYES**

Part Number	Thread Diameter mm	Thread Length mm	Eye Internal Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRE12120	12	60	24	120	20	17.20	217.19
SRE12160	12	60	24	160	10	20.40	282.57

**SCAFFOLD EYE PLUGS**

Part Number	Overall Length mm	Anchor Hole Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRP14100	14	100	115	20	0.90	63.53



HEAVY DUTY ANCHORS

Hexagon Bolt • Min 5µm

A torque controlled heavy duty, hex bolt anchor suitable for use in cracked and non-cracked concrete over C20/25.

Bright Zinc
Plated



Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JHD0610	10	75	10	65	50	5.50	302.96
JHD0630	10	95	30	65	50	7.50	324.64
JHD0650	10	115	50	65	50	8.30	367.91
JHD0810	12	85	10	80	50	9.90	320.44
JHD0830	12	105	30	80	50	10.50	367.91
JHD0850	12	125	50	80	25	11.70	411.25
JHD1015	15	106	15	95	25	12.50	449.11
JHD1025	15	116	25	95	25	15.50	486.98
JHD1045	15	136	45	95	25	18.00	553.56
JHD1210	18	117	10	105	20	21.50	724.77
JHD1220	18	127	20	105	20	24.50	789.91
JHD1240	18	147	40	105	20	29.50	889.06
JHD1270	18	177	70	105	20	30.50	970.00
JHD1610	24	130	10	130	10	45.50	1,422.71
JHD1620	24	150	20	130	10	52.50	1,529.03
JHD1650	24	180	50	130	10	58.50	1,720.18
JHD2030	28	192	30	160	5	93.33	2,893.65
JHD2060	28	222	60	160	5	107.50	3,174.33
JHD2460	32	267	60	180	5	144.20	5,357.28



HEAVY DUTY ANCHORS

Stud and Nut • Min 5µm

A torque controlled heavy duty, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.

Bright Zinc
Plated




Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
NHD0810	12	90	10	80	50	6.60	339.59
NHD0830	12	110	30	80	50	8.00	387.12
NHD0850	12	130	50	80	25	10.00	426.11
NHD1015	15	111	15	95	25	12.80	467.87
NHD1025	15	121	25	95	25	14.00	508.05
NHD1045	15	141	45	95	25	16.00	580.26
NHD1210	18	122	10	105	20	20.50	766.58
NHD1220	18	132	20	105	20	22.00	831.94
NHD1240	18	152	40	105	20	25.50	926.24
NHD1270	18	182	70	105	20	30.50	1,038.66
NHD1620	24	157	20	130	10	47.00	1,623.84
NHD1650	24	187	50	130	10	55.00	1,810.03



HEAVY DUTY ANCHORS

Countersunk • Min 5µm

A torque controlled heavy duty anchor with a countersunk hex head drive suitable for use in cracked and non-cracked concrete over C20/25.





Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSK10/10	10	6	70	10	65	16.5	50	3.70	464.24
SLSK10/25	10	6	85	25	65	16.5	50	4.50	480.22
SLSK10/45	10	6	100	40	65	16.5	50	6.20	505.76
SLSK12/10	12	8	80	10	80	20.5	50	6.40	542.87
SLSK12/25	12	8	95	25	80	20.5	50	7.70	593.78
SLSK12/50	12	8	120	50	80	20.5	25	9.60	632.19
SLSK15/10	15	10	100	10	95	24.5	25	11.00	732.53
SLSK15/25	15	10	110	25	95	24.5	25	12.60	772.55
SLSK15/50	15	10	135	50	95	24.5	25	15.60	849.99
SLSK18/20	18	12	115	20	105	29.5	20	21.00	1,189.34
SLSK18/40	18	12	135	40	105	29.5	20	25.00	1,315.53



HEAVY DUTY ANCHORS

Stud and Nut • Min 5µm

A torque controlled heavy duty, stainless steel, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.



Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB12/10SS	12	8	89	10	80	50	6.40	1,436.95
SLB12/30SS	12	8	109	30	80	50	7.70	1,712.91
SLB14/15SS	15	10	110	15	95	25	11.00	2,092.11
SLB14/25SS	15	10	120	25	95	25	12.60	2,222.77
SLB18/20SS	18	12	131	20	105	20	23.00	3,661.19
SLB18/40SS	18	12	151	40	105	20	25.00	3,816.79

The JCP Anchor Calculation Program is free to download via www.jcpxfixings.co.uk/anchor-calculator-tool



HEAVY DUTY ANCHORS

Hexagon Bolt • Min 5µm

A torque controlled heavy duty, stainless steel, hexagon bolt anchor suitable for use in cracked and non-cracked concrete over C20/25.

A4-316
Stainless Steel



Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JHD0810SS	12	8	85	10	80	50	6.62	1,033.86
JHD0830SS	12	8	105	25	80	50	8.20	1,172.87
JHD0850SS	12	8	125	50	80	25	9.88	1,528.45
JHD1015SS	15	10	106	15	95	25	13.24	1,535.96
JHD1025SS	15	10	116	25	95	25	14.36	1,676.87
JHD1045SS	15	10	136	45	95	25	16.80	2,244.35
JHD1210SS	18	12	117	10	105	20	20.90	2,403.53
JHD1225SS	18	12	127	25	105	20	22.65	2,633.70
JHD1240SS	18	12	147	40	105	20	26.05	2,857.28



HEAVY DUTY ANCHORS

Countersunk • Min 5µm

A torque controlled heavy duty, stainless steel, countersunk anchor suitable for use in cracked and non-cracked concrete over C20/25.

A4-316
Stainless Steel



Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSK12/10SS	12	8	80	10	80	50	6.02	1,711.67
SLSK12/25SS	12	8	95	25	80	50	7.30	1,826.74
SLSK12/50SS	12	8	120	50	80	25	9.32	1,922.26
SLSK15/15SS	15	10	100	15	95	25	11.16	2,151.01
SLSK15/25SS	15	10	110	25	95	25	13.16	2,279.62
SLSK15/50SS	15	10	135	50	95	25	15.84	2,914.32
SLSK18/20SS	18	12	115	20	105	20	19.95	4,083.58
SLSK18/40SS	18	12	135	40	105	20	23.10	4,325.08





BLIND BOLTS

The Blind Bolt is a constructional cavity fixing suitable for fixing to steel sections where access is available from one side only.

Geomet
500B

BLINDBOLT®

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BB08050ZF	9	M8	50	9	24	50	2.00	3.19
BB10060ZF	11	M10	60	10	30	40	4.00	3.54
BB10095ZF	11	M10	95	25	65	20	7.00	5.40
BB10130ZF	11	M10	130	55	100	20	9.00	5.60
BB12070ZF	13	M12	70	12	35	20	8.00	4.67
BB12120ZF	13	M12	120	30	85	25	11.00	6.77
BB12180ZF	13	M12	180	80	140	20	17.00	7.86
BB14075ZF	15	M14	75	14	35	25	10.00	7.33
BB14125ZF	15	M14	125	28	82	20	15.00	9.53
BB14185ZF	15	M14	185	75	142	15	19.00	14.15
BB16090ZF	17	M16	90	13	43	20	17.00	8.51
BB16130ZF	17	M16	130	40	75	15	21.00	11.77
BB16180ZF	17	M16	180	55	125	10	29.00	15.32
BB20110ZF	22	M20	110	21	56	10	33.00	16.15
BB20140ZF	22	M20	140	21	86	8	40.00	17.55
BB20180ZF	22	M20	180	80	120	10	45.00	19.48
BB20250ZF	22	M20	250	130	185	10	60.00	24.71
BB24130ZF	26	M24	130	21	66	5	52.00	24.55
BB30140ZF	32	M30	140	27	60	5	94.00	36.46



BLIND BOLTS

A4 Stainless Steel

BLINDBOLT®

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BB08050A4	9	M8	50	9	24	50	2.00	8.60
BB10060A4	11	M10	60	10	30	40	4.00	11.49
BB12090A4	13	M12	90	12	55	20	9.00	13.43
BB16100A4	17	M16	100	13	53	20	18.00	22.80



HEAVY DUTY BLIND BOLTS

A shorter blind fixing with improved performance.

Geomet
500

HDBOLT®

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBHD0845ZF	8	M8	45	7	25	50	2.00	3.24
BBHD1045ZF	10	M10	45	7	25	40	4.00	3.56
BBHD1060ZF	10	M10	60	7	40	40	4.00	3.65
BBHD1245ZF	12	M12	45	8	22	20	7.00	4.00
BBHD1260ZF	12	M12	60	8	37	20	7.00	4.23
BBHD1275ZF	12	M12	75	8	52	20	11.00	6.09
BBHD1660ZF	16	M16	60	12	30	20	13.00	8.88
BBHD1675ZF	16	M16	75	12	45	20	15.00	9.08
BBHD2070ZF	20	M20	70	15	32	10	23.00	15.33
BBHD2085ZF	20	M20	85	15	47	10	28.00	16.22



HEAVY DUTY BLIND BOLTS

A4 Stainless Steel

HDBOLT®

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBHD0845A4	8	M8	45	7	25	50	2.00	6.31
BBHD1045A4	10	M10	45	7	25	40	4.00	7.51
BBHD1060A4	10	M10	60	7	40	40	4.00	9.04
BBHD1245A4	12	M12	45	8	22	20	7.00	9.17
BBHD1260A4	12	M12	60	8	37	20	7.00	11.46
BBHD1660A4	16	M16	60	12	30	20	13.00	20.15
BBHD2070A4	20	M20	70	15	32	10	23.00	27.50



THIN WALL BLIND BOLTS

For blind fixing to lightweight sheet steel or cladding material.

Zinc Nickel

TWBOLT®

Part Number	Hole Diameter mm	Depth Clearance	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBTW0810ZN	8	35	2	10	100	1.50	3.11
BBTW0816ZN	8	40	8	16	100	1.65	3.91
BBTW1010ZN	10	35	2	10	50	1.30	4.04
BBTW1016ZN	10	40	8	16	50	1.40	4.94
BBTW1310ZN	13	45	2	10	50	2.50	8.51
BBTW1316ZN	13	50	8	16	50	2.80	9.87



THIN WALL BLIND BOLTS

A2 Stainless Steel

TWBOLT®

Part Number	Hole Diameter mm	Depth Clearance	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBTW0810SS	8	35	2	10	100	1.50	5.11
BBTW0816SS	8	40	8	16	100	1.65	5.91
BBTW1010SS	10	35	2	10	50	1.62	6.64
BBTW1016SS	10	40	8	16	50	1.86	8.17
BBTW1310SS	13	45	2	10	50	1.58	12.36
BBTW1316SS	13	50	8	16	50	1.71	15.02



SHIELD ANCHORS

Loose Bolt • Min 5µm
A torque controlled anchor for use in concrete and solid brickwork.

Zinc and Yellow Plated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Length Under Head mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ALB0610	6	12	10	55	50	50	2.36	163.78
ALB0625	6	12	25	70	50	50	2.80	199.32
ALB0640	6	12	40	85	50	50	3.20	205.12
ALB0810	8	14	10	60	55	50	5.78	224.43
ALB0825	8	14	25	75	55	50	6.20	246.13
ALB0840	8	14	40	90	55	50	6.46	279.55
ALB1010	10	16	10	70	65	50	9.44	325.17
ALB1025	10	16	25	85	65	50	9.96	384.37
ALB1050	10	16	50	110	65	50	11.14	419.33
ALB1075	10	16	75	135	65	25	12.90	458.96
ALB1210	12	20	10	85	85	25	17.84	513.54
ALB1225	12	20	25	100	85	25	18.40	606.25
ALB1240	12	20	40	115	85	25	19.16	677.62
ALB1260	12	20	60	135	85	25	21.28	738.41
ALB1615	16	25	15	135	125	10	36.30	1,373.88
ALB1630	16	25	30	150	125	10	36.60	1,468.50
ALB1660	16	25	60	180	125	10	42.40	1,764.65



SHIELD ANCHORS

Projecting Bolt • Min 5µm

Zinc and Yellow Plated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Overall Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
APB0610	6	12	10	60	50	50	2.58	159.52
APB0625	6	12	25	75	50	50	2.90	174.21
APB0650	6	12	50	100	50	50	3.34	202.12
APB0815	8	14	15	75	55	50	6.38	230.47
APB0840	8	14	40	100	55	50	7.22	262.12
APB0880	8	14	80	140	55	25	8.56	272.07
APB1010	10	16	10	80	65	50	9.90	320.02
APB1030	10	16	30	100	65	50	10.80	345.28
APB1050	10	16	50	120	65	25	12.00	369.89
APB1070	10	16	70	140	65	25	13.40	419.17
APB1215	12	20	15	100	85	25	19.80	548.35
APB1225	12	20	25	110	85	25	20.40	604.94
APB1250	12	20	50	135	85	10	22.24	640.12
APB1270	12	20	70	155	85	10	23.90	689.64
APB1635	16	25	35	160	125	10	40.40	1,191.80



SHIELD ANCHORS

Shield Only • Min 5µm

A torque controlled shield anchor suitable for use in non-cracked concrete and solid brickwork.

Zinc and Yellow Plated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ASHOM06	6	12	-	45	50	50	1.18	132.53
ASHOM08	8	14	-	50	55	50	3.20	172.18
ASHOM10	10	16	-	60	65	50	4.40	254.37
ASHOM12	12	20	-	75	85	25	9.16	428.45
ASHOM16	16	25	-	110	125	10	17.10	835.64



SHIELD ANCHORS

Shield Only • Min 5µm

A4-316 Stainless Steel

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
PSM06SS	6	12	-	45	50	25	1.18	478.02
PSM08SS	8	14	-	50	55	25	3.20	617.58
PSM10SS	10	16	-	60	65	25	4.40	954.16
PSM12SS	12	20	-	75	85	10	9.16	1,330.28



SHIELD ANCHORS

Eye Bolts • Min 5µm

Zinc and Yellow Plated

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AEBM06	M6	12	10	80	25	7.96	268.52
AEBM08	M8	14	11	95	25	8.52	353.83
AEBM10	M10	16	14	115	10	15.62	480.12
AEBM12	M12	20	16	130	10	27.64	916.42



SHIELD ANCHORS

Hook Bolts • Min 5µm

Zinc and Yellow Plated

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AHBM06	M6	12	8	80	25	7.60	268.52
AHBM08	M8	14	10	95	25	8.20	353.83
AHBM10	M10	16	12	115	10	14.50	480.12
AHBM12	M12	20	16	145	10	26.90	916.42



CONCRETE SCREWS

Includes White Cover Cap • Countersunk Head • Min 5µm

Suitable for use in non-cracked concrete, concrete blocks and masonry.

A T30 drive bit is supplied in each box of countersunk only.

Zinc and Yellow
Plated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75040	6	40	-	45	100	1.00	380.14
CS75060	6	60	20	45	100	1.45	426.50
CS75080	6	80	40	45	100	1.72	541.94
CS75100	6	100	60	45	100	2.53	596.07
CS75120	6	120	80	45	100	2.93	796.27
CS75150	6	150	110	45	100	3.16	950.50
CS75180	6	180	140	45	100	3.78	1,705.95



CONCRETE SCREWS

No Cover Caps • No Torx Bits

Zinc and Yellow
Plated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75040A	6	40	-	45	100	1.00	314.36
CS75060A	6	60	20	45	100	1.45	359.37
CS75080A	6	80	40	45	100	1.72	471.44
CS75100A	6	100	60	45	100	2.53	523.99
CS75120A	6	120	80	45	100	2.93	718.37
CS75150A	6	150	110	45	100	3.16	868.11
CS75180A	6	180	140	45	100	3.78	1,601.55



CONCRETE SCREW COVER CAPS

Part Number	Colour	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
CSCAPWH	White Cover Caps	100	0.01	5.50
CSCAPBR	Brown Cover Caps	100	0.01	5.50



CONCRETE SCREWS

Cylindrical Head • Hex Head Drive • 4mm A/F

Zinc and Yellow
Plated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75060CH	6	60	20	45	100	1.28	398.64
CS75080CH	6	80	40	45	100	1.69	528.81
CS75100CH	6	100	60	45	100	2.10	628.88
CS75120CH	6	120	80	45	100	2.50	811.93
CS75150CH	6	150	110	45	100	3.10	1,220.33
CS75180CH	6	180	140	45	100	3.70	1,684.06
CS75210CH	6	210	170	45	100	4.31	2,444.73



NAIL IN ANCHORS

Suitable for use in non-cracked concrete, masonry and some natural stone.

Metal

Part Number	Anchor Hole Size mm	Total Anchor Length mm	Max.Fixture Thickness mm	Flange Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MDA06040	6	40	5	15	100	1.40	58.84
MDA06065	6	65	30	15	100	1.60	71.91



NAIL IN ANCHORS

Alloy

LANI06030	6	30	10	13	100	0.85	52.29
LANI06040	6	40	20	13	100	1.10	54.16
LANI06050	6	50	30	13	100	1.24	70.97



NAIL IN ANCHORS

Steel

MNI06030	6	30	10	13	100	0.85	47.54
MNI06040	6	40	20	13	100	1.10	50.09
MNI06050	6	50	30	13	100	1.24	67.07



PLASTIC HEADED NAILS

An A4/316 stainless steel nail, ring shanked with HDPE impact resistant poly head. UV Factor 5 stabilised. Available with white or black heads.

A4-316
Stainless Steel

Part Number	Shank Length mm	Shank Diameter mm	Head Colour	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
POLY030WH	30	2.00	White	250	0.22	10.69
POLY040WH	40	2.00	White	250	0.29	12.23
POLY050WH	50	2.65	White	100	0.25	22.99
POLY065WH	65	3.35	White	100	0.48	34.60
POLY030BL	30	2.00	Black	250	0.22	11.30
POLY040BL	40	2.00	Black	250	0.29	12.84
POLY050BL	50	2.65	Black	100	0.25	24.54
POLY065BL	65	3.35	Black	100	0.48	35.76



MASONRY NAILS

An oil bathed hardened nail with 8mm diameter washer.

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
AMNLO25MP	25	2.5	200	0.13	11.78
AMNLO30MP	30	2.5	200	0.15	12.84



MASONRY NAILS

An oil bathed hardened nail.

- Light and medium duty - countersunk head.
- Heavy duty - round head.

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LIGHT SHANK					
AMNL025	25	2.5	100	0.11	4.35
AMNL030	30	2.5	100	0.13	4.60
AMNL040	40	2.5	100	0.18	5.46
AMNL050	50	2.5	100	0.20	6.16
AMNL060	60	2.5	100	0.24	6.92
MEDIUM SHANK					
AMNM025	25	3.0	100	0.15	5.32
AMNM030	30	3.0	100	0.17	5.54
AMNM040	40	3.0	100	0.25	6.38
AMNM050	50	3.0	100	0.29	7.32
AMNM060	60	3.0	100	0.37	8.26
HEAVY SHANK					
AMNH050	50	3.5	100	0.40	10.44
AMNH060	60	3.5	100	0.51	11.92
AMNH075	75	3.5	100	0.58	13.28
AMNH090	90	3.5	100	0.65	15.83
AMNH100	100	3.5	100	0.81	16.75



MASONRY NAILS

Countersunk head • Don Quichotte branded nails are saltbath-hardened to achieve optimal balance between hardness and strength.



Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LIGHT SHANK					
IMNL025	25	2.5	100	0.11	4.40
IMNL030	30	2.5	100	0.13	4.65
IMNL040	40	2.5	100	0.18	5.50
IMNL050	50	2.5	100	0.20	6.23
MEDIUM SHANK					
IMNM040	40	3.0	100	0.25	6.43
IMNM050	50	3.0	100	0.29	7.38
IMNM060	60	3.0	100	0.37	8.35
HEAVY SHANK					
IMNH075	75	3.5	100	0.58	13.42
IMNH085	85	3.5	100	0.65	15.99
IMNH100	100	3.5	100	0.81	16.92



GROOVED NAILS WITH WASHER

A hardened steel nail with washer and a grooved shank.

Suitable for fixing roofing and insulation plates, plastic sheets and wire mesh.



Part Number	Shank Length mm	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
IMW030	30	3.5	100	0.49	30.82
IMW040	40	3.5	100	0.51	31.34
IMW050	50	3.5	100	0.52	33.25



SANITARY FIXINGS

BASIN FIXINGS

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NBFS10140	M10 x 140	14 x 70	14	10	19.00	182.51	3.12

W.C. FIXINGS

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NWCW06070	6.0 x 70	8 x 40	8	50	3.40	120.86	2.42 (White)
NWCC06070	6.0 x 70	8 x 40	8	50	3.40	120.86	2.42 (Chrome)

VERTICAL FLANGE CLIPS

A high strength clip for fixing suspended wire to steel profiles.

Part Number	Size mm	Min Purlin Gauge mm	Max Purlin Gauge mm	Height mm	Width mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
VFC1	20 x 42	1.60	2.50	42.00	20.00	100	0.82	22.67



ANGLE BRACKETS

A mild steel angle bracket for a variety of applications.

Part Number	Size mm	Width mm	Hole Diameter mm	Thickness mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
AB2020	20 x 20	17.00	4.70	1.20	100	0.51	10.84



WALL SCREWS

COUNTERSUNK HEAD • A carbon steel fixing for use in non-cracked concrete and masonry base materials.

Part Number	Drill Hole Diameter mm	Thread Diameter mm	Shank Length mm	Head Thickness mm	Head Colour	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
WS5032CSZ	5	6	32	4	Bright Zinc Plated	100	0.38	14.98
WS5038CSZ	5	6	38	4	Bright Zinc Plated	100	0.44	15.73
WS5050CSZ	5	6	50	4	Bright Zinc Plated	100	0.56	16.35
WS5032CSW	5	6	32	4	White	100	0.38	16.35
WS5038CSW	5	6	38	4	White	100	0.44	17.09
WS5050CSW	5	6	50	4	White	100	0.56	17.71



PAN HEAD • A carbon steel fixing for use in non-cracked concrete and masonry base materials.

Part Number	Drill Hole Diameter mm	Thread Diameter mm	Shank Length mm	Head Thickness mm	Head Colour	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
WS5032PHZ	5	6	32	3	Bright Zinc Plated	100	0.38	15.48
WS5038PHZ	5	6	38	3	Bright Zinc Plated	100	0.44	15.73
WS5050PHZ	5	6	50	3	Bright Zinc Plated	100	0.56	16.35
WS5032PHW	5	6	32	3	White	100	0.38	16.35
WS5038PHW	5	6	38	3	White	100	0.44	17.09
WS5050PHW	5	6	50	3	White	100	0.56	17.71





BIGTWIST NAILS

A 20mm headed twist nail for fixing composite panels to wooden battens. • Min 5µm

Bright Zinc Plated

Part Number	Shank Diameter mm	Anchor Length mm	Rec.Tensile Load Kn	Max Fixture Thickness mm	Quantity Per Bag/Box	Ship Wt. Kg Per 100	Price £ Per 100
TC08090BG	8	90	0.22	55	25 bag	1.40	48.40
TC08135BG	8	135	0.22	100	25 bag	2.14	60.90
TC08165BG	8	165	0.22	130	25 bag	2.30	66.96
TC08195BG	8	195	0.22	160	25 bag	2.80	78.21
TC08220BG	8	220	0.22	185	25 bag	3.00	89.68
TC08090BX	8	90	0.22	55	500 box	1.40	47.33
TC08135BX	8	135	0.22	100	500 box	2.14	55.42
TC08165BX	8	165	0.22	130	500 box	2.30	60.87
TC08195BX	8	195	0.22	160	300 box	2.80	70.86
TC08220BX	8	220	0.22	185	300 box	3.00	82.13

FIXING BANDS **NEW LINES ADDED**

A fixing band for general strapping needs in both straight and round formats. Supplied in rigid plastic dispensers for ease of use.



ROUND PERFORATED

Mechanical Galvanised

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
NEW FBR0312G	3	12	0.80	1	0.16	2.25
FBR1012G	10	12	0.80	1	0.48	5.25
FBR1017G	10	17	0.80	1	0.72	6.58



3 Metres



10 Metres



STRAIGHT PERFORATED

Mechanical Galvanised

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
NEW FBS0312G	3	12	0.80	1	0.16	2.60
FBS1012G	10	12	0.80	1	0.48	6.58
FBS1019G	10	19	0.80	1	1.10	9.24



3 Metres




10 Metres



ROUND PERFORATED

A2-304 Stainless Steel

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBR1017SS	10	17	0.80	1	0.72	16.33




10 Metres

PURE EPOXY RESIN

Pure Epoxy resin is a 3:1 ratio resin with very high load capacities. The colour of the resin is red. Approved for use in contact with potable (drinking) water.

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF375E	Pure Epoxy Resin in Cartridge + 1 Mixer Nozzle	375ml	1/10	0.75	38.84



Approval No: 1506530

PURE EPOXY RESIN

A pure epoxy resin that has the convenience of fitting a standard mastic gun. It should be noted that the 1:1 formulation means that the loads are different from the JF375E.

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF250E	Pure Epoxy Resin in a 1:1 cartridge + 1 mixer nozzle	250ml	1/12	0.60	27.69



VINYLESTER RESIN

Pure Vinylester Resin Styrene Free is suitable for use in concrete, brickwork and most natural stone.

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFV380SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	34.60
JFV300SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	300ml	1/12	0.70	26.19



EPOXY ACRYLATE RESIN

Epoxy Acrylate Resin Styrene Free is suitable for use in non-cracked concrete, other base materials and in damp conditions.

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA380SF	Grey Styrene Free Epoxy Acrylate + 1 Mixer Nozzle	410ml	1/12	0.79	30.72



VINYLESTER FAST CURE WINTER GRADE RESIN

Winter Grade Vinylester Styrene Free Resin can be used in temperatures down to -10°C or as a fast cure resin in warmer temperatures.



Option 1
Cracked
Concrete

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA410SF	Winter Grade Resin Styrene Free Vinylester + 1 Mixer Nozzle	410ml	1/12	0.79	34.60



POLYESTER STYRENE FREE RESIN

Polyester Styrene Free Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



Option 7
Non-Cracked
Concrete

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380PSF	Grey Styrene Free Polyester + 1 Mixer Nozzle	410ml	1/12	0.79	28.95
JFEA300SF	Grey Styrene Free Polyester + 1 Mixer Nozzle	300ml	1/12	0.69	26.71
JF150P	Grey Styrene Free Polyester + 2 Mixer Nozzle	150ml	1/12	0.42	22.25



POLYESTER RESIN

Polyester Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



Option 7
Non-Cracked
Concrete

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380P	Grey Polyester Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	28.12



APPROXIMATE RESIN FIXING PER CARTRIDGE

Thread Diameter mm	Hole Size mm	Hole Depth mm	410ml	375ml	300ml	150ml
M8	10	80	78	71	57	25
M10	12	90	52	48	38	17
M12	14	110	34	31	25	11
M16	18	125	22	20	16	7
M20	22	170	11	10	8	3
M24	26	210	7	6	5	2

ROCKITE (INTERIOR GRADE)


Rockite is a fast setting hydraulic type cement product.

When mixed with water it provides a compound that can be used for grouting, anchoring or patching. 1kg (2.2lb) dry powder weight fills approximately 700 cubic centimeters.

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9020	0.45kg (1lb) Cartons	1	0.45	9.71
57 9002	2.27kg (5lb) Carton	1	2.27	24.89
57 9003	4.54kg (10lb) Pail	1	4.54	47.54
57 9004	22.70kg (50lb) Carton	1	22.70	172.81
57 9005	22.70kg (50lb) Pail	1	22.70	181.58



Pail



Carton

KWIXSET (EXTERIOR GRADE)

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9011	11.35kg (25lb) Pail	1	11.35	109.66
57 9012	22.70kg (50lb) Pail	1	22.70	211.12



Caution: Rockite and Kwixset have very strong expansion properties which generate the high tensile loads that can be achieved and as such their use in hollow bricks or blocks is not recommended.

GLASS CAPSULES

J-Fix Spin in Capsules • Epoxy Acrylate • Quartz • Improved Loads



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Hole Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPSM08	-	80	-	10	80	10	1.20	272.95
JCAPSM10	-	80	-	12	90	10	1.30	289.84
JCAPSM12	-	95	-	14	110	10	2.40	319.28
JCAPSM16	-	95	-	18	125	10	3.30	442.46
JCAPSM20	-	160	-	22	170	10	10.90	636.81
JCAPSM24	-	175	-	26	210	10	14.10	803.14
JCAPSM30	-	230	-	32	280	5	28.20	1,455.66

GLASS CAPSULES

J-Fix Hammer in Capsules • Epoxy Acrylate • For use with rebar or flat ended studs.



Part Number	Rebar Nominal Diameter mm	Thread Diameter mm	Capsule Diameter mm	Capsule Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPHM10	10	10	11	90	100	10	1.30	314.58
JCAPHM12	12	12	13	110	110	10	2.40	360.28
JCAPHM16	16	16	17	125	125	10	3.30	485.58
JCAPHM20	20	20	22	175	200	6	10.90	722.87
JCAPHM24	25	24	24	210	250	6	14.10	903.58
JCAPHM30	32	30	33	265	300	6	28.20	1,629.11



J-FIX STUDS

Setting Tool Included • Grade 5.8 Threaded Stud • Min 5µm

Bright Zinc
Plated



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110	8	110	18	80	10	4.30	160.22
JSTUD10130	10	130	25	90	10	7.75	189.37
JSTUD12160	12	160	34	110	10	13.30	248.74
JSTUD16190	16	190	45	125	10	28.50	420.59
JSTUD20260	20	260	55	170	10	62.00	968.50
JSTUD24300	24	300	55	210	5	102.00	1,603.47
JSTUD30380	30	380	55	280	5	164.00	4,514.54



J-FIX STUDS

Plain Ended • Grade 5.8 Threaded Stud • Min 5µm • For use with injection resin.

Bright Zinc
Plated



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PE	8	150	62	80	10	4.00	153.07
JSTUD10105PE	10	105	5	90	10	7.20	174.91
JSTUD10150PE	10	150	50	90	10	7.70	180.35
JSTUD10200PE	10	200	100	90	10	11.10	188.64
JSTUD12110PE	12	110	-	-	10	9.90	163.50
JSTUD12150PE	12	150	27	110	10	12.70	231.54
JSTUD12200PE	12	200	77	110	10	16.20	275.81
JSTUD16110PE	16	110	-	-	10	18.50	360.10
JSTUD16250PE	16	250	104	128	10	36.70	623.94
JSTUD16350PE	16	350	204	128	10	49.70	680.36
JSTUD20200PE	20	200	9	170	10	48.40	743.60
JSTUD20400PE	20	400	209	170	10	89.20	1,003.44



J-FIX STUDS

Setting Tool Included • High Tensile Grade 8.8 Threaded Stud • Min 5µm

Zinc and Yellow
Plated



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110HT	8	110	18	80	10	4.30	173.71
JSTUD10130HT	10	130	25	90	10	7.75	209.95
JSTUD12160HT	12	160	34	110	10	13.30	273.67
JSTUD16190HT	16	190	45	125	10	28.50	486.12
JSTUD20260HT	20	260	55	170	10	62.00	1,053.82
JSTUD24300HT	24	300	55	210	5	102.00	1,782.88
JSTUD30380HT	30	380	55	280	5	164.00	5,019.85



J-FIX STUDS

Setting Tool Included • BS EN ISO 1461:2009 • Grade 5.8 Threaded Stud



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110G	8	110	18	80	10	4.40	326.10
JSTUD10130G	10	130	25	90	10	7.90	413.58
JSTUD12160G	12	160	34	110	10	13.50	492.14
JSTUD16190G	16	190	45	125	10	29.00	746.00
JSTUD20260G	20	260	55	170	5	63.40	1,515.54
JSTUD24300G	24	300	55	210	5	104.20	2,344.07



J-FIX STUDS

Setting Tool Included • BS EN ISO 1461:2009 • Grade 8.8 Threaded Stud




Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110GHT	M8	110	18	80	10	4.4	335.23
JSTUD10130GHT	M10	130	25	90	10	7.9	442.50
JSTUD12160GHT	M12	160	34	110	10	13.5	522.95
JSTUD16190GHT	M16	190	45	125	10	29.0	797.84
JSTUD20260GHT	M20	260	55	170	5	63.4	1,622.49
JSTUD24300GHT	M24	300	55	210	5	104.2	2,480.67



J-FIX STUDS

Setting Tool Included • Grade 70 Stainless Steel Threaded Stud



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SS	8	110	18	80	10	4.32	423.01
JSTUD10130SS	10	130	25	90	10	7.77	615.04
JSTUD12160SS	12	160	34	110	10	13.30	888.07
JSTUD16190SS	16	190	45	125	10	28.50	1,618.91
JSTUD20260SS	20	260	55	170	5	62.00	3,263.01
JSTUD24300SS	24	300	55	210	5	102.00	4,505.15



J-FIX STUDS

Setting Tool Included • Grade 70 Stainless Steel Threaded Stud

A4-316
Stainless Steel



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SSA4	8	110	18	80	10	4.32	481.48
JSTUD10130SSA4	10	130	25	90	10	7.77	737.29
JSTUD12160SSA4	12	160	34	110	10	13.30	1,143.54
JSTUD16190SSA4	16	190	45	125	10	28.50	2,166.69
JSTUD20260SSA4	20	260	55	170	5	62.00	3,912.11
JSTUD24300SSA4	24	300	55	210	5	102.00	6,358.87



J-FIX STUDS

Plain Ended • Grade 70 Stainless Steel Threaded Stud

A4-316
Stainless Steel



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PESS	8	150	62	80	10	4.00	374.66
JSTUD10105PESS	10	105	5	90	10	7.20	452.93
JSTUD10150PESS	10	150	50	90	10	7.70	593.30
JSTUD10200PESS	10	200	100	90	10	11.10	729.26
JSTUD12110PESS	12	110	-	-	10	9.90	670.15
JSTUD12150PESS	12	150	27	110	10	12.70	836.98
JSTUD12200PESS	12	200	77	110	10	16.20	1,029.45
JSTUD16110PESS	16	110	-	-	10	18.50	1,198.42
JSTUD16250PESS	16	250	104	128	10	36.70	2,248.16
JSTUD16350PESS	16	350	204	128	10	49.70	2,892.08
JSTUD20200PESS	20	200	9	170	10	48.40	2,894.46
JSTUD20400PESS	20	400	209	170	10	89.20	4,499.46

Datasheets can be found on the JCP website for products within the range.

The data sheets provide detailed information on the following; where applicable.

- Product information
- Load and range data
- Performance data
- Installation instructions
- Features
- Base material guidance
- Related products

www.jcpfixings.co.uk



For technical advice call our Technical Helpline on 020 8943 1800



INJECTION RESIN INTERNALLY THREADED SOCKETS

Min 5µm

Bright Zinc
Plated

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
INJM06	6	20	8	10	50	60	10	1.20	227.15
INJM08	8	25	12	14	80	90	10	4.20	267.75
INJM10	10	30	14	16	80	90	10	4.60	321.60
INJM12	12	30	16	18	80	90	10	5.40	465.05



INTERNAL THREADED SOCKETS

A permanent threaded socket for use with spin in glass capsules or injection resin • Min 5µm

Bright Zinc
Plated

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08BZP	8	30	12	14	90	90	10	4.00	370.76
ITSM10BZP	10	35	16	18	90	90	10	7.00	457.02
ITSM12BZP	12	40	20	25	90	90	10	16.00	636.39
ITSM16BZP	16	40	24	28	125	125	10	29.00	1,312.76



INTERNAL THREADED SOCKETS

A2-304
Stainless Steel

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SS	8	30	12	14	90	90	10	4.00	834.96
ITSM10SS	10	35	16	18	90	90	10	7.00	1,189.14
ITSM12SS	12	40	20	25	90	90	10	16.00	1,637.24
ITSM16SS	16	40	24	28	125	125	10	29.00	3,211.93



INTERNAL THREADED SOCKETS

A4-316
Stainless Steel

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SSA4	8	30	12	14	90	90	10	4.00	1,116.34
ITSM10SSA4	10	35	16	18	90	90	10	7.00	1,502.48
ITSM12SSA4	12	40	20	25	90	90	10	16.00	2,191.29
ITSM16SSA4	16	40	24	28	125	125	10	29.00	4,240.63

INJECTION TOOLS

Part Number	Description	Ship Wt. Kg Each	Price £ Each
JTOOL380	For any 410ml Cartridge	1.30	57.59
JTOOL300	For any 150ml & 300ml Cartridge	1.00	31.74
JTOOL150	For any 150ml & 300ml Cartridge	0.60	7.36
JTOOL375	For JF375E 375ml Cartridge	1.40	70.11



JTOOL380



JTOOL300



JTOOL150



JTOOL375

INJECTION TOOL ACCESSORIES

Part Number	Description	Ship Wt. Kg Each	Price £ Each
JMN130	Mixer Nozzle	1.00	2.11
JMN190	Extension Tube for JMN130	1.00	1.74
JMN150E	Mixer Nozzle for JF375E Pure Epoxy	1.00	2.34



NYLON SLEEVE WITH STUD ALIGNMENT COLLAR

For use with injection resin in hollow bricks and blocks.



Part Number	Hole Diameter mm	Sleeve Size mm	For Stud Size	Quantity Per Bag	Ship Wt. Kg Box	Price £ Per 100
JNSLM08/12	16	15 x 85	M8-M12	10	0.18	57.45
JNSLM08/12L	16	15 x 130	M8-M12	10	0.18	63.15
JNSLM16	22	20 x 85	M16	10	0.18	66.22

WIRE MESH SLEEVE

For use with injection resin. Can be cut on site to required length.



Part Number	Hole Diameter mm	Inside Diameter	For Stud Size	Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
JMMSM08	12	8.7	M8	1000	1	6.00	16.07
JMMSM10/12	16	12.5	M10-M12	1000	1	8.00	17.24
JMMSM16	22	18.0	M16	1000	1	10.00	19.79
JMMSM20	26	22.0	M20	1000	1	12.00	21.25

WIRE CLEANING BRUSHES

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
CB08	8	1	5.87
CB10	10	1	6.09
CB12	12	1	6.39
CB16	16	1	6.97
CB20	20	1	7.71
CB25	25	1	9.50
CBW30	30	1	12.98
CBFW25	FLAT	1	14.83



BLOW OUT PUMP

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
BOP1	10+	1	27.05



CRACK STITCH TWIST STARTER KIT

Part Number	Price £ Each
CSKIT	248.38

KIT CONTAINS:

10 lengths of 6mm x 1000mm Bar, 1 x 3ltr Tub of Grout, 1 x 9.5mm Nozzle, 1 x Crack Stitching Gun, 1 x Mixing Paddle, 1 x Finger Trowel



POINTING GUN

Part Number	Description	Price £ Each
CSGUN	Crack Stitching Gun	63.28



MIXING PADDLE

Part Number	Description	Price £ Each
CSMP	Mixing Paddle	7.96



STITCHING BAR

1 metre bar for use as masonry reinforcement and crack stitching.

A2-304
Stainless Steel

Part Number	Description	Quantity Per Box	Price £ Each
CS061000	6mm x 1000mm bar	10	10.23
CS081000	8mm x 1000mm bar	10	14.72



CEMENTITIOUS GROUT

Cementitious grout for use in crack stitching.

Part Number	Description	Price £ Each
CSGROUT	3 litre tub of grout	87.18



B3 RATED EXPANDING FOAM

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B3H	Grade B3 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	24.55
JF750B3G	Grade B3 Gun Applied Expanding Foam	750ml	1/12	0.84	25.17



B2 RATED EXPANDING FOAM

B2 foam is suitable for use where joints must conform to BS EN ISO 471:2003 + A1:2007 (Part 20) DIN4102 (Part 1)

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B2H	Grade B2 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	27.55
JF750B2G	Grade B2 Gun Applied Expanding Foam	750ml	1/12	0.84	28.24



JCP foam is a one part construction foam designed for filling irregular gaps. All foams are supplied with protective gloves included. For B2 Foams to achieve a fire rating class they must be used in conjunction with an approved fire rated sealant.

B1 FIRE STOP EXPANDING FOAM AND SILICONE SEALANT



The B1 foam and silicone sealant (in accordance with DIN 4102-1) form an excellent adhesion to most building materials. As a system, the JCP B1 foam and silicone can be used where a fire resistance up to 4 hours is required (EI 240). The fire stop system is ready to use, saves time and offers excellent thermal and acoustic insulation properties, too.

	Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
1	JF750B1H	Grade B1 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	33.72
2	JF750B1G	Grade B1 Gun Applied Expanding Foam	750ml	1/12	0.84	35.07
3	JFIRESIL	Silicone	290	1/12	0.34	10.49



B1 FIRE SEALANT

High-performance, professional quality, one-part, ready to use sealant and adhesive.

Based on innovative new Inert Polymer Technology, it is suitable for a wide variety of building trade applications including decorating, flooring, joinery, plumbing and tiling. Out-performing conventional silicone, MSP, Butyl and Acrylic based products as a sealant and adhesive, it is the only sealant free from dangerous emissions.



The JCP assessment document (ETA21/0413) is based on European Assessment Document EAD 350141-00-1106 "Fire Stopping and Fire Sealing Products. Linear Joint and Gap Seals".

INTUMESCENT AND ACOUSTIC MASTIC

Part Number	Description	Volume ml	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFIREMAS	Intumescent & Acoustic Mastic	310	1/12	0.34	10.23



POLYURETHANE CLEANER

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF500C	Polyurethane Cleaner	500ml	1/12	0.50	21.13



APPLICATOR GUNS

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFGUNC	Professional Applicator Gun	-	1	0.70	46.38
JFGUNB	Conventional Applicator Gun	-	1	0.60	33.13



PROFESSIONAL



CONVENTIONAL



NYLON HAMMER SCREWS

Suitable for fixing into non-cracked concrete or masonry.

Zinc and Yellow Plated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030	5	30	5	30	100	0.35	19.27
NHS05050	5	50	25	30	100	0.40	22.88
NHS06040	6	40	10	35	100	0.47	23.27
NHS06050	6	50	20	35	100	0.55	26.53
NHS06060	6	60	30	35	100	0.63	29.58
NHS06070	6	70	40	35	100	0.83	32.53
NHS08060	8	60	20	45	100	1.01	44.18
NHS08080	8	80	40	45	100	1.26	47.76
NHS08100	8	100	60	45	50	1.56	62.17
NHS08120	8	120	80	45	50	1.89	73.61
NHS08140	8	140	100	45	50	2.22	99.95



FLANGE HEAD HAMMER SCREWS

A nylon plug with a large diameter head, zinc plated hammer in screw suitable for fixing into non-cracked concrete or masonry.

Zinc and Yellow Plated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS06040FH	6	40	10	35	13	100	0.47	22.80



HAMMER SCREWS

A2-304 Stainless Steel

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030SS	5	30	5	30	200	0.35	49.71
NHS06040SS	6	40	10	35	200	0.47	64.11
NHS06060SS	6	60	30	35	100	0.63	76.65
NHS06070SS	6	70	40	35	100	0.74	90.12
NHS08060SS	8	60	20	45	100	1.01	107.55
NHS08080SS	8	80	40	45	100	1.26	139.82
NHS08100SS	8	100	60	45	50	1.56	171.89



NYLON NAIL PLUGS

A mushroom head, nylon expansion plug which gives a flush finish with no metallic parts.

Part Number	Anchor Hole Size mm	Anchor Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NNP06040	6	40	7	50	13	100	0.35	16.35



NYLON FRAME FIXINGS

Countersunk Screw • Suitable for fixing into non-cracked concrete or masonry.

Zinc and Yellow Plated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08060	8	60	20	45	100	1.24	51.50
NFF08080	8	80	40	45	100	1.56	58.14
NFF08100	8	100	60	45	100	1.70	65.09
NFF08120	8	120	80	45	100	1.89	85.61
NFF10080	10	80	35	50	100	2.40	87.82
NFF10100	10	100	55	50	100	3.44	92.25
NFF10120	10	120	75	50	100	3.80	109.51
NFF10140	10	140	95	50	100	4.36	126.39
NFF10160	10	160	115	50	100	5.16	167.59



NYLON FRAME FIXINGS

Countersunk Screw • European Technical Approval for multiple fixings for non-structural applications.

• Tx Drive: 8mm - T30 Drive, 10mm - T40 Drive.

Bright Zinc Plated



Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETA	8	80	10	90	100	1.83	55.78
NFF08100ETA	8	100	30	90	100	2.28	64.47
NFF08120ETA	8	120	50	90	100	2.76	80.55
NFF08140ETA	8	140	70	90	50	3.24	107.40
NFF10080ETA	10	80	10	90	50	2.47	85.23
NFF10100ETA	10	100	30	90	50	3.14	89.75
NFF10120ETA	10	120	50	90	50	3.79	109.42
NFF10140ETA	10	140	70	90	50	4.43	126.69
NFF10160ETA	10	160	90	90	50	5.06	159.09





NYLON FRAME FIXINGS

Hexagon Head

• European Technical Approval for multiple fixings for non-structural applications.



Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETAH	8	80	10	90	100	2.10	60.39
NFF08100ETAH	8	100	30	90	100	2.57	70.87
NFF08120ETAH	8	120	50	90	100	3.06	90.89
NFF08140ETAH	8	140	70	90	50	3.44	121.52
NFF10080ETAH	10	80	10	90	50	3.08	80.07
NFF10100ETAH	10	100	30	90	50	3.75	102.17
NFF10120ETAH	10	120	50	90	50	4.43	110.41
NFF10140ETAH	10	140	70	90	50	5.32	138.34
NFF10160ETAH	10	160	90	90	50	5.71	161.11




NYLON FRAME FIXINGS

Countersunk Screw

• European Technical Approval for multiple fixings for non-structural applications.

• Tx Drive: 8mm - T30 Drive, 10mm - T40 Drive.



Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETASS	8	80	10	90	100	1.83	202.55
NFF08100ETASS	8	100	30	90	100	2.29	240.90
NFF08120ETASS	8	120	50	90	100	2.80	283.27
NFF08140ETASS	8	140	70	90	50	3.25	388.06
NFF10080ETASS	10	80	10	90	50	2.59	281.17
NFF10100ETASS	10	100	30	90	50	3.25	320.51
NFF10120ETASS	10	120	50	90	50	3.85	364.95
NFF10140ETASS	10	140	70	90	50	4.48	460.27
NFF10160ETASS	10	160	90	90	50	5.02	528.96



PUSH PLUGS

A mushroom head push in fixing with no expansion forces. Grips the hole with flexible wings.

Part Number	Anchor Hole Size mm	Anchor Length mm	Max. Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
PP06035	6	35	5	45	13	100	0.10	14.25



NYLON WALL PLUGS

Suitable for solid base materials.

Part Number	Anchor Hole Size mm	Plug Length mm	Wood Screw Gauge No mm	Metric Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NP05	5	25	4-6	2.5-3.5	30	100	0.04	6.18
NP06	6	30	6-10	3.5-5.0	35	100	0.08	8.28
NP07	7	35	8-12	4.0-5.5	40	100	0.12	10.31
NP08	8	40	10-14	5.0-6.0	45	100	0.15	12.00
NP10	10	50	14-18	6.0-8.0	55	50	0.29	23.57
NP12	12	60	18-24	8.0-10.0	70	25	0.52	43.92
NP14	14	70	24-32	10.0-12.0	80	20	0.74	65.09



UNIVERSAL WALL PLUGS

Suitable for hollow or solid base materials

NUP06035	6	35	6-8	3.5-4.0	40	200	0.04	18.71
NUP08050	8	50	10-12	4.5-5.5	55	100	0.12	27.36
NUP10060	10	61	12-14	5.5-6.0	65	50	0.15	31.87



PREMIUM NYLON WALL PLUGS

A nylon plug of high quality with screw guidance and anti rotation lugs. The innovative design gives excellent results in a number of base materials.

NP06030	6	30	6-10	3.5-5.0	35	100	0.04	8.10
NP06055	6	55	6-10	3.5-5.0	60	100	0.07	8.80
NP08040	8	40	10-14	4.5-6.0	45	100	0.10	10.57
NP08060	8	60	10-14	4.5-6.0	70	100	0.16	12.33
NP10080	10	80	14-18	6.0-8.0	90	100	0.30	23.60
NP12055	12	55	18-24	8.0-10.0	60	100	0.26	41.56



JCP STANDARD PLASTIC PLUGS (Supplied on a sprue)

Part Number	Colour	Drill Diameter mm	Length mm	Wood Screw Gauge No	Metric Screw Size mm	Minimum Hole Depth	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 1000
AYP	Yellow	5	22	4-8	2.5-4.0	30	100	0.40	25.84
ARP	Red	5.5	30	6-10	3.5-5.0	40	100	0.64	27.31
ABP	Brown	7	37	10-14	5.0-6.0	45	100	1.12	33.64



JCP BULK PLASTIC PLUGS (Supplied loose)

Standard JCP plastic plug supplied loose in boxes of 10,000.

LBARP	Red	6	37	6-10	3.5-5.0	40	10000	1.05	25.32
LBABP	Brown	7	37	10-14	5.0-6.0	45	10000	1.35	26.79

JCP PREMIUM PLASTIC PLUGS (Sold in outers of 1,000)

Part Number	Colour	Drill Diameter mm	Length mm	Wood Screw Gauge No	Metric Screw Size mm	Minimum Hole Depth	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 1000
JCPRED	Red	6	37	6-10	3.5-5.0	45	100	1.05	32.86
JCPBROWN	Brown	7	37	10-14	5.0-6.0	45	100	1.35	37.71



JCPRED



JCPBROWN



METAL EXPANSION PLUGS

A 4 segment expansion plug expanded by using a wood screw for light duty fixing in to concrete, masonry or aerated concrete blocks.

Part Number	Drill Diameter mm	Plug Length mm	Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MP05030	5	30	4.5	40	100	0.20	16.19
MP06032	6	32	4.5-5.0	40	100	0.20	17.49
MP08038	8	38	5.0-6.0	50	100	0.60	25.80
MP08060	8	60	5.0-6.0	70	50	1.00	35.71

J-PLUG PLASTERBOARD FIXINGS

Complete with screw

Part Number	Screw Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm	Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
JJP15	4.5	35	15	37	100	0.50	68.75
JJP30	4.5	50	30	37	100	0.60	73.50
JJP15A	4.5	35	15	32	100	0.50	55.80
JJP30A	4.5	50	30	32	100	0.65	59.17
JJPN10A	4.5	30	10	29	100	0.20	43.58



JJP15



JJP15A



JJPN10A

ROSETT CAVITY FIXINGS

Tx 25 Drive

Part Number	Screw Length mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
BR05055	55	9-18	15	10	25	1.17	81.41
BR05080	85	9-18	40	10	25	1.49	87.93
RR05065	65	18-30	12	10	25	1.35	85.11
RR05090	90	18-30	38	10	25	1.66	95.26
BRHOOK	-	9-18	-	10	25	1.55	140.29
RRHOOK	-	18-30	-	10	25	1.78	140.64



BR05055



RR05065



BRHOOK



RRHOOK



ANKERNUTS

A synthetic rubber sleeve with brass threaded insert suitable for use in hollow materials and occasional use in solid materials.

Part Number	Thread Diameter mm	Hole Diameter mm	Wall Thickness mm	Overall Length mm	Flange Thickness mm	Flange Diameter mm	Rec. Tightening Torque Nm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LNN03024	3	8	2.0-15.0	24	1.0	11.0	1	50	0.17	103.66
LNN04011	4	8	0.4-2.0	13	1.0	11.0	1	50	0.19	85.69
LNN04024	4	8	2.0-15.0	25	1.0	11.0	1	50	0.30	103.60
LNN05015	5	10	0.4-4.0	14	1.0	13.0	1.8	50	0.24	90.51
LNN05025	5	10	8.0-16.0	25	1.3	14.0	1.8	50	0.36	93.46
LNN05040	5	10	20.0-30.0	40	1.3	14.0	1.8	50	0.40	104.31
LNN06015	6	13	0.4-3.0	15	1.3	16.0	4	50	0.42	115.17
LNN06025	6	13	6.0-12.0	25	1.3	16.0	4	50	0.58	128.10
LNN06035	6	13	12.0-25.0	35	1.3	16.0	4	50	0.78	130.20
LNN06050	6	13	25.0-40.0	50	1.3	16.0	4	50	0.85	151.69
LNN08025	8	18	4.0-10.0	25	1.3	22.0	8	50	1.12	202.42
LNN08050	8	18	25.0-35.0	50	1.6	20.0	8	50	1.88	244.11
LNN10055	10	20	25.0-35.0	55	1.3	22.5	10	25	2.28	284.20
LNN12075	12	24	35.0-45.0	75	1.3	27.0	15	20	4.00	465.44
LNN12125	12	24	35.0-45.0	125	1.3	27.0	15	20	7.50	711.49

ROAD FIXING KIT

Suitable for use in tarmac and other materials for fixing down speed ramps, smoking shelters, bicycle storage racks and other non-structural applications.



Part Number	Description	Price £ Each
RFK12125	4 x M12 x 125 Ankers C/W M12 x 160 Set Bolt and Washer	37.86

HOLLOW WALL ANCHORS


Zinc and Yellow Plated



Part Number	Screw Size mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LHWA04025	M4 X 25	0-4	10	7	100	0.46	58.38
LHWA04045	M4 X 45	8-13	15	7	100	0.75	64.38
LHWA04050	M4 X 50	16-20	15	7	100	0.86	68.06
LHWA04065	M4 X 65	22-27	30	7	100	0.96	95.72
LHWA05045	M5 X 45	5-10	15	9	100	1.35	92.10
LHWA05060	M5 X 60	5-13	23	9	50	1.68	101.73
LHWA05070	M5 X 70	17-25	23	9	50	1.80	120.76
LHWA06060	M6 X 60	7-13	23	10	50	2.22	130.75
LHWA06070	M6 X 70	16-24	24	10	50	2.68	143.10

HOLLOW WALL ANCHOR SETTING TOOL

Part Number	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
LHWAST	1	0.45	35.51





SPRING TOGGLES

Complete With Screws

Zinc and Yellow Plated

Part Number	Thread Diameter mm	Screw Length mm	Wall & Fixture Thickness mm	Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LST03050	3	50	30	20	11	100	0.52	54.57
LST05050	5	50	20	30	14	100	1.27	59.57
LST05075	5	75	45	30	14	100	1.62	67.40
LST05100	5	100	70	30	14	100	1.88	80.17
LST06075	6	75	45	30	18	100	2.58	89.80



SPRING TOGGLES

Wings Only

Zinc and Yellow Plated

Part Number	Thread Diameter mm	Screw Length mm	Wall & Fixture Thickness mm	Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LSTM03	3	-	-	20	11	100	0.34	35.21
LSTM05	5	-	-	30	14	100	0.63	41.80
LSTM06	6	-	-	30	18	100	0.97	57.79
LSTM08	8	-	-	40	22	50	1.66	128.45
LSTM10	10	-	-	40	25	50	2.64	154.11



PLASTIC TOGGLES

Part Number	Wood Screw Size mm	Wood Screw Gauge mm	Wall Thickness mm	Minimum Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NT10	4.5	8	4-12	30	10	100	0.23	27.47
NT12	4.5	8	15-19	35	10	100	0.25	30.07
NT16	4.5	8	24-28	40	10	100	0.25	31.30



DRIVEFAST GAS NAILS

Clipped Head Nails and Fuel Cell Pack.

34° angled nails and gas for timber to timber fixing suitable for use in Drivefast DF90, IM350, NR90GC2, GN90OS, WW90CH, GS690CH, GT90CH & D90S • 1 fuel cell per 1100 nails.



In accordance with
BS EN 14592:2008+A1:2012

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051RB	51	2.8	Ring Bright	2,200	10.50	79.35
IM35063RB	63	2.8	Ring Bright	2,200	12.10	89.03
IM35075RB	75	3.1	Ring Bright	2,200	12.60	106.79
IM35051EG	51	2.8	Ring Electro Galv	2,200	10.50	90.44
IM35063EG	63	2.8	Ring Electro Galv	2,200	12.10	100.02
IM35075EG	75	3.1	Ring Electro Galv	2,200	12.60	125.33
IM35063RG	63	2.8	Ring Hot Dip Galv	2,200	12.10	124.19
IM35075RG	75	3.1	Ring Hot Dip Galv	2,200	12.60	138.09
IM35090SB	90	3.1	Smooth Bright	2,200	12.60	106.33
IM35090EG	90	3.1	Smooth Electro Galv	2,200	12.60	133.29
IM35090SG	90	3.1	Screwed Electro Galv	2,200	12.60	147.31



DRIVEFAST GAS NAILS

Stainless Steel Ringed Clipped Head Nails and Fuel Cell Pack.

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051SS	51	2.8	Stainless Steel	1000	4.75	168.82
IM35063SS	63	2.8	Stainless Steel	1000	4.80	189.81
IM35080SS	80	3.1	Stainless Steel	1000	5.75	246.40
IM35090SS	90	3.1	Stainless Steel	1000	6.00	281.61

HANDI PACK DRIVEFAST

Clipped Head Nails and Fuel Cell Pack • Drivefast nails and gas in packs of 1000 nails plus one fuel cell.

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
HAN51RB	51	2.8	Ring Bright	1000	4.75	42.81
HAN63RB	63	2.8	Ring Bright	1000	4.75	44.78
HAN75RB	75	2.8	Ring Bright	1000	4.75	57.56
HAN51EG	51	2.8	Ring Electro Galv	1000	4.75	48.73
HAN63EG	63	2.8	Ring Electro Galv	1000	4.75	53.85
HAN75EG	75	3.1	Ring Electro Galv	1000	6.00	67.43
HAN90SB	90	3.1	Smooth Bright	1000	6.00	57.28
HAN90EG	90	3.1	Smooth Electro Galv	1000	6.00	71.78
HAN90SG	90	3.1	Screwed Electro Galv	1000	6.00	79.28





BRAD NAILS & GAS

16 gauge straight brads for use in IM250, NT65GS & DC616KB.1 Fuel Cell per 1000 nails.

16 Gauge Straight Brads

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038G	38	F16	IM250 Galv Brad	8000	2000	5.00	52.73
IM25050G	50	F16	IM250 Galv Brad	8000	2000	7.00	58.81
IM25064G	64	F16	IM250 Galv Brad	8000	2000	8.00	63.07



Stainless Steel Brad Nails and Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038SS	38	F16	Stainless Steel	2000	5.00	146.08
IM25050SS	50	F16	Stainless Steel	2000	7.00	187.00

16 Gauge Angled Brads

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038A	38	F16	Angled Brad	8000	2000	5.00	51.19
IM25050A	50	F16	Angled Brad	8000	2000	7.00	55.29



DRIVEFAST GAS ONLY

Part Number	Description	Quantity Per Box	Price £ Each
IMGAS250	To suit IM250/IM250A	1	21.13
IMGAS350	To suit IM350	1	21.13



Owlett-Jaton

The UK's largest wholesale supplier of Fasteners and Fixings to the merchant and distributor trade.

Largest
stockholder
in the industry

Over
130,000 sq.ft.
of warehousing

Over
30,000
product lines in stock

Over
4,000
deliveries a day

www.owlett-jaton.com

CEILING HANGERS

Suspension clip suitable for 8mm cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VCH32	3.8	32	100	0.64	64.03



CARTRIDGE TOOL

Strip feed tool with power adjuster suitable for 12mm metal washered drive pins up to 97mm long. (82mm & 97mm pins require pre-driving).

PA97

Part Number	Description	Quantity Per Unit	Ship Wt. Kg Each	Price £ Each
PA97KIT	Strip Feed Cartridge Tool C/W Kit in Toolbox	1	4.90	762.22



TOOL KIT PA97



In accordance with
BS EN 15895:2011+A1:2018


Part Number	Description	Quantity Per Unit	Price £ Each
SG	Safety Goggles	1	5.81
SP703	Piston	1	28.82
SP735	Stop Ring	1	7.14
SP757	Retaining Ring	1	1.66
SP738	Circlip	1	1.36
SP771	Spall Shield	1	10.45

CARTRIDGE STRIPS

To suit PA97 and most other strip feed tools.

Part Number	Colour	Strength	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
V3LVS27G	Green	Low	100	0.14	24.79
V4LVS27Y	Yellow	Low/Medium	100	0.14	24.79
V6REDLVS27	Red	Medium/High	100	0.14	24.79
V7BLKLS27	Black	Extra High	100	0.14	27.48





SHOT FIRED PINS

Metal washered pins suitable for PA97.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VMW16	3.7	16	100	0.25	29.08
VMW19	3.7	19	100	0.28	30.61
VMW22	3.7	22	100	0.31	32.07
VMW27	3.7	27	100	0.40	32.29
VMW32	3.7	32	100	0.46	33.52
VMW37	3.7	37	100	0.48	35.27
VMW42	3.7	42	100	0.54	36.72
VMW47	3.7	47	100	0.58	38.19
VMW52	3.7	52	100	0.66	40.22
VMW57	3.7	57	100	0.67	41.69
VMW62	3.7	62	100	0.68	42.85
VMW72	3.7	72	100	0.77	47.50
VMW82	3.7	82	100	0.99	55.09
VMW97	3.7	97	100	1.21	59.47



PLASTIC WASHERED PINS

Plastic washered pins suitable for Ramset P.A. Tools, Spit P200 and other 8mm cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VPW16	3.8	16	100	0.17	28.27
VPW19	3.8	19	100	0.20	28.86
VPW22	3.8	22	100	0.22	29.72
VPW27	3.8	27	100	0.27	31.47
VPW32	3.8	32	100	0.32	33.22
VPW37	3.8	37	100	0.40	34.11
VPW42	3.8	42	100	0.42	36.44
VPW47	3.8	47	100	0.46	37.60
VPW52	3.8	52	100	0.52	39.64
VPW57	3.8	57	100	0.59	41.39
VPW62	3.8	62	100	0.66	42.26
VPW72	3.8	72	100	0.76	45.76



MAGAZINE PINS

Magazine pins suitable for 8mm magazine cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VSN19	3.8	19	100	0.25	34.35
VSN22	3.8	22	100	0.27	35.04
VSN27	3.8	27	100	0.32	34.27
VSN32	3.8	32	100	0.37	34.97
VSN37	3.8	37	100	0.45	36.65
VSN42	3.8	42	100	0.47	39.40
VSN47	3.8	47	100	0.51	41.07
VSN52	3.8	52	100	0.57	43.35
VSN57	3.8	57	100	0.64	51.52
VSN62	3.8	62	100	0.66	54.81
VSN72	3.8	72	100	0.81	57.05



LIGHT SECTION



HEAVY SECTION

METALFIX

Zinc Plated • Without Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55019	5.5	19	3	1.2-3.0	4	-	100	0.38	22.77
MFL55025	5.5	25	3	1.2-3.0	10	-	100	0.56	23.31
MFL55032	5.5	32	3	1.2-3.0	17	-	100	0.65	23.98
MFL55038	5.5	38	3	1.2-3.0	23	-	100	0.74	27.12
MFL55050	5.5	50	3	1.2-3.0	35	-	100	0.90	29.05
MFH55022	5.5	22	4	3.0-6.0	5	-	100	0.52	36.50
MFH55032	5.5	32	5	4.0-12.5	5	-	100	0.65	43.14
MFH55040	5.5	40	5	4.0-12.5	13	-	100	0.76	45.80
MFH55050	5.5	50	5	4.0-12.5	23	-	100	0.90	55.57
MFH55060	5.5	60	5	4.0-12.5	33	-	100	1.04	63.23
MFH55070	5.5	70	5	4.0-12.5	43	-	100	1.18	68.52
MFH55080	5.5	80	5	4.0-12.5	53	-	100	1.32	78.60



LIGHT SECTION



HEAVY SECTION

METALFIX

Zinc Plated • With 16mm Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Bright Zinc Plated

MFL55025W16	5.5	25	3	1.2-3.0	7	16	100	0.51	31.65
MFL55032W16	5.5	32	3	1.2-3.0	14	16	100	0.59	34.81
MFL55038W16	5.5	38	3	1.2-3.0	20	16	100	0.67	35.81
MFL55043W16	5.5	43	3	1.2-3.0	25	16	100	0.89	38.16
MFL55050W16	5.5	50	3	1.2-3.0	32	16	100	0.81	39.80
MFL55057W16	5.5	57	3	1.2-3.0	39	16	100	0.81	40.88
MFL55070W16	5.5	70	3	1.2-3.0	52	16	100	1.21	44.94
MFL55075W16	5.5	75	3	1.2-3.0	57	16	100	1.05	46.29
MFH55022W16	5.5	22	4	3.0-6.0	2	16	100	0.47	46.97
MFH55032W16	5.5	32	5	4.0-12.5	2	16	100	0.59	51.62
MFH55040W16	5.5	40	5	4.0-12.5	10	16	100	0.69	53.62
MFH55050W16	5.5	50	5	4.0-12.5	20	16	100	0.81	62.79
MFH55060W16	5.5	60	5	4.0-12.5	30	16	100	0.93	73.21
MFH55070W16	5.5	70	5	4.0-12.5	40	16	100	1.07	77.50
MFH55080W16	5.5	80	5	4.0-12.5	50	16	100	1.18	106.42
MFH55100W16	5.5	100	5	4.0-12.5	70	16	100	1.43	121.19
MFH55120W16	5.5	120	5	4.0-12.5	90	16	100	1.68	158.68



LIGHT SECTION



HEAVY SECTION

METALFIX

Zinc Plated • With 19mm Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Bright Zinc Plated

MFL55025W19	5.5	25	3	1.2-3.0	7	19	100	0.51	32.64
MFL55032W19	5.5	32	3	1.2-3.0	14	19	100	0.59	35.81
MFL55038W19	5.5	38	3	1.2-3.0	20	19	100	0.67	36.81
MFL55050W19	5.5	50	3	1.2-3.0	32	19	100	0.81	40.80
MFL55075W19	5.5	75	3	1.2-3.0	57	19	100	1.05	48.37
MFH55022W19	5.5	22	4	3.0-6.0	1.2	19	100	0.47	47.97
MFH55032W19	5.5	32	5	4.0-12.5	2	19	100	0.59	52.62
MFH55040W19	5.5	40	5	4.0-12.5	10	19	100	0.69	54.63
MFH55050W19	5.5	50	5	4.0-12.5	20	19	100	0.81	63.79
MFH55060W19	5.5	60	5	4.0-12.5	30	19	100	0.93	74.21
MFH55070W19	5.5	70	5	4.0-12.5	40	19	100	1.07	84.65
MFH55080W19	5.5	80	5	4.0-12.5	50	19	100	1.18	107.42
MFH55100W19	5.5	100	5	4.0-12.5	70	19	100	1.43	125.36
MFH55120W19	5.5	120	5	4.0-12.5	90	19	100	1.68	130.74



METALFIX

Zinc Plated • Without Washer • Min 8µm • DIN 7504K • 1/4" AVF • Suitable for fixing Steel to Steel

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP42013	4.2	13	2	1.2-2.5	5	-	200	0.19	8.46
GP42016	4.2	16	2	1.2-2.5	8	-	200	0.21	9.02
GP42019	4.2	19	2	1.2-2.5	11	-	200	0.22	10.02
GP42025	4.2	25	2	1.2-2.5	17	-	200	0.29	10.48
GP48016	4.8	16	3	1.2-3.0	2	-	100	0.29	11.65
GP48019	4.8	19	3	1.2-3.0	5	-	100	0.30	13.48
GP48025	4.8	25	3	1.2-3.0	11	-	100	0.35	15.30



METALFIX LOOSE WASHERS

1mm Steel with 2mm bonded EPBM backing.

Bright Zinc Plated

Part Number	Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFW16	6	-	-	-	-	16	100	0.15	12.80
MFW19	6	-	-	-	-	19	100	0.18	14.48



POZI PAN HEAD SELF DRILLING SCREWS

Zinc Plated • Min 8µm • DIN 7504N • Suitable for fixing Steel to Steel

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
PH35095	3.5	9.5	2	1.2-2.5	1	-	200	0.08	5.37
PH35013	3.5	13	2	1.2-2.5	5	-	200	0.10	5.74
PH35019	3.5	19	2	1.2-2.5	11	-	200	0.12	6.37
PH42013	4.2	13	2	1.2-2.5	5	-	200	0.15	7.02
PH42016	4.2	16	3	1.2-2.5	8	-	200	0.17	7.37
PH42019	4.2	19	3	1.2-2.5	11	-	200	0.19	8.11
PH42025	4.2	25	3	1.2-2.5	17	-	200	0.23	9.02
PH48013	4.8	13	3	1.2-3.0	2	-	200	0.21	10.11
PH48019	4.8	19	3	1.2-3.0	5	-	200	0.26	10.48
PH48025	4.8	25	3	1.2-3.0	11	-	200	0.32	12.11



LIGHT SECTION



HEAVY SECTION

WOODFIX

Zinc Plated • Min 8µm • Phillips No.3 Drive • DIN 7504P • Suitable for fixing Timber to Steel

Bright Zinc Plated

WFL55040	5.5	40	3	1.2-3.0	22	-	100	0.71	27.31
WFL55050	5.5	50	3	1.2-3.0	32	-	100	0.85	30.31
WFL55060	5.5	60	3	1.2-3.0	42	-	100	1.00	33.51
WFL55080	5.5	80	3	1.2-3.0	62	-	100	1.28	51.23
WFL55100	5.5	100	3	1.2-3.0	82	-	100	1.56	63.95
WFL55110	5.5	100	3	1.2-3.0	92	-	100	1.70	81.08
WFL55120	5.5	120	3	1.2-3.0	112	-	100	1.86	95.82
WFH55050	5.5	50	5	4.0-12.5	23	-	100	0.85	39.97
WFH55060	5.5	60	5	4.0-12.5	33	-	100	1.00	51.23
WFH55070	5.5	70	5	4.0-12.5	43	-	100	1.14	56.12
WFH55085	5.5	85	5	4.0-12.5	58	-	100	1.35	86.96
WFH55109	5.5	109	5	4.0-12.5	82	-	100	1.69	110.42
WFH55120	5.5	120	5	4.0-12.5	92	-	100	1.86	128.71



WOODFIX DRIVE BIT

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WFPH3	-	-	-	-	-	-	10	0.30	366.06



METALFIX GASH POINT SCREW

With Washer • Min 8µm • Suitable for fixing Steel to Timber

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP6303216W	6.3	32	-	0.7-1.4	1	16	100	0.84	39.79
GP6304516W	6.3	45	-	0.7-1.4	5	16	100	1.05	42.47
GP6306016W	6.3	60	-	0.7-1.4	15	16	100	1.25	59.00
GP6308016W	6.3	80	-	0.7-1.4	35	16	100	1.50	76.72
GP6310016W	6.3	100	-	0.7-1.4	55	16	100	1.76	93.27
GP6312516W	6.3	125	-	0.7-1.4	80	16	100	2.02	116.85
GP6302519W	6.3	25	-	0.7-1.4	1	19	100	0.77	38.88
GP6303219W	6.3	32	-	0.7-1.4	1	19	100	0.84	40.80
GP6304519W	6.3	45	-	0.7-1.4	5	19	100	1.05	43.48
GP6306019W	6.3	60	-	0.7-1.4	15	19	100	1.34	61.12
GP6308019W	6.3	80	-	0.7-1.4	35	19	100	1.67	78.60
GP6310019W	6.3	100	-	0.7-1.4	55	19	100	1.99	94.61
GP6312519W	6.3	125	-	0.7-1.4	80	19	100	2.40	119.57
GP6315019W	6.3	150	-	0.7-1.4	105	19	100	2.81	127.25



METALFIX STITCHING SCREW

With Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
SS63022W16	6.3	22	1	-	2 x 0.9	16	100	0.70	41.49
SS63025W16	6.3	25	1	-	2 x 1.2	16	100	0.70	43.62
SS63022W19	6.3	22	1	-	2 x 0.9	19	100	0.80	43.62
SS63025W19	6.3	25	1	-	2 x 1.2	19	100	0.80	44.63

Maximum Fixture Thickness allows for maximum steel thickness



METALFIX HIGH THREAD

Min 8µm • Composite Panel Fixing to Light Section

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
HT55065	5.5	65	3	1.2-3.0	30-45	19	100	1.22	52.18
HT55070	5.5	70	3	1.2-3.0	35-50	19	100	1.30	53.29
HT55075	5.5	75	3	1.2-3.0	40-55	19	100	1.34	55.09
HT55085	5.5	85	3	1.2-3.0	40-60	19	100	1.46	68.30
HT55100	5.5	100	3	1.2-3.0	45-75	19	100	1.96	73.28
HT55125	5.5	125	3	1.2-3.0	75-100	19	100	2.46	92.97
HT55150	5.5	150	3	1.2-3.0	90-120	19	100	2.90	108.82



METALFIX HIGH THREAD

Min 8µm • Composite Panel Fixing to Heavy Section

Bright Zinc
Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
HTH55075	5.5	75	5	4.0-12.5	30-45	19	100	1.43	68.30
HTH55105	5.5	105	5	4.0-12.5	50-64	19	100	1.82	79.50
HTH55130	5.5	130	5	4.0-12.5	60-95	19	100	2.18	100.27



LOW PROFILE METALFIX

No.2 Pozi Drive

Bright Zinc
Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LLP48016	4.8	16	3	1.2-2.5	8	10	200	0.27	27.09
LLP48025	4.8	25	3	1.2-2.5	17	10	200	0.32	29.16
LLP48030	4.8	30	3	1.2-2.5	22	10	200	0.35	30.96
LLP48040	4.8	40	3	1.2-2.5	32	10	100	0.38	32.67
HLP55020	5.5	20	3	1.2-3.5	5	10	200	0.35	29.10
HLP55040	5.5	40	3	1.2-3.5	25	10	100	0.67	36.11



WAFER HEAD SCREW

No.2 Phillips Drive

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WH4213	4.2	13	2	1.2-2.5	7	11	200	0.25	11.67



METALFIX

5/16" Magnetic Socket

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MF516	-	-	-	-	-	-	1	3.00	778.00



FIBRE CEMENT SCREWS

Min 8µm • Light Section

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCL63110	6.3	110	3	1.2-3.0	75	22/25	50	2.23	117.54
FCL63125	6.3	125	3	1.2-3.0	95	22/25	50	2.78	131.31
FCL63155	6.3	155	3	1.2-3.0	125	22/25	50	3.27	163.56
FCL63175	6.3	175	3	1.2-3.0	145	22/25	50	3.58	187.91
FCL63195	6.3	195	3	1.2-3.0	165	22/25	50	3.92	210.35
FCL63230	6.3	230	3	1.2-3.0	200	22/25	50	4.59	284.67



FIBRE CEMENT SCREWS

Min 8µm • Heavy Section

Bright Zinc Plated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCH63110	6.3	110	5	4.0-12.5	75	22/25	50	2.48	118.30
FCH63130	6.3	130	5	4.0-12.5	95	22/25	50	2.81	142.39
FCH63150	6.3	150	5	4.0-12.5	120	22/25	50	3.13	167.13
FCH63180	6.3	180	5	4.0-12.5	145	22/25	50	3.62	215.44
FCH63200	6.3	200	5	4.0-12.5	165	22/25	50	3.94	244.40
FCH63235	6.3	235	5	4.0-12.5	200	22/25	50	4.70	330.57



METALFIX

Bi-Metallic • Light Section • Suitable for fixing Steel to Steel

A2-304 Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SS	5.5	22	3	1.3-3.0	2	-	100	0.54	94.81
MFL55025SS	5.5	25	3	1.3-3.0	7	-	100	0.56	98.29
MFL55032SS	5.5	32	3	1.3-3.0	14	-	100	0.65	110.84
MFL55038SS	5.5	38	3	1.3-3.0	20	-	100	0.74	119.22
MFL55050SS	5.5	50	3	1.3-3.0	32	-	100	0.90	149.74



METALFIX

Bi-Metallic • Heavy Section • Suitable for fixing Steel to Steel

A2-304 Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55032SS	5.5	32	5	4.0-12.5	2	-	100	0.65	117.81
MFH55038SS	5.5	38	5	4.0-12.5	8	-	100	0.76	144.57
MFH55050SS	5.5	50	5	4.0-12.5	20	-	100	0.90	171.42



METALFIX LOOSE WASHERS

1mm A2 Stainless Steel with 2mm Bonded EPDM Washers

A2-304
Stainless Steel

Part Number	Hole Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFW16SS	6	-	-	-	-	16	100	0.15	15.80
MFW19SS	6	-	-	-	-	19	100	0.18	17.14



METALFIX

Bi-Metallic • Light Section • With 16mm Washer

A2-304
Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SSW16	5.5	22	3	1.2-3.0	2	16	100	0.49	103.35
MFL55025SSW16	5.5	25	3	1.2-3.0	7	16	100	0.51	113.46
MFL55032SSW16	5.5	32	3	1.2-3.0	14	16	100	0.59	124.50
MFL55038SSW16	5.5	38	3	1.2-3.0	20	16	100	0.67	133.11
MFL55050SSW16	5.5	50	3	1.2-3.0	32	16	100	0.81	162.32



METALFIX

Bi-Metallic • Heavy Section • Suitable for fixing Steel to Steel

A2-304
Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55032SSW16	5.5	32	5	4.0-12.5	2	16	100	0.65	137.59
MFH55038SSW16	5.5	38	5	4.0-12.5	8	16	100	0.69	151.17
MFH55050SSW16	5.5	50	5	4.0-12.5	20	16	100	0.81	172.94



WOODFIX

Bi-Metallic • Light Section • Suitable for fixing Timber to Steel

A2-304
Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WFL55040SS	5.5	40	3	1.2-3.0	22	-	100	0.71	125.50
WFL55050SS	5.5	50	3	1.2-3.0	32	-	100	0.85	147.35
WFL55060SS	5.5	60	3	1.2-3.0	42	-	100	1.00	198.36
WFL55080SS	5.5	80	3	1.2-3.0	62	-	100	1.28	227.19



METALFIX STITCHING SCREWS

Bi-Metallic

A2-304
Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
SS63025SSW16	6.3	25	1	-	2 x 0.9	16	100	0.70	124.69
SS63035SSW16	6.3	35	1	-	2 x 1.2	16	100	0.70	146.60



COLOURED COVER CAPS

Coloured cover caps to suit hexagon head self drilling screws with 16mm or 19mm washers.

Part Number 16mm Washer	Part Number 19mm Washer	Colour	Quantity Per Bag	Ship Wt. Kg Per 1000	Price £ Per 100
MFC16MG	MFC19MG	Merlin Dark Grey (18B25)	1000	0.82	6.31
MFC16GG	MFC19GG	Goosewing Light Grey (10A05)	1000	0.82	6.31
MFC16VB	MFC19VB	Vandyke Brown (08B29)	1000	0.82	6.31
MFC16OG	MFC19OG	Olive Green (12B27)	1000	0.82	6.31
MFC16WH	MFC19WH	White (00E55)	1000	0.82	6.31
MFC16MU	MFC19MU	Mushroom (10B19)	1000	0.82	6.31
MFC16MO	MFC19MO	Moorland Green (12B21)	1000	0.82	6.31
MFC16OB	MFC19OB	Ocean Blue (18C39)	1000	0.82	6.31
MFC16JG	MFC19JG	Juniper Green (12B29)	1000	0.82	6.31
MFC16BL	MFC19BL	Black (00E53)	1000	0.82	6.31
MFC16SB	MFC19SB	Slate Blue (18B29)	1000	0.82	6.31
MFC16PR	MFC19PR	Poppy Red (04E53)	1000	0.82	6.31
MFC16AN	MFC19AN	Anthracite (18A14)	1000	0.82	6.31
MFC16SG	MFC19SG	Slate Grey (18B27)	1000	0.82	6.31



METALFIX VERTICAL HANGERS

Light Section • An internally threaded socket for hanging rods vertically in light section steel.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825V	1/4"	25	3	1.2-3.0	M8	5/8"	100	3.55	286.07
MFL55M0838V	1/4"	38	3	1.2-3.0	M8	5/8"	100	3.40	294.45
MFL55M1025V	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.70	289.55
MFL55M1038V	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.54	302.07



METALFIX VERTICAL HANGERS

Heavy Section • An internally threaded socket for hanging rods vertically in heavy section steel.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55M1032V	12g	38	5	4.0-12.5	M10	5/8"	100	3.60	303.31



METALFIX HORIZONTAL HANGERS

Light Section • An internally threaded socket for hanging rods vertically in light section steel.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825H	1/4"	25	3	1.2-3.0	M8	5/8"	100	3.45	317.28
MFL55M1025H	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.30	328.67
MFL55M1038H	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.40	337.77



METALFIX HORIZONTAL HANGERS

Heavy Section • An internally threaded socket for hanging rods vertically in heavy section steel.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55M1032H	12g	38	5	4.0-12.5	M10	5/8"	100	3.10	349.88



GASH POINT VERTICAL HANGERS

Heavy Section • An internally threaded socket for hanging rods vertically in wood.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP63M0825V	1/4"	25	-	0.7-1.4	M8	5/8"	100	3.26	289.09
GP63M0850V	1/4"	50	-	0.7-1.4	M8	5/8"	100	3.00	294.17
GP63M1025V	1/4"	25	-	0.7-1.4	M10	5/8"	100	3.50	292.42
GP63M1050V	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.30	297.86
GP79M1063V	5/16"	63	-	0.7-1.4	M10	5/8"	100	3.88	309.97



GASH POINT HORIZONTAL HANGERS

An internally threaded socket for hanging rods horizontally in wood.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP63M0825H	1/4"	25	-	0.7-1.4	M8	5/8"	100	3.31	303.29
GP63M1025H	1/4"	25	-	0.7-1.4	M10	5/8"	100	2.90	310.44
GP63M1050H	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.40	318.82



SETTING TOOL FOR ROD HANGERS

5/8" socket drive for setting rod hangers.

Part Number	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
MF508RH	5	2.10	19.17



SDS+ DRILL BITS

Suitable for drilling in concrete, natural stone and masonry.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD04110	4.0	50	110	7.72
SD05110	5.0	50	110	8.22
SD05160	5.0	100	160	9.25
SD55110	5.5	50	110	8.22
SD55160	5.5	100	160	9.25
SD55210	5.5	150	210	10.89
SD06110	6.0	50	110	8.22
SD06160	6.0	100	160	9.25
SD06200	6.0	150	200	11.29
SD06260	6.0	200	260	12.42
SD65110	6.5	50	110	9.25
SD65160	6.5	100	160	10.27
SD65210	6.5	150	210	11.65
SD65250	6.5	200	250	12.29
SD07110	7.0	50	110	9.36
SD07160	7.0	100	160	10.73
SD07210	7.0	150	210	11.52
SD08110	8.0	50	110	9.54
SD08160	8.0	100	160	10.27
SD08210	8.0	150	210	12.05
SD08260	8.0	200	260	11.25
SD08450	8.0	400	450	18.75
SD08600	8.0	550	600	25.50
SD10110	10.0	50	110	11.19
SD10160	10.0	100	160	12.39
SD10210	10.0	150	210	13.93
SD10260	10.0	200	260	17.58
SD10450	10.0	400	450	31.74
SD12160	12.0	100	160	13.64
SD12210	12.0	150	210	16.04

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD12260	12.0	200	260	19.98
SD12300	12.0	250	300	17.95
SD12450	12.0	400	450	35.39
SD12600	12.0	550	600	34.95
SD13160	13.0	100	160	18.79
SD13210	13.0	150	210	21.69
SD13260	13.0	200	260	28.23
SD14160	14.0	100	160	19.12
SD14210	14.0	150	210	21.80
SD14300	14.0	250	300	28.48
SD14450	14.0	400	450	39.38
SD14600	14.0	550	600	35.69
SD15160	15.0	100	160	23.00
SD15260	15.0	200	260	29.68
SD16210	16.0	150	210	26.03
SD16300	16.0	250	300	42.41
SD16450	16.0	400	450	51.08
SD16600	16.0	550	600	46.54
SD18200	18.0	150	200	38.47
SD18450	18.0	400	450	58.73
SD20200	20.0	150	200	50.23
SD20300	20.0	250	300	64.78
SD20450	20.0	400	450	70.20
SD22250	22.0	200	250	77.51
SD22450	22.0	400	450	80.25
SD24260	24.0	200	260	101.31
SD24450	24.0	400	450	101.88
SD25250	25.0	200	250	90.70
SD25450	25.0	400	450	102.96
SD26450	26.0	400	450	105.50
SD28450	28.0	400	450	123.07
SD30450	30.0	400	450	142.92

SDS+ HIGH PERFORMANCE DRILL BITS

Suitable for drilling reinforced concrete • Force X



Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP05110	5.0	50	110	14.51
SDHP05160	5.0	100	160	17.62
SDHP55110	5.5	50	110	15.86
SDHP55160	5.5	100	160	21.70
SDHP06110	6.0	50	110	14.80
SDHP06160	6.0	100	160	16.51
SDHP06210	6.0	150	210	20.22
SDHP06260	6.0	200	260	26.92
SDHP65210	6.5	150	210	26.08
SDHP65260	6.5	200	260	35.72
SDHP07110	7.0	50	110	18.74
SDHP07160	7.0	100	160	21.46
SDHP08110	8.0	50	110	15.73
SDHP08160	8.0	100	160	20.46
SDHP08210	8.0	150	210	24.78
SDHP10110	10.0	50	110	16.98
SDHP10160	10.0	100	160	23.64
SDHP10210	10.0	150	210	27.62
SDHP10260	10.0	200	260	38.75
SDHP10450	10.0	400	450	64.75

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP12160	12.0	100	160	29.58
SDHP12210	12.0	150	210	35.87
SDHP12260	12.0	200	260	45.09
SDHP12450	12.0	400	450	71.16
SDHP14160	14.0	100	160	46.56
SDHP14210	14.0	150	210	49.67
SDHP14310	14.0	250	310	76.54
SDHP15160	15.0	100	160	55.73
SDHP16210	16.0	150	210	62.14
SDHP16310	16.0	250	310	99.62
SDHP16450	16.0	400	450	111.17
SDHP18250	18.0	200	250	108.99
SDHP18450	18.0	400	450	124.36
SDHP20250	20.0	200	250	118.68
SDHP20450	20.0	350	400	140.83
SDHP22250	22.0	200	250	129.55
SDHP22450	22.0	400	450	173.27





SDS MAX DRILL BITS

For heavy-duty SDS-max hammer drilling of concrete, natural stone and masonry.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each	Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
MAX12340	12.0	188	340	50.80	MAX24370	24.0	218	370	111.20
MAX12540	12.0	388	540	68.64	MAX24520	24.0	368	520	115.04
MAX13340	13.0	188	340	54.09	MAX25320	25.0	168	320	118.06
MAX13540	13.0	388	540	68.64	MAX25520	25.0	368	520	122.18
MAX14340	14.0	188	340	56.29	MAX25920	25.0	768	920	185.33
MAX14540	14.0	388	540	69.47	MAX26370	26.0	218	370	124.93
MAX14690	14.0	538	690	73.85	MAX26520	26.0	368	520	129.04
MAX15340	15.0	188	340	56.29	MAX28370	28.0	218	370	129.04
MAX15540	15.0	388	540	72.77	MAX28570	28.0	418	570	148.27
MAX16340	16.0	188	340	83.74	MAX30370	30.0	218	370	134.54
MAX16540	16.0	388	540	96.10	MAX30570	30.0	418	570	151.01
MAX16690	16.0	538	690	105.71	MAX32370	32.0	218	370	148.27
MAX18340	18.0	188	340	84.43	MAX32570	32.0	418	570	169.14
MAX18540	18.0	388	540	89.93	MAX32920	32.0	768	920	204.56
MAX20370	20.0	218	370	98.15	MAX35570	35.0	418	570	185.33
MAX20520	20.0	368	520	108.45	MAX38570	38.0	418	570	230.64
MAX20920	20.0	768	920	164.05	MAX40570	40.0	418	570	262.21
MAX22370	22.0	218	370	105.71					
MAX22520	22.0	368	520	111.20					
MAX22920	22.0	768	920	174.35					

MASONRY DRILL BITS

Straight Shank • For percussion and rotary drilling in brick, block and natural stone.



Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each	Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
JMD04085	4.0	50	85	2.74	JMD12150	12.0	90	150	7.62
JMD05085	5.0	50	85	2.74	JMD12200	12.0	140	200	10.56
JMD05150	5.0	90	150	3.94	JMD12300	12.0	240	300	14.56
JMD45085	4.5	50	85	3.28	JMD12400	12.0	300	400	19.70
JMD55100	5.5	60	100	2.74	JMD12600	12.0	500	600	17.50
JMD55150	5.5	90	150	3.94	JMD13400	13.0	300	400	18.35
JMD06100	6.0	60	100	3.08	JMD14150	14.0	90	150	10.63
JMD06150	6.0	90	150	4.22	JMD14200	14.0	140	200	14.56
JMD06200	6.0	140	200	4.35	JMD14400	14.0	300	400	20.56
JMD65100	6.5	60	100	3.08	JMD16150	16.0	90	150	13.02
JMD65150	6.5	90	150	4.22	JMD16200	16.0	140	200	17.25
JMD65400	6.5	300	400	10.75	JMD16300	16.0	240	300	19.70
JMD07100	7.0	60	100	3.37	JMD16400	16.0	300	400	23.93
JMD07150	7.0	90	150	4.51	JMD18200	18.0	140	200	21.19
JMD08120	8.0	80	120	3.83	JMD20160	20.0	100	160	19.13
JMD08150	8.0	90	150	5.48	JMD20200	20.0	140	200	23.93
JMD08200	8.0	140	200	6.96	JMD20300	20.0	240	300	27.24
JMD08300	8.0	240	300	9.71	JMD20400	20.0	300	400	31.19
JMD08400	8.0	300	400	10.79	JMD25160	25.0	100	160	27.30
JMD10120	10.0	80	120	5.23	JMD25200	25.0	140	200	33.24
JMD10150	10.0	90	150	6.68	JMD25300	25.0	240	300	42.44
JMD10200	10.0	140	200	8.16	JMD25400	25.0	300	400	48.49
JMD10300	10.0	240	300	11.65					
JMD10400	10.0	300	400	16.05					
JMD10600	10.0	500	600	14.65					
JMD101000	10.0	900	1000	23.65					

MASONRY DRILL BIT SETS

Straight Shank

Part Number	Description	Price £ Per Each
JMDSET5	Straight Shank Drill Set 5 Piece, 5, 5.5, 6, 7 & 8mm	21.10



DRILL BIT SETS

SDS+

Part Number	Description	Price £ Per Each
SDSET5	SDS Drill Set 5 Piece, 5, 5.5, 6, 7 & 8mm	27.36
SDSET8	SDS Drill Set 8 Piece, 5, 5.5, 6, 6.5, 7, 8, 10 & 12mm	45.13



SDSET5



SDSET8

HIGH SPEED STEEL DRILL BITS

Metric



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS010	1.0	34	10	1.35
HSS015	1.5	40	10	1.35
HSS016	1.6	43	10	1.35
HSS020	2.0	49	10	1.35
HSS022	2.2	53	10	1.47
HSS024	2.4	57	10	1.47
HSS025	2.5	57	10	1.47
HSS026	2.6	57	10	1.53
HSS028	2.8	61	10	1.53
HSS030	3.0	61	10	1.58
HSS032	3.2	65	10	1.64
HSS033	3.3	65	10	1.69
HSS034	3.4	70	10	1.69
HSS035	3.5	70	10	1.69
HSS036	3.6	70	10	1.82
HSS038	3.8	75	10	1.93
HSS040	4.0	75	10	1.93
HSS042	4.2	75	10	2.15
HSS045	4.5	80	10	2.15
HSS048	4.8	86	10	2.21
HSS050	5.0	86	10	2.32
HSS052	5.2	86	10	2.77
HSS055	5.5	93	10	2.83
HSS058	5.8	93	10	3.06
HSS060	6.0	93	10	3.06

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS062	6.2	101	10	3.33
HSS064	6.4	101	10	3.33
HSS065	6.5	101	10	3.33
HSS066	6.6	101	10	3.62
HSS068	6.8	109	10	3.62
HSS070	7.0	109	10	3.91
HSS072	7.2	109	10	3.91
HSS075	7.5	109	10	4.36
HSS078	7.8	117	10	4.70
HSS080	8.0	117	10	4.81
HSS082	8.2	117	10	5.43
HSS085	8.5	117	10	5.43
HSS088	8.8	125	10	6.00
HSS090	9.0	125	10	6.00
HSS094	9.4	125	10	6.57
HSS095	9.5	125	10	6.57
HSS098	9.8	133	10	6.90
HSS100	10.0	133	5	7.24
HSS102	10.2	133	5	7.24
HSS105	10.5	133	5	8.37
HSS110	11.0	142	5	9.05
HSS115	11.5	142	5	9.90
HSS120	12.0	151	5	10.46
HSS125	12.5	151	5	11.99
HSS130	13.0	151	5	13.52



HIGH SPEED STEEL DRILL BITS

Imperial • For drilling alloyed carbon and plain steel. Ideal for hand held operations.



Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00116	1/16	43	10	1.35
HSSI00332	3/32	57	10	1.42
HSSI00764	7/64	61	10	1.53
HSSI00108	1/8	65	10	1.53
HSSI00964	9/64	70	10	1.82
HSSI00532	5/32	75	10	1.98
HSSI001164	11/64	80	10	2.21
HSSI00316	3/16	80	10	2.49
HSSI001364	13/64	86	10	2.94

Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00732	7/32	93	10	3.22
HSSI00104	1/4	101	10	3.56
HSSI001764	17/64	109	10	4.52
HSSI00932	9/32	109	10	4.92
HSSI00516	5/16	117	10	5.83
HSSI001132	11/32	125	10	6.96
HSSI00308	3/8	133	10	7.52
HSSI001332	13/32	133	5	9.74
HSSI00716	7/16	142	5	11.09
HSSI00102	1/2	151	5	14.08



HSS COBALT HIGH SPEED STEEL DRILL BITS

Metric • Suitable for high alloyed steels, bearing steels, hot/cold rolled steel. Ideal for stainless steel.



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
COB020	2.0	49	10	4.57
COB025	2.5	57	10	4.91
COB030	3.0	61	10	4.94
COB033	3.3	65	10	5.59
COB035	3.5	70	10	5.79
COB040	4.0	75	10	6.27
COB042	4.2	75	10	7.55
COB045	4.5	80	10	7.65
COB050	5.0	86	10	7.84
COB055	5.5	93	10	10.00
COB060	6.0	93	10	10.30
COB065	6.5	101	10	11.28
COB068	6.8	109	10	12.75

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
COB070	7.0	109	10	13.23
COB075	7.5	109	10	13.83
COB080	8.0	117	10	14.74
COB085	8.5	117	10	15.10
COB090	9.0	125	10	18.92
COB095	9.5	125	10	22.12
COB100	10.0	133	5	23.03
COB105	10.5	133	5	31.17
COB110	11.0	142	5	34.31
COB115	11.5	142	5	43.53
COB120	12.0	151	5	49.51
COB125	12.5	151	5	59.02
COB130	13.0	151	1	63.72



HIGH SPEED STEEL DRILL BITS

Metric in Wallets



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW010	1.0	34	3	6.18
HSSW015	1.5	40	3	6.25
HSSW020	2.0	49	3	6.30
HSSW025	2.5	57	3	6.36
HSSW030	3.0	61	3	6.44
HSSW035	3.5	70	2	5.63
HSSW040	4.0	75	2	5.69
HSSW045	4.5	80	2	6.38
HSSW050	5.0	86	2	6.91
HSSW055	5.5	93	2	7.18
HSSW060	6.0	93	2	8.24
HSSW065	6.5	101	1	5.27

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW070	7.0	109	1	5.83
HSSW075	7.5	109	1	6.38
HSSW080	8.0	117	1	6.80
HSSW085	8.5	117	1	7.35
HSSW090	9.0	125	1	7.63
HSSW095	9.5	125	1	8.18
HSSW100	10.0	133	1	8.86
HSSW105	10.5	133	1	9.55
HSSW110	11.0	142	1	10.88
HSSW115	11.5	142	1	11.46
HSSW120	12.0	151	1	12.76
HSSW125	12.5	151	1	13.45
HSSW130	13.0	151	1	13.79



HSS REDUCED SHANK

Metric

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSRS14	14	160	5	23.73
HSSRS15	15	169	5	25.92
HSSRS16	16	178	3	30.27
HSSRS17	18	184	3	42.47
HSSRS18	18	191	3	47.37
HSSRS20	20	205	3	61.37



HSS LONG SHANK **NEW**

Metric

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSLS030	3.0	100	1	3.45
HSSLS032	3.2	100	1	3.65
HSSLS035	3.5	112	1	3.85
HSSLS040	4.0	119	1	4.15
HSSLS048	4.8	132	1	5.25
HSSLS050	5.0	132	1	5.50
HSSLS060	6.0	139	1	6.25
HSSLS080	8.0	165	1	9.45



HSS DRILL BIT CASES

Part Number	Description	Price £ Per Each
HSSTM06	6 Piece HSS Drill Bit Set 2 - 8mm in Plastic Case	26.51
HSSTM10	10 Piece HSS Drill Bit Set 1 - 10mm in Plastic Case	38.48
HSSKM19	19 Piece HSS Drill Bit Set 1 - 10mm in Metal Case	47.22
HSSKM25	25 Piece HSS Drill Bit Set 1 - 13mm in Metal Case	106.25
COBKM19	19 Piece HSS Cobalt Drill Bit Set 1 - 10mm in Metal Case	139.08
COBKM25	25 Piece HSS Cobalt Drill Bit Set 1 - 13mm in Metal Case	194.70



HSS COUNTERSINK BITS

Part Number	Description	Price £ Per Each
HSSCS0803	HSS Countersink 90° 8.3mm (M4)	17.15
HSSCS1004	HSS Countersink 90° 10.4mm (M5)	18.06
HSSCS1204	HSS Countersink 90° 12.4mm (M6)	20.61
HSSCS1605	HSS Countersink 90° 16.5mm (M8)	27.03
HSSCS2005	HSS Countersink 90° 20.50mm (M10)	34.68
HSSCS2500	HSS Countersink 90° 25.0mm (M12)	43.78



COBALT COUNTERSINK BITS



Part Number	Description	Price £ Per Each
COBCS0803	Cobalt Countersink 90° 8.3mm (M4)	17.81
COBCS1004	Cobalt Countersink 90° 10.4mm (M5)	20.75
COBCS1204	Cobalt Countersink 90° 12.4mm (M6)	22.01
COBCS1605	Cobalt Countersink 90° 16.5mm (M8)	27.00
COBCS2005	Cobalt Countersink 90° 20.5mm (M10)	37.14
COBCS2500	Cobalt Countersink 90° 25.0mm (M12)	49.59
COBCS3100	Cobalt Countersink 90° 31mm (M16)	76.80



COBALT SLOTTED COUNTERSINK BITS



Part Number	Description	Price £ Per Each
COBSL0205	Cobalt Slotted Countersink M2-M5 90°	17.81
COBSL0510	Cobalt Slotted Countersink M5-M10 90°	23.85



MULTIDRILL TUNGSTEN CARBIDE UNIVERSAL DRILL BITS

Metric



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
MUL040075	4	75	1	10.68
MUL050085	5	85	1	11.17
MUL050150	5	150	1	13.11
MUL055085	5.5	85	1	11.55
MUL055150	5.5	150	1	14.56
MUL060100	6	100	1	11.85
MUL060200	6	200	1	13.60
MUL065100	6.5	100	1	12.03
MUL065200	6.5	200	1	16.70
MUL070100	7	100	1	14.08
MUL070200	7	200	1	17.96
MUL080120	8	120	1	15.43
MUL080200	8	200	1	17.86
MUL100120	10	120	1	17.00
MUL100200	10	200	1	20.88
MUL120220	12	220	1	22.81
MUL140220	14	220	1	26.21
MULSET	4,5,6,8,10	-	1	57.77





FLAT WOOD BITS

Part Number	Diameter mm	Overall Length mm	Price £ Each
FW06	6	158	5.34
FW08	8	158	5.34
FW10	10	158	5.59
FW12	12	158	5.69
FW13	13	158	5.69
FW14	14	158	5.89
FW16	16	158	6.14
FW18	18	158	6.14
FW19	19	158	6.14
FW20	20	158	6.94
FW22	22	158	6.94
FW24	24	161	7.19
FW25	25	161	7.19
FW28	28	161	9.56
FW30	30	174	9.56
FW32	32	174	10.42
FW35	35	174	11.98
FW38	38	174	12.23



CENTRE SPUR WOOD BITS

Part Number	Diameter mm	Overall Length mm	Price £ Each
TP03	3	60	3.07
TP04	4	70	3.07
TP05	5	85	3.22
TP06	6	90	3.42
TP07	7	105	3.93
TP08	8	110	4.22
TP09	9	115	4.63
TP10	10	120	5.24
TP12	12	140	7.19



The Merchandised Bag Range



THE MERCHANDISED BAG RANGE



TRADE AND RETAIL PACKAGING

The JCP trade and retail packaging is full of information, making it user-friendly and enabling correct product selection and application. They also look great on our merchandising stands in a retail environment.

Available in two ranges;

TRADE

The trade bag range covers popular products and sizes from the JCP range. The packaging is robust, re-sealable, drop-proof, water-resistant, easy to identify, and an ideal size to carry.



RETAIL

The retail range follows a similar offering to the trade bag range, conveniently packed in smaller quantities.



All products within the trade and retail range are categorised into one of four categories, with each product clearly colour coded on the front label.



The see-through bags allow for quick product identification whilst the image on the front clearly depicts its use. Clear instructions for installation can be found on the rear, along with extended technical details to aid in application.

JHWG384

AWA Throughbolt
Clear Zinc Plated

	MB	M10	M12	M16
Drill Diameter (mm)	8	10	12	16
Thread Diameter	M8	M10	M12	M16
Head Depth (mm)	20	30	30	30
Minimum Structure Thickness (mm)	100	100	110	130
Future Clearance Hole (mm)	9	12	14	18
Tightening Torque (Nm)	20	35	60	120

CE 14 JCP Construction Products Ltd. 0800 909 0000
www.jcpfixings.co.uk

www.jcpfixings.co.uk

The label also shows base material icons which the product is recommended for.



Timber



THE JCP MERCHANDISING RETAIL STAND DEALS

We have developed two point of sale stand deals to allow the JCP retail range to be easily displayed for maximum return.

Each stand combination has been carefully compiled to ensure it contains the best-selling items within the JCP retail range.

With the option of a small or large stand, the range of small quantity bagged fixings can be presented clearly; engaging customers and providing a complete merchandising solution. The handy shelf at the bottom also allows for a range of resins and other non-hangable products to be kept within the branded bay.

Both stand combinations offer a mixed range of Heavy-duty, Medium duty, Self-drilling screws and Nylon and Cavity fixings.

Suitably robust for its intended environment and the products it holds, the stand can be easily replenished with items from across the JCP retail range.

For more information on our retail stand deals, please contact us for pricing and a brochure.

THE RANGE OF SMALL QUANTITY BAGGED FIXINGS CAN BE PRESENTED CLEARLY; ENGAGING CUSTOMERS AND PROVIDING A COMPLETE MERCHANDISING SOLUTION.



LARGE RETAIL STAND

SMALL RETAIL STAND



SMALL RETAIL STAND

Height: 1.4m (excludes header board)
 Width: 1m
 Part Number: FIXSTAND1
 2985 pieces



LARGE RETAIL STAND

Height: 2.1m (excludes header board)
 Width: 1m
 Part Number: FIXSTAND2
 4714 pieces

HEAVY DUTY



THROUGHBOLTS

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8100	M8 x 65mm	6	8	3.73
JB8103	M8 x 100mm	6	8	4.03
JB8106	M10 x 75mm	4	10	3.73
JB8109	M10 x 90mm	4	10	4.03
JB8112	M10 x 120mm	4	10	4.88
JB8115	M12 x 100mm	4	12	4.88
JB8118	M16 x 125mm	2	16	5.74



For additional technical information see page 13



ANKERBOLTS

Hexagon Flange Head

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8300	6mm x 50mm	6	6	3.03
JB8303	6mm x 75mm	6	6	3.52
JB8306	6mm x 100mm	4	6	3.52



For additional technical information see page 17



ANKERBOLTS

Hexagon Head

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8309	8mm x 60mm	4	8	3.52
JB8312	8mm x 75mm	4	8	4.03
JB8315	8mm x 100mm	4	8	4.88
JB8317	8mm x 150mm	4	8	5.40
JB8318	10mm x 75mm	4	10	5.32
JB8321	10mm x 100mm	4	10	6.18
JB8324	10mm x 150mm	2	10	5.32



For additional technical information see page 17




ANKERBOLTS

Countersunk Head

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8327	6mm x 75mm	6	6	3.52
JB8330	6mm x 100mm	4	6	3.73




For additional technical information see page 18



HOOK BOLTS AND EYE BOLTS

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8332	6mm x 50mm (90mm overall) Hook Bolt	2	6	4.03
JB8333	6mm x 50mm (90mm overall) Eye Bolt	2	6	4.03



For additional technical information see page 20



HEXAGON NUT SLEEVE ANCHORS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8200	8mm x 85mm	6	8	3.52
JB8203	10mm x 75mm	4	10	3.31
JB8206	10mm x 100mm	4	10	3.73
JB8209	12mm x 75mm	4	12	4.03
JB8212	12mm x 100mm	4	12	4.46




For additional technical information see page 21



DROP IN ANCHORS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Price £ Per Bag
JB8272	M8 x 30mm	5	2.84
JB8275	M10 x 40mm	5	3.65



For additional technical information see page 23

MEDIUM DUTY




SHIELD ANCHORS

Loose Bolt

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter	Price £ Per Bag
JB8000	M6 x 10mm	10	12	5.74
JB8003	M6 x 25mm	10	12	6.18
JB8006	M8 x 10mm	6	14	5.32
JB8009	M8 x 25mm	6	14	5.74
JB8012	M8 x 40mm	6	14	6.18
JB8015	M10 x 10mm	4	16	5.74
JB8018	M10 x 25mm	4	16	6.18
JB8021	M10 x 50mm	4	16	6.61
JB8024	M10 x 75mm	4	16	7.47
JB8027	M12 x 10mm	2	20	4.88
JB8030	M12 x 25mm	2	20	5.32
JB8033	M12 x 60mm	2	20	6.18



For additional technical information see page 31



SHIELD ANCHORS

Projecting Bolt

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter	Price £ Per Bag
JB8039	M6 x 10mm	6	12	4.03
JB8042	M8 x 15mm	6	14	5.74
JB8045	M8 x 80mm	4	14	5.32
JB8048	M10 x 30mm	4	16	6.61
JB8051	M10 x 70mm	4	16	7.47
JB8054	M12 x 50mm	2	20	5.74



Concrete



Solid Brick

For additional technical information see page 31



SHIELD ANCHORS

Eye Bolt

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8060	M8 Eye Bolt	4	14	6.61



Concrete



Solid Brick

For additional technical information see page 32



CONCRETE SCREWS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8700	7.5mm x 60mm	20	6	4.03
JB8703	7.5mm x 80mm	20	6	5.32
JB8706	7.5mm x 100mm	20	6	5.74
JB8709	7.5mm x 120mm	10	6	4.46
JB8712	7.5mm x 150mm	10	6	5.32



Concrete/
Concrete Block



Brick/Stone/
Masonry

For additional technical information see page 33

NYLON AND CAVITY



NYLON HAMMER SCREWS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8427	6mm x 60mm	20	6	2.87
JB8430	6mm x 40mm	20	6	3.16
JB8433	8mm x 80mm	10	8	3.31
JB8436	8mm x 100mm	10	8	4.03
JB8439	8mm x 120mm	10	8	4.46



Concrete/
Concrete Block



Solid Brick



Stone

For additional technical information see page 49



NYLON FRAME FIXINGS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8400	8mm x 60mm	10	8	3.16
JB8403	8mm x 80mm	10	8	3.52
JB8406	8mm x 100mm	10	8	4.03
JB8409	8mm x 120mm	10	8	4.46
JB8412	10mm x 100mm	6	10	4.03
JB8415	10mm x 120mm	6	10	4.46
JB8418	10mm x 140mm	6	10	4.88
JB8421	10mm x 160mm	6	10	5.32



For additional technical information see page 50



NYLON WALL PLUGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8509	6mm	40	6	3.03
JB8512	8mm	40	8	3.52
JB8515	10mm	20	10	3.73




For additional technical information see page 52



UNIVERSAL WALL PLUGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8521	6mm x 35mm	40	6	3.52
JB8524	8mm x 50mm	40	8	4.46



For additional technical information see page 52




PLASTIC WALL PLUGS

Part Number	Colour	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8500	Red	50	6	2.74
JB8503	Brown	50	7	2.87



ROSETT CAVITY FIXINGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8600	Blue Rosett M5 x 55mm	6	10	5.74
JB8603	Blue Rosett M5 x 80mm	6	10	5.74
JB8606	Red Rosett M5 x 65mm	6	10	5.74
JB8609	Red Rosett M5 x 90mm	6	10	5.74



For additional technical information see page 53



J-PLUG PLASTERBOARD FIXINGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8615	Metal Plasterboard Fixing up to 15mm	6	N/A	2.59
JB8618	Metal Plasterboard Fixing up to 15mm	20	N/A	4.88
JB8621	Nylon Plasterboard Fixing up to 10mm	6	N/A	2.59
JB8624	Nylon Plasterboard Fixing up to 10mm	20	N/A	4.88

For additional technical information see page 53



Plasterboard



PLASTERBOARD PLUGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8663	Plasterboard Plug	20	7	3.73



Plasterboard/
Partition Materials



HOLLOW WALL ANCHORS

Zinc and Yellow Plated

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8630	M4 x 45mm 8-13mm wall thickness	10	7	3.31
JB8633	M5 x 45mm 5-10mm wall thickness	10	9	4.03
JB8634	M5 x 60mm 5-13mm wall thickness	10	9	4.28
JB8636	M6 x 60mm 7-13mm wall thickness	10	10	4.88

For additional technical information see page 54



Plasterboard/
Partition Materials



Hollow Block/
Clay Pots



SPRING TOGGLES

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8642	M5 x 50mm	6	14	3.52
JB8645	M5 x 75mm	6	14	4.03
JB8648	M6 x 75mm	6	18	4.46

For additional technical information see page 55



Plasterboard/
Partition Materials



Hollow Block/
Clay Pots



NYLON TOGGLES

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8654	Nylon Toggle wall thickness 4-12mm	20	10	3.73
JB8657	Nylon Toggle wall thickness 15-19mm	20	10	4.03

For additional technical information see page 55



Plasterboard/
Partition Materials



Hollow Block/
Clay Pots




SELF DRILLING SCREWS



PLASTIC HEADED NAILS

A4-316
Stainless Steel

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8931	2 x 30mm	25	N/A	2.96
JB8934	2 x 40mm	25	N/A	3.19
JB8937	2 x 30mm	25	N/A	2.96
JB8940	2 x 40mm	25	N/A	3.19




For additional technical information see page 34



MASONRY NAILS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8900	2.5 x 25mm	30	N/A	2.30
JB8903	2.5 x 60mm	25	N/A	2.30
JB8906	2.5 x 40mm	20	N/A	2.30
JB8909	3.0 x 50mm	14	N/A	2.30
JB8912	3.0 x 60mm	12	N/A	2.30
JB8915	3.5 x 75mm	7	N/A	2.30



For additional technical information see page 35



SANITARY FIXINGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8945	Basin Fixing Set 10mm x 140mm	2	14	4.03
JB8948	WC Fixing Set White 6mm x 70mm	2	8	3.16
JB8951	WC Fixing Set Chrome 6mm x 70mm	2	8	3.16




For additional technical information see page 36



COUNTERSUNK HEAD WALL SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8953	5 x 32	20	5	2.49
JB8956	5 x 38	20	5	2.80
JB8959	5 x 50	20	5	3.11



For additional technical information see page 36



PAN HEAD WALL SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8962	5 x 32	20	5	2.74
JB8965	5 x 38	20	5	3.08
JB8968	5 x 50	20	5	3.42



For additional technical information see page 37



BIGTWIST NAILS

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8921	8 x 165mm	10	N/A	9.91
JB8924	8 x 195mm	10	N/A	11.07




Timber



Composite Sections

For additional technical information see page 37



SELF DRILL SCREWS

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8815	5.5 x 25mm	30	N/A	3.73
JB8818	5.5 x 38mm	30	N/A	4.03
JB8821	5.5 x 50mm	30	N/A	4.46



Light Steel Sections

For additional technical information see page 60



SELF DRILL SCREWS - 16MM WASHER

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8800	5.5 x 25mm	30	N/A	4.03
JB8803	5.5 x 32mm	30	N/A	4.46
JB8806	5.5 x 38mm	20	N/A	3.73
JB8809	5.5 x 50mm	20	N/A	4.46



Light Steel Sections

For additional technical information see page 60



SELF DRILL SCREWS - 16MM WASHER

Heavy Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8827	5.5 x 32mm	20	N/A	3.73
JB8830	5.5 x 40mm	20	N/A	4.03
JB8833	5.5 x 50mm	20	N/A	4.46



Heavy Steel Sections

For additional technical information see page 60



EPDM WASHERS

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8839	16mm	50	N/A	3.03
JB8842	19mm	50	N/A	3.52



Steel Sections

For additional technical information see page 61



WOODFIX SCREWS

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8863	5.5 x 40mm	30	N/A	3.73
JB8866	5.5 x 50mm	30	N/A	4.03
JB8869	5.5 x 60mm	20	N/A	3.52
JB8872	5.5 x 80mm	20	N/A	4.46
JB8875	5.5 x 100mm	20	N/A	5.74



Light Steel Sections



Timber

For additional technical information see page 61



WOODFIX SCREWS

Heavy Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8881	5.5 x 60mm	20	N/A	3.18
JB8884	5.5 x 85mm	20	N/A	4.21
JB8887	5.5 x 109mm	20	N/A	5.22



Light Steel Sections



Timber

For additional technical information see page 61



GASH POINT SCREWS-16MM WASHER

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8848	6.3 x 32mm	30	N/A	4.46
JB8851	6.3 x 45mm	30	N/A	5.32



Thin Steel Sections



Timber

For additional technical information see page 62



STITCHING SCREWS-16MM WASHER

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8857	6.3 x 25mm	30	N/A	4.03



Thin Steel Sections

For additional technical information see page 62



WAFER HEAD SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8893	4.2 x 13mm	30	N/A	2.45



Light Steel Sections

For additional technical information see page 63



DRIVE SOCKETS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8899	5/16" Magnetic Socket	1	N/A	4.03

For additional technical information see page 63

HEAVY DUTY



THROUGHBOLTS

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3042	M8 x 50mm	40	8	13.89
JP3045	M10 x 100mm	18	10	13.89
JP3048	M12 x 100mm	12	12	13.89
JP3051	M12 x 140mm	10	12	13.89
JP3054	M12 x 180mm	8	12	13.89



Concrete

For additional technical information see page 13



ANKERBOLTS

Hexagon Flange Head

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3066	5mm x 50mm	64	5	15.73
JP3069	6mm x 50mm	30	6	15.73
JP3072	6mm x 75mm	26	6	15.73
JP3075	6mm x 100mm	20	6	15.73



Concrete



Solid Brick



Stone

For additional technical information see page 17



ANKERBOLTS

Hexagon Head

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3078	8mm x 60mm	18	8	15.73
JP3081	8mm x 75mm	14	8	15.73
JP3084	8mm x 100mm	12	8	15.73
JP3087	8mm x 150mm	8	8	15.73
JP3090	10mm x 75mm	12	10	15.73
JP3093	10mm x 100mm	8	10	15.73
JP3096	10mm x 130mm	6	10	15.73
JP3099	10mm x 150mm	6	10	15.73



Concrete



Solid Brick



Stone

For additional technical information see page 17

MEDIUM DUTY



SHIELD ANCHORS

Loose Bolt

Zinc and Yellow
Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ per Bag
JP3147	M6 x 10mm	48	12	17.59
JP3150	M6 x 25mm	46	12	17.59
JP3153	M8 x 10mm	26	14	17.59
JP3156	M8 x 25mm	26	14	17.59
JP3159	M8 x 40mm	22	14	17.59
JP3162	M10 x 10mm	22	16	17.59
JP3165	M10 x 25mm	116	16	17.59
JP3168	M10 x 50mm	14	16	17.59
JP3171	M10 x 75mm	14	16	17.59
JP3174	M12 x 60mm	10	20	17.59



Concrete



Solid Brick

For additional technical information see page 31



SHIELD ANCHORS

Projecting Bolt

Zinc and Yellow
Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3177	M10mm x 30mm	15	16	17.59



Concrete



Solid Brick

For additional technical information see page 31



CONCRETE SCREWS

Zinc and Yellow
Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3030	7.5mm x 80mm	65	6	11.11
JP3033	7.5mm x 100mm	55	6	11.11
JP3036	7.5mm x 120mm	45	6	11.11
JP3039	7.5mm x 150mm	30	6	11.11

Concrete/
Concrete BlockBrick/Stone/
Masonry

For additional technical information see page 33

NYLON AND CAVITY



NYLON HAMMER SCREWS

Zinc and Yellow
Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3018	6mm x 40mm	135	6	7.83
JP3021	6mm x 60mm	100	6	7.83
JP3024	8mm x 80mm	50	8	7.83
JP3027	8mm x 100mm	40	8	7.83

Concrete/
Concrete Block

Solid Brick



Stone

For additional technical information see page 49



NYLON FRAME FIXINGS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3000	8mm x 80mm	50	8	7.83
JP3003	8mm x 100mm	40	8	7.83
JP3006	10mm x 100mm	30	10	7.83
JP3009	10mm x 120mm	25	10	7.83
JP3012	10mm x 140mm	20	10	7.83
JP3015	10mm x 160mm	15	10	7.83



For additional technical information see page 50



NYLON WALL PLUGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3180	6mm	200	6	4.60
JP3183	8mm	100	8	4.60
JP3186	10mm	70	10	4.60




For additional technical information see page 52



METAL PLASTERBOARD FIXINGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3057	Up to 15mm	75	N/A	13.89




For additional technical information see page 53



ROSETT CAVITY FIXINGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3063	M5 x 55mm	10	10	13.89




For additional technical information see page 53



HOLLOW WALL ANCHORS

Zinc and Yellow Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3060	M6 x 60mm	40	10	13.89



For additional technical information see page 54

SELF DRILLING SCREWS



COUNTERSUNK HEAD WALL SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3192	5 x 32	100	5	10.26
JP3195	5 x 38	100	5	10.95
JP3198	5 x 50	100	5	11.63




For additional technical information see page 36



PAN HEAD WALL SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3201	5 x 32	100	5	10.26
JP3204	5 x 38	100	5	10.95
JP3207	5 x 50	100	5	11.63



For additional technical information see page 36



SELF DRILL SCREWS

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3108	5.5mm x 25mm	200	N/A	15.73
JP3111	5.5mm x 32mm	160	N/A	15.73
JP3114	5.5mm x 38mm	150	N/A	15.73
JP3117	5.5mm x 50mm	150	N/A	15.73



For additional technical information see page 60



SELF DRILL SCREWS **NEW**

Heavy Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3125	5.5mm x 60mm	150	N/A	15.73
JP3127	5.5mm x 70mm	150	N/A	15.73
JP3128	5.5mm x 80mm	150	N/A	15.73



For additional technical information see page 60



SELF DRILL SCREWS - 16MM WASHER

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3120	5.5mm x 25mm	140	N/A	15.73
JP3123	5.5mm x 38mm	110	N/A	15.73
JP3126	5.5mm x 50mm	85	N/A	15.73



For additional technical information see page 60



SELF DRILL SCREWS - 16MM WASHER

Heavy Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3129	5.5mm x 40mm	100	N/A	15.73
NEW JP3130	5.5mm x 60mm	140	N/A	15.73
NEW JP3131	5.5mm x 70mm	140	N/A	15.73
NEW JP3210	5.5mm x 80mm	140	N/A	15.73
NEW JP3133	5.5mm x 100mm	100	N/A	15.73
NEW JP3134	5.5mm x 120mm	100	N/A	15.73



Heavy Steel Sections

For additional technical information see page 60



WOODFIX SCREWS

Light Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3135	5.5mm x 40mm	100	N/A	15.73
JP3138	5.5mm x 50mm	100	N/A	15.73
JP3141	5.5mm x 60mm	100	N/A	15.73
JP3144	5.5mm x 80mm	100	N/A	15.73
NEW JP3146	5.5mm x 120mm	100	N/A	15.73



Light Steel Sections



Timber

For additional technical information see page 61



WOODFIX SCREWS **NEW**

Heavy Section

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3230	5.5mm x 120mm	100	N/A	15.73



Heavy Steel Sections



Timber

For additional technical information see page 61



GASH POINT SCREWS - 16MM WASHER

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3102	6.3mm x 32mm	120	N/A	15.73
JP3105	6.3mm x 45mm	90	N/A	15.73



Thin Steel Sections



Timber

For additional technical information see page 62



STITCHING SCREWS - 16MM WASHER

Bright Zinc Plated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3132	6.3mm x 25mm	120	N/A	15.73



Thin Steel Sections

For additional technical information see page 62



Index



Alloy Nail In Anchors	34	HSS Reduced Shanks	72	Spring Toggles	55,82
Alpen Drill Bits	68-73	Imperial High Speed Steel Drill Bits	71	Stainless Steel Brad Nails	57
Angle Bracket	96	Injection Resin Internally Threaded Sockets	44	Stainless Steel Heavy Duty Blind Bolts	30
Ankerbolts	17-19, 78-79, 86	Injection Tool Accessories	45	Stainless Steel A2 Eye Bolt Sleeve Anchors	22
Ankerbolt Drop In Anchor	19	Injection Tools	45	Stainless Steel A2 Fixing Bands	37
Ankerbolt Drop In Setting Tool	20	Internal Threaded Sockets	44	Stainless Steel A2 Hammer Screws	49
Ankernut	54	Intumescent and Acoustic Mastic	48	Stainless Steel A2 Internal Threaded Sockets	44
Applicator Guns	48	JCP Bulk Plastic Plugs	52	Stainless Steel A2 J Fix Studs	42
B1 Rated Expanding Foam	48	JCP Premium Plastic Plugs	53	Stainless Steel A2 Metalfix	64-65
B2 Rated Expanding Foam	47	JCP Standard Plastic Plugs	52	Stainless Steel A2 Metalfix Stitching Screw	65
B3 Rated Expanding Foam	47	J-Fix Studs	41-43	Stainless Steel A2 Sleeve Anchors	22
Basin Fixings	36	J-Plug Plasterboard Fixings	53,88	Stainless Steel A2 Stitching Bar	47
Bigtwist Nails	37,83	Kwikset	40	Stainless Steel A2 Throughbolts	14
Bi-Metallic Metalfix	64-65	Light Duty	34-37	Stainless Steel A4 Ankerbolts	19
Blind Bolts	29-30	Lipped Drop In Anchors	23-24	Stainless Steel A4 Blind Bolts	29
Blow Out Pump	46	Loose Bolt Shield Anchors	31,79,87,92	Stainless Steel A4 Drop In Anchors	24
Brad Nails and Gas	56	Low Profile Metalfix	63	Stainless Steel A4 Heavy Duty Anchors	27-28
Cartridge Strips	58	Magazine Pins	59	Stainless Steel A4 Internal Threaded Sockets	44
Cartridge Tool	58	Magnetic Drive Sockets	63,85	Stainless Steel A4 J Fix Studs	43
Ceiling Hanger	58	Masonry Drill Bits	69	Stainless Steel A4 Lipped Drop In Anchors	24
Cementitious Grout	47	Masonry Drill Bit Sets	70	Stainless Steel A4 Nylon Frame Fixings	51
Centre Spur Wood Bits	74	Masonry Nails	34-35,83	Stainless Steel A4 Shield Anchors	32
Chemical Anchors and Accessories	38-48	Masonry Nails with 8mm Washer	34	Stainless Steel A4 Sleeve Anchor	22
Cleaning Brushes	46	Mechanical Galvanised Ankerbolts	18	Stainless Steel A4 Throughbolts	15
Cobalt Countersink Bits	73	Medium Duty	31-33	Steel Nail In Anchors	34
Cobalt Slotted Countersink Bits	73	Metal Expansion Plugs	53	Stitching Bar	47
Coloured Cover Caps	66	Metal Nail In Anchors	34	Stop Drill Bits	24
Concrete Screws	33,80,87	Metalfix	60-67	Straight Perforated Fixing Band	37
Concrete Screws Cover Caps	33	Metalfix Gash Point Screws	62,85,89	Straight Shank Masonry Drill Bit Sets	70
Countersunk Head Ankerbolts	18,78	Metalfix High Thread Screws	62-63	Straight Shank Masonry Drill Bits	69
Countersunk Head Sleeve Anchors	21	Metalfix Horizontal Hanger	66-67	Stud and Nut Heavy Duty Anchors	27
Countersunk Head Wall Screws	36,83,90	Metalfix Loose Washer	61,65,85	Thin Wall Blind Bolts	30
Countersunk Heavy Duty Anchors	27	Metalfix Magnetic Socket	63	Throughbolts	12-15,78,86
Countersunk Nylon Frame Fixing	50	Metalfix Stitching Screws	62,65,85	Tool Kit PA97	58
Crack Stitch Twist Starter Kit	46	Metalfix Vertical Hangers	66	Tx Driver Bits	20
Cylindrical Head Concrete Screws	33	Metric HSS Cobalt High Speed Steel Drill Bits	71	Vertical Flange Clips	36
Drill Bits	68-74	Metric HSS Reduced Shanks	72	Vinylester Fast Cure Resin	39
Drivefast Gas Nails	56	Mixer Nozzle	45	Vinylester Resin	38
Drivefast Gas Only	57	Mixing Paddle	46	Wafer Head Screw	63,85
Drop In Anchors	23-24	Multidrill Tungsten Carbide Universal Drill Bits	73	Wall Screws	36-37,83-84,90
Drop In Anchor Setting Punches	24	Nail In Anchors	34	W.C. Fixings	36
Dual Threaded and Single Thread Socket Bolts	20	Nail In Sockets	16	Wirehangers	16
Epoxy Acrylate Resin	38	Nylon and Cavity	49-55	Wire Mesh Sleeve	45
ETA Approved J-Fix Studs	41	Nylon Frame Fixings	50-51,81,88	Woodfix Screws	61,84,90
ETA Approved Countersunk Nylon Frame Fixing	50-51	Nylon Hammer Screws	49,80,87	Zinc Nickel Thin Wall Blind Bolts	30
ETA Option 1 Ankerbolts	19	Nylon Nail Plugs	49	Zinc Plated and Clear Passivated Ankerbolts	17-18
ETA Option 1 Heavy Duty Anchors	26-28	Nylon Sleeves	45	Zinc Plated and Clear Passivated Drop In Anchors	23
ETA Option 1 Throughbolts	12	Nylon Toggles	55,82	Zinc Plated and Clear Passivated Fibre Cement Screws	64
ETA Option 7 Throughbolts	13	Nylon Wall Plugs	52,81,88	Zinc Plated and Yellow Passivated Hammer Screws	49
Expanding Foam	47-48	PA and Gas	56-59	Zinc Plated and Clear Passivated Heavy Duty Anchors	26-27
Eye Bolt Shield Anchor	32,77	Pan Head Ankerbolts	17	Zinc Plated and Clear Passivated Internal Threaded Sockets	44
Eye Bolt Sleeve Anchor	22	Pan Head Wall Screws	37,84,90	Zinc Plated and Clear Passivated J-Fix Studs	41
Eye Bolts	20	Phillips No.3 Drive Bit	62	Zinc Plated and Clear Passivated Metalfix	60-63
Fibre Cement Screws	64	Plain Ended J-Fix Studs	41	Zinc Plated and Clear Passivated Throughbolts	12-13
Fire Stop Expanding Foam	48	Plasterboard Fixings	53,82,88	Zinc Plated and Clear Passivated Woodfix	61,84,90
Fixing Bands	37	Plasterboard Plugs	82	Zinc Plated and Yellow Passivated Drop In Anchors	23
Flange Head Hammer Screws	49	Plastic Headed Nails	34,83	Zinc Plated and Yellow Passivated Hollow Wall Anchors	54,82,89
Flat Wood Bits	74	Plastic Toggles	55,82	Zinc Plated and Yellow Passivated J-Fix Studs	41
Forged Eye Bolts	25	Plastic Wall Plugs	52,81,88	Zinc Plated and Yellow Passivated Nylon Frame Fixings	50
Forged Hook Bolts	25	Plastic Washered Pins	59	Zinc Plated and Yellow Passivated Sleeve Anchors	21
Galvanised Fixing Band	37	Pointing Gun	46	Zinc Plated and Yellow Passivated Spring Toggles	55,82
Gash Point Vertical Hanger	66	Polyester Styrene Free Resin	39	Zinc Plated and Yellow Passivated Throughbolts	12
Gauge Angled Brads	57	Polyester Resin	39	Zinc Plated and Yellow Passivated Window Frame Anchors	50
Geomet 500 Blind Bolts	29	Polyurethane Cleaner	48		
Glass Capsules	40	Pozi Pan Head Self Drilling Screws	61		
Grooved Nails	35	Premium Nylon Wall Plugs	52		
Hammer In Capsules	40	Projecting Bolt Shield Anchors	31,80,87		
Hammer Screws	49,81,88	Pure Epoxy Resin	38		
Handi Pack Drivefast	56	Push Plugs	51		
Heavy Duty	12-29	Road Fixing Kit	54		
Heavy Duty Anchors	26-28	Rocketite	40		
Heavy Duty Blind Bolts	29	Rosett Cavity Fixing	53,81,88		
Hexagon Bolt Heavy Duty Anchors	26	Round Perforated Fixing Band	37		
Hexagon Bolt Sleeve Anchors	21	Sanitary Fixings	36,83		
Hexagon Flange Head Ankerbolts	17,78,86	Scaffold Eye Plugs	25		
Hexagon Head Ankerbolts	17,78,86	Scaffold Retaining Eyes	25		
Hexagon Nut Sleeve Anchors	21,79	Scaffold Ring Bolts	25		
High Speed Steel Drill Bits	71	SDS+ Drill Bits	68		
Hollow Wall Anchor	54,82,88	SDS+ High Performance Drill Bits	68		
Hollow Wall Anchor Setting Tool	55	SDS+ Drill Bit Sets	70		
Hook Bolts	20	SDS Max Drill Bits	69		
Hook Bolt Shield Anchors	32	Self Drilling Screws	60-67,84,89-90		
Hook Bolt Sleeve Anchors	22	Setting Tool for Rod Hangers	67		
Hot Dipped Galvanised Throughbolts	14	Shield Anchors	31-32,79-80,87		
Hot Dipped Galvanised J-Fix Studs	42	Shield Only Shield Anchors	32		
HSS Cobalt High Speed Steel Drill Bits	71	Shot Fired Pins	59		
HSS Countersink Bits	72	Sleeve Anchors	21-22,79		
HSS Drill Bit Cases	72	Socket Bolts	20		
HSS Long Shanks	72	Spin In Capsules	40		

TERMS AND CONDITIONS OF SALE

1. APPLICATION

Unless otherwise agreed in writing between the company and its customer, the following terms and conditions of sales shall apply to all sales of goods by the company to its customer.

2. PRICE VARIATION

Price applicable to the sales of goods by the company to the customer shall be the price ruling at the date of despatch. The company therefore reserves the right to amend prices quoted at the date of the placing of an order by the customer by notifying the customer in writing.

3. CARRIAGE

The Company reserves the right as part of this contract to impose such surcharge or carriage charge as shall be laid down by the company policy at any time. Such terms will be available for examination at the address of the company shown on the letterhead of its invoices and are deemed to be part of all contracts unless specifically agreed to the contrary in writing by the company. The company has sole choice of method of delivery and of carrier or carriers employed unless specifically agreed in writing to the contrary.

4. DESPATCH

Despatch dates are quoted without engagement although every endeavour will be made to adhere to the date or dates quoted. In no circumstances shall the company be liable for any loss arising from delay in despatch however caused. Time shall not be of the essence of the contract.

5. DAMAGE AND LOSS IN TRANSIT

5.1 The company accepts no liability for any damage to goods in transit unless notified to the company and the carrier concerned within twenty four hours after delivery.

5.2 In the case of non-delivery the company accepts no liability of any sort unless written notice of non-delivery is given to the company within seven days after the date of the advice of despatch of the goods.

5.3 Paragraphs one and two shall not apply to despatches to countries outside the United Kingdom of Great Britain, Northern Ireland and the Isle of Man. In respect of these countries the company accepts no liability for damage or loss in transit unless the company has contracted to supply the goods C.I.F. and the customer has adhered to the terms of the insurance policy.

5.4 The company's liability for damage in transit or non-delivery of goods duly notified to it in accordance with the above, shall in any event be limited solely to replacement of the goods within a reasonable time, whether non-delivery or damage is due to the company's negligence or otherwise.

6. CLAIMS

Subject to the provision of condition 5, all claims for goods alleged to be defective must be made in writing to the company within seven days after the date of delivery. When notification is so received the company may require return of the goods or for the goods to be made available for inspection by the company. Should the company be satisfied as to the defects then it retains the option to either replace the defective goods within a reasonable time or credit to the customer within the contract price. All defective goods so returned shall be the property of the company. Except as provided above, the company shall have no liability whatsoever arising out of any agreement to sell or sale of goods including claims for direct consequential or other loss, damage or expense, whether arising or alleged to arise under any warranty statement, conditional term expressed or implied, statutory or otherwise, or in negligence or alleged negligence on the part of the company or otherwise. In no circumstances shall the company be liable for loss or damage in excess of the contract sale price.

7. PASSING OF PROPERTY

Each of the following sub-clauses 7.1 to 7.6 are separate and severable and shall be enforceable accordingly:

7.1 Notwithstanding delivery, all goods supplied by us will remain our absolute property until you pay in full for them and for all other goods previously supplied by us;

7.2 You will store the goods in such a way that they are readily identifiable as our property, but you may, as trustees for us, sell them to a third party in the normal course of your business;

7.3 Upon any sale by you of the goods (either alone or with other items) all rights which you have against the buyer shall automatically vest in us;

7.4 We shall be entitled immediately after giving notice of our intention to repossess, to enter upon any premises with such transport as may be necessary and repossess any goods to which we have title under this Clause;

7.5 If you incorporate the goods we supply to you into other products with or without materials you already possess or which are supplied to you by third parties the property in such other product will pass to us and you shall store them without charge on our behalf as bailee;

7.6 You shall not be entitled to pledge or in any way charge by way of security any of the goods which remain our property but in the event you do so all moneys owing by you to us shall without prejudice to any other right or remedy available to us forthwith become due and payable.

8. PAYMENT

For the purpose of this Clause the due date shall mean the due date specified on the face of the invoice. Customers electing to pay by Direct Debit shall mean the 28th of the month following the month of the invoice. If you do not comply punctually with these terms of payment we reserve the right to charge you interest on any amount overdue at the rate of 1½% per month from the due date to the date of receipt of the monies outstanding, and without notice to suspend further deliveries until all arrears (including interest) have been paid and, at our option, to rescind any subsisting contract with you as to all or any parts of future deliveries but without prejudice to any rights already accrued to us under such contracts. Where a settlement discount is shown on the face of the invoice the customer may deduct this from his payment provided that payment in full less this discount is made by the due date.

9. ADDITIONAL DELIVERIES

Where the company has been obliged to make an additional delivery of the goods to the premises specified in the contract due to the failure of the customer to accept the delivery of the goods, the company reserves the right to make a charge for such additional delivery, unless the company failed to meet a specified time and date of delivery agreed in writing by the company and the customer. Any proposed delivery date specified on this invoice or on a sales order does not constitute such agreement in writing.

10. INTERPRETATION

Any agreement between the company and the purchaser shall be subject to and governed by the domestic law of England.

ABOUT US

Owlett-Jaton

The No. 1 choice for Quality, Service, and Value

Owlett-Jaton is the UK's leading wholesale supplier of fasteners, fixings, and associated products to the distributor and merchant trade. Offering in excess of 30,000 product lines, we are also the largest stockholder in the industry.

Operating from a purpose-built warehouse in Stone, Staffordshire, our comprehensive stock line-up is backed by large stocks and efficient operations.

Our product range is the most comprehensive within our industry sector, and we understand that an important part of our offering is good stock availability, at all times. Our commitment to stock ensures products are available, competitively priced, for next-day delivery throughout most of the UK mainland.

FREE, NEXT-DAY DELIVERY WITH LOW MINIMUM ORDER LEVELS ACROSS THE MAJORITY OF THE UK MAINLAND.

We are the name behind some of the UK's leading fastener and fixing brands, including JCP, JRP, Thunderbolt, Unifix, and Vortex. With a comprehensive stock range in depth, volume, and continuity of supply, as well as a stock

buying power that is unique to the market, we are recognised for offering a complete wholesale solution.

With over 30,000 product lines under one roof, customers can order multiple items, in small quantities, all from one supplier. For customers, this improves efficiency, provides cost savings, and enhances customer service levels.

Delivering continually high service levels, we have an enviable reputation for high-quality products and unrivalled customer service.

We take our service levels seriously and pride ourselves on our high levels of reliability, and lasting customer partnerships. With a network of sales offices and Area Sales Managers (ASM's), supported by our merchandising teams, customers have access to experienced staff, whilst online ordering provides visibility to pricing, stock availability, and more.

Our commitment to customer service and quality products is demonstrated by our ISO 9001:2015 Quality Management system. We are also dedicated to operating in an environmentally sustainable manner, and we are the first wholesaler in our industry to be awarded ISO 14001:2015 Environmental Management certification.

Owlett-Jaton is a trading division of Hexstone Ltd.

www.owlett-jaton.com





Technical Office

Teddington
tel **020 8943 1800**
jcp@owlett-jaton.com

Sales Office

Stone
tel **01785 819819**
info@owlett-jaton.com

Sales Office

Dartford
tel **01322 277733**
dartford.sales@owlett-jaton.com

Sales Office

Elland
tel **01422 370121**
elland.sales@owlett-jaton.com

Sales Office

Milton Keynes
tel **01908 201600**
milton.keynes@owlett-jaton.com

Sales Office

Swindon
tel **01793 527829**
swindon.sales@owlett-jaton.com



[/jcpconstructionproducts](#)



Head Office

Opal Way, Stone Business Park, Stone, Staffordshire ST15 0SW • Tel 01785 811300

Technical Helpline 020 8943 1800 • jcp@owlett-jaton.com