

VV VV VV.UVVLETT-JATUN.GUN



CONTENTS

| CUTTING & GRINDING CUTTING & EXTRA THIN DISCS ADJUSTABLE PIN SPANNER SCREWDRIVER BITS | 4-6 6 6 |
|---|--|
| FLAP DISCS FLAP DISCS RANGE | 7 |
| DIAMOND CUTTING PRODUCTS DIAMOND BLADES | 8 |
| COBALT HOLESAWS COBALT HOLESAWS HOLESAW ARBORS & PILOT DRILL BITS | 9 |
| COATED ABRASIVES FIBRE DISCS BACKING PADS SPINDLE MOUNTED FLAP WHEELS EMERY ROLLS EMERY SHEETS WATERPROOF PAPER SHEETS GENERAL PURPOSE SANDPAPER SHEETS SANDPAPER ROLLS SANDING BELTS HOOK & LOOP SANDING DISCS P.S.A. SANDING DISCS NON-WOVEN HAND PADS STEEL WOOL | 10 10 11 11 11 12 12 12 12 13 13 13 |
| WIRE BRUSHES WIRE BRUSHES TWIST KNOT CUP WIRE BRUSHES CRIMPED CUP WIRE BRUSHES BEVELLED (CONIC) WIRE BRUSHES BENCH GRINDER WIRE BRUSHES SPINDLE MOUNTED WOODEN HANDLED BRUSHES PLASTIC HANDLED BRUSHES | 14 14 14 14 15 15 |
| | CUTTING & EXTRA THIN DISCS ADJUSTABLE PIN SPANNER SCREWDRIVER BITS FLAP DISCS FLAP DISCS RANGE DIAMOND CUTTING PRODUCTS DIAMOND BLADES COBALT HOLESAWS COBALT HOLESAWS HOLESAW ARBORS & PILOT DRILL BITS COATED ABRASIVES FIBRE DISCS BACKING PADS SPINDLE MOUNTED FLAP WHEELS EMERY ROLLS EMERY SHEETS WATERPROOF PAPER SHEETS GENERAL PURPOSE SANDPAPER SHEETS SANDPAPER ROLLS SANDING BELTS HOOK & LOOP SANDING DISCS P.S.A. SANDING DISCS NON-WOVEN HAND PADS STEEL WOOL WIRE BRUSHES WIRE BRUSHES WIRE BRUSHES CRIMPED CUP WIRE BRUSHES BEVELLED (CONIC) WIRE BRUSHES SPINDLE MOUNTED WOODEN HANDLED BRUSHES |

PROFLEX CUTTING & GRINDING DISCS

- Manufactured to European safety standards & marked with EN12413.
- Exceptional cost per-cut ratio.
- DPC Metal & Flat Metal Cutting Discs are suitable for use on Mild Steel. Steel Pipe, Sheet Steel & High Grade Steel.
- DPC Stone & Flat Stone Cutting Discs are suitable for use on Natural Stone, Concrete, Bricks & Roof Tiles.



ABRACS

PFET23018FI

| Specification | Article Number |
|---|-------------------|
| Proflex 100mm x 3.0mm x 16.0mm DPC Metal | PF10030DM |
| Proflex 100mm x 3.0mm x 16.0mm Flat Metal | PF10030FM |
| Proflex 100mm x 6.0mm x 16.0mm DPC Metal | PF10060DM |
| Proflex 115mm x 3.0mm x 22.0mm DPC Metal | PF11530DM |
| Proflex 115mm x 3.0mm x 22.0mm Flat Metal | PF11530FM |
| Proflex 115mm x 3.0mm x 22.0mm DPC Stone | PF11530DS |
| Proflex 115mm x 3.0mm x 22.0mm Flat Stone | PF11530FS |
| Proflex 115mm x 6.0mm x 22.0mm DPC Metal | PF11560DM |
| Proflex 115mm x 6.0mm x 22.0mm DPC Stone | PF11560DS |
| Proflex 125mm x 3.0mm x 22.0mm DPC Metal | PF12530DM |
| Proflex 125mm x 3.0mm x 22.0mm Flat Metal | PF12530FM |
| Proflex 125mm x 6.0mm x 22.0mm DPC Metal | PF12560DM |
| Proflex 178mm x 3.0mm x 22.0mm Flat Metal | PF17830FM |
| Proflex 178mm x 6.0mm x 22.0mm DPC Metal | PF17860DM |
| Proflex 230mm x 3.0mm x 22.0mm DPC Metal | PF23030DM |
| Proflex 230mm x 3.0mm x 22.0mm Flat Metal | PF23030FM |
| Proflex 230mm x 6.0mm x 22.0mm DPC Metal | PF23060DM |
| Proflex 300mm x 3.5mm x 20.0mm Flat Metal | PF3003020FM |
| Proflex 350mm x 2.8mm x 25.0mm Flat Metal | PF3502825FM |

PROFLEX EXTRA THIN CUTTING DISCS

- Exceptional cost per cut ratio.
- Manufactured to European quality standards.
- High performance disc designed for speed, accuracy & long life.
- Do not contain iron, sulphur or chlorine.

230mm x 1.8mm x 22mm Flat INOX Extra Thin Cutting Disc PROFLEX

• Suitable for use on Stainless Steel, Mild Steel, Sheet Steel & High Grade Steel.





INOX






Abracs Cutting & Grinding Range is split into 2 categories, 3 star Proflex Trade & 5 star Phoenix Pro. The 2 tier quality system comprehensively covers the demands of the professional market with each option offering a perfect balance of performance & value to an extensive range of customers.

PHOENIX CUTTING & GRINDING DISCS

- Superior Quality Cutting & Grinding in professional working environments.
- Manufactured to European safety standards & marked with EN12413.
- Produced to O.S.A. Safety standards.
- DPC Metal & Flat Metal Cutting & Grinding Discs are suitable for use on Mild Steel, Steel Pipe, Sheet Steel & High Grade Steel.
- DPC Stone & Flat Stone Cutting & Grinding Discs are suitable for use on



PERFORMANCE



| Specification | Article Number |
|--|-------------------|
| Phoenix II 100mm x 3.0mm x 16.0mm DPC Metal | PH10030DM |
| Phoenix II 100mm x 3.0mm x 16.0mm Flat Metal | PH10030FM |
| Phoenix II 100mm x 6.0mm x 16.0mm DPC Metal | PH10060DM |
| Phoenix II 115mm x 3.0mm x 22.0mm DPC Metal | PH11530DM |
| Phoenix II 115mm x 3.0mm x 22.0mm Flat Metal | PH11530FM |
| Phoenix II 115mm x 6.0mm x 22.0mm DPC Metal | PH11560DM |
| Phoenix II 115mm x 6.0mm x 22.0mm DPC Stone | PH11560DS |
| Phoenix II 125mm x 3.0mm x 22.0mm Flat Metal | PH12530FM |
| Phoenix II 125mm x 6.0mm x 22.0mm DPC Metal | PH12560DM |
| Phoenix II 230mm x 3.0mm x 22.0mm DPC Metal | PH23030DM |
| Phoenix II 230mm x 3.0mm x 22.0mm Flat Metal | PH23030FM |
| Phoenix II 230mm x 6.0mm x 22.0mm DPC Metal | PH23060DM |
| Phoenix 300mm x 3.5mm x 20.0mm Flat Metal | PH3003020FM |
| Phoenix 300mm x 3.5mm x 22.0mm Flat Metal | PH3003022FM |
| Phoenix 300mm x 3.5mm x 25.0mm Flat Metal | PH3003025FM |
| Phoenix 350mm x 2.5mm x 25.0mm Metal | PH3502525FM |

PHOENIX EXTRA THIN CUTTING DISCS

- Superior quality.
- European manufactured & produced to O.S.A. Safety standards.
- Extremely fast & precise cutting.
- Strengthened core stability for reduced vibration.
- Do not contain iron, sulphur or chlorine.
- Suitable for use on Stainless Steel, Mild Steel, Sheet Steel & High Grade Steel.



MAXIMUM PERFORMANCE



INOX

| Specification | Article Number |
|---|-------------------|
| 75mm x 1.0mm x 10mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PH07510FI |
| 75mm x 1.6mm x 10mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PH07516FI |
| 100mm x 1.0mm x 16mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET10010FI |
| 100mm x 1.2mm x 16mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET10012FI |
| 115mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET11510FI |
| 115mm x 1.2mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET11512FI |
| 115mm x 1.6mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET11516FI |
| 125mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET12510FI |
| 125mm x 1.2mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET12512FI |
| 178mm x 1.6mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET17816FI |
| 230mm x 1.8mm x 22mm Flat INOX Extra Thin Cutting Disc PHOENIX II | PHET23018FI |

CUTTING DISCS PHOENIX ALI

- Expert quality, heavy duty specialist Cutting and Grinding Discs.
- Designed specifically for use on aluminium & other non-ferrous materials.
- Highly resistant to clogging & will protect against overheating the material.
- Made to O.S.A. Safety standards and marked with EN12413.
- Suitable for use on Mild Steel, Aluminium, Copper & Non Ferrous Metals.





115mm x 1.0mm x 22mm Flat Aluminium Extra Thin Cutting Disc Phoenix Ali





PHA11510FA

MULTI-FUNCTION PIN SPANNER

- Versatile & multi-functional pin
- With adjustable head suitable for any size of grinder.
- Hole can be used as a wrench to unscrew and fasten 10mm-19mm bolts.
- Flat handle base can be used as a screwdriver



| Specification | Article Number |
|----------------------------|-------------------|
| Multi Function Pin Spanner | ABSPADJ |

SCREWDRIVER BITS

- Manufactured with S2 Premium Steel for long life.
- Suitable for all heavy duty screw driving applications.
- Measuring 25mm in length they are available in a range of Head types.









POLY DISCS

- Unique structure & synthetic resin coating.
- Incredibly strong & durable with minimal risk of scratching.
- For use on angle grinders.
- Suitable for use on Stainless Steel, Metal, Concrete & Aluminium.



| Specification | Article Number |
|------------------------------|-------------------|
| 115mm x 22mm Black Poly Disc | ABPOLY115 |
| 115mm x 22mm Blue Poly Disc | ABPOLY115B |

FLAP DISCS AL/OX

- · Premium quality & cost effective.
- Engineered for extended performance stock removal, blending & finishing.
- Lightweight fibrealass backing improves strength & durability.
- Suitable for use on Carbon Steel, Mild Steel & Wood



((((REDUCED)))) VIBRATION CLOGGING

115mm x 22mm x 040g/060g/080g/0120g Aluminium Oxide Flap Disc

FLAP DISCS ZIRCONIUM

- · Premium quality & long life.
- Engineered for maximum performance stock removal, blending & finishing.
- Lightweight fibreglass backing improves strength & durability.
- Manufactured to O.S.A. Safety standards.
- Suitable for use on Stainless Steel, Mild Steel, Sheet Steel & High Grade Steel



(((REDUCED))))
VIBRATION



| Specification | Article Number |
|---|-------------------|
| 100mm x 16mm x 040/060/080g Zirconium Flap Disc | ABFZ100B(GRIT) |
| 115mm x 22mm x 040/060/080/120g Zirconium Flap Disc | ABFZ115B(GRIT) |
| 125mm x 22mm x 040/060/080/120g Zirconium Flap Disc | ABFZ125B(GRIT) |
| 180mm x 22mm x 040/060g Zirconium Flap Disc | ABFZ180B(GRIT) |

NON-WOVEN FLAP DISCS

- Premium auality.
- Manufactured using strengthened synthetic fibre.
- Bonded by a specialist smear resistant adhesive which prevents clogging.
- Specifically designed for cleaning, polishing & finishing.
- Suitable for use on Stainless Steel, Mild Steel, Sheet Steel & High Grade Steel



((((REDUCED)))) VIBRATION ANTI



| Specification | Article Number |
|--|-------------------|
| 115mm x 22mm Coarse Non-Woven Flap Discs | ABPOBROWN |
| 115mm x 22mm Medium Non-Woven Flap Discs | ABPOMAROON |
| 115mm x 22mm Fine Non-Woven Flap Discs | ABPOGREEN |

FULL ABRACS RANGE AVAILABLE ON REQUEST **CONTACT THE OWLETT-JATON TEAM**

TRADE GCM DIAMOND BLADE

- Excellent value for money.
- Good cost per cut ratio.
- 10mm Segment & Key hole gullets to aid stock removal.
- Suitable for use on Concrete, Stone, Natural Bricks & Tiles.











| Specification | Article Number |
|--|-------------------|
| 115mm x 10mm x 22mm General Construction Materials Diamond Blade TRADE | ABDD115M |
| 230mm x 10mm x 22mm General Construction Materials Diamond Blade TRADE | ABDD230M |
| 300mm x 10mm x 20mm General Construction Materials Diamond Blade TRADE | ABDD30020M |

PRO GCM DIAMOND BLADE

- 10mm Turbo Segment for maximum performance & long life.
- Reduced chance of segment loss.
- Manufactured using premium quality diamonds.
- Suitable for use on Concrete & Steel, Bricks, Natural Stone & Tiles.



| Specification | Article Number |
|--|-------------------|
| 115mm x 10mm x 22mm General Construction Materials Diamond Blade PRO | ABDT115M |
| 230mm x 10mm x 22mm General Construction Materials Diamond Blade PRO | ABDT230M |
| 300mm x 10mm x 20mm General Construction Materials Diamond Blade PRO | ABDT30020M |

TILE & PORCELAIN DIAMOND BLADE

- Designed with X-Tech Cutting technology.
- Suitable for use on Tiles, Ceramic, Porcelain & Slate.









| Specification | Article Number |
|--|-------------------|
| 115mm x 1.2mm x 22mm X-TECH Tile & Porcelain Cutting Blade EXPERT | ABDCR115 |
| 230mm x 2.4mm x 25.4/22mm X-TECH Tile & Porcelain Cutting Blade EXPERT | ABDCR230 |

MORTAR/BRICK RAKING BLADE

High diamond concentration.

115mm x 6.5mm x 22mm Mortar/Brick Raking Blade EXPERT

- Unbeatable combination of rapid stock removal.
- Suitable for use on Bricks, Mortar, Blocks & Masonry.









COBALT HOLESAWS

- Manufactured from premium quality materials.
- Bi-metal construction with 8% Cobalt for extreme strength, durability & performance.
- Manufactured with high speed variable pitch teeth for fast & clean cutting.
- Suitable for use on Mild Steel, Stainless Steel, Cast Iron, Non Ferrous & Wood.



ULTIMATE PERFORMANCE





| Specification | Article Number |
|------------------------------|-------------------|
| Cobalt Holesaw (M42) - 14mm | ABHSC014 |
| Cobalt Holesaw (M42) - 16mm | ABHSC016 |
| Cobalt Holesaw (M42) - 17mm | ABHSC017 |
| Cobalt Holesaw (M42) - 19mm | ABHSC019 |
| Cobalt Holesaw (M42) - 20mm | ABHSC020 |
| Cobalt Holesaw (M42) - 21mm | ABHSC021 |
| Cobalt Holesaw (M42) - 22mm | ABHSC022 |
| Cobalt Holesaw (M42) - 25mm | ABHSC025 |
| Cobalt Holesaw (M42) - 27mm | ABHSC027 |
| Cobalt Holesaw (M42) - 30mm | ABHSC030 |
| Cobalt Holesaw (M42) - 32mm | ABHSC032 |
| Cobalt Holesaw (M42) - 35mm | ABHSC035 |
| Cobalt Holesaw (M42) - 38mm | ABHSC038 |
| Cobalt Holesaw (M42) - 40mm | ABHSC040 |
| Cobalt Holesaw (M42) - 41mm | ABHSC041 |
| Cobalt Holesaw (M42) - 44mm | ABHSC044 |
| Cobalt Holesaw (M42) - 48mm | ABHSC048 |
| Cobalt Holesaw (M42) - 51mm | ABHSC051 |
| Cobalt Holesaw (M42) - 54mm | ABHSC054 |
| Cobalt Holesaw (M42) - 57mm | ABHSC057 |
| Cobalt Holesaw (M42) - 60mm | ABHSC060 |
| Cobalt Holesaw (M42) - 64mm | ABHSC064 |
| Cobalt Holesaw (M42) - 65mm | ABHSC065 |
| Cobalt Holesaw (M42) - 70mm | ABHSC070 |
| Cobalt Holesaw (M42) - 73mm | ABHSC073 |
| Cobalt Holesaw (M42) - 76mm | ABHSC076 |
| Cobalt Holesaw (M42) - 79mm | ABHSC079 |
| Cobalt Holesaw (M42) - 83mm | ABHSC083 |
| Cobalt Holesaw (M42) - 102mm | ABHSC102 |
| Cobalt Holesaw (M42) - 108mm | ABHSC108 |
| Cobalt Holesaw (M42) - 114mm | ABHSC114 |
| Cobalt Holesaw (M42) - 127mm | ABHSC127 |
| Cobalt Holesaw (M42) - 152mm | ABHSC152 |

HOLE SAW ARBORS & PILOT DRILL BITS

- Premium quality.
- Work in conjunction with the full range of Abracs Holesaws.





ULTIMATE

| | NUMBER OF THE PROPERTY OF THE |
|-------------------------------|---|
| Specification | Article Number |
| Hole Saw Arbour - A1 | ABHSA1 |
| Hole Saw Arbour - A2 | ABHSA2 |
| SDS Drill Hole Saw Arbor - A1 | ABHSSDSA1 |
| SDS Drill Hole Saw Arbor - A2 | ABHSSDSA2 |
| Hole Saw Pilot Drill Bit | ABHSPILOT |
| | |

FIBRE SANDING DISCS

- Premium performance aggressive zirconia & long lastina aluminium oxide.
- Full resin bond system & heavy-duty fibre backing.
- Manufactured to O.S.A. Safety standards.
- Zirconium suitable for use on Stainless Steel, Sheet Metal, Mild Steel & High Grade Steel, AL/OX suitable for use on Iron, Sheet Metal, Mild Steel & Wood.









| Specification | Article Number |
|--|-------------------|
| 100mm x 16mm x 24g Fibre Sanding Disc | ABFD100024(A/Z) |
| 100mm x 16mm x 36g Fibre Sanding Disc | ABFD100036(A/Z) |
| 100mm x 16mm x 60g Fibre Sanding Disc | ABFD100060(A/Z) |
| 100mm x 16mm x 80g Fibre Sanding Disc | ABFD100080(A/Z) |
| 100mm x 16mm x 100g Fibre Sanding Disc | ABFD100100(A/Z) |
| 100mm x 16mm x 120g Fibre Sanding Disc | ABFD100120(A/Z) |
| 15mm x 22mm x 24g Fibre Sanding Disc | ABFD115024(A/Z) |
| 15mm x 22mm x 36g Fibre Sanding Disc | ABFD115036(A/Z) |
| 15mm x 22mm x 60g Fibre Sanding Disc | ABFD115060(A/Z) |
| 15mm x 22mm x 80g Fibre Sanding Disc | ABFD115080(A/Z) |
| 15mm x 22mm x 100g Fibre Sanding Disc | ABFD115100(A/Z) |
| 115mm x 22mm x 120g Fibre Sanding Disc | ABFD115120(A/Z) |
| 25mm x 22mm x 24g Fibre Sanding Disc | ABFD125024(A/Z) |
| 25mm x 22mm x 36g Fibre Sanding Disc | ABFD125036(A/Z) |
| 25mm x 22mm x 60g Fibre Sanding Disc | ABFD125060(A/Z) |
| 25mm x 22mm x 80g Fibre Sanding Disc | ABFD125080(A/Z) |
| 25mm x 22mm x 100g Fibre Sanding Disc | ABFD125100(A/Z) |
| 25mm x 22mm x 120g Fibre Sanding Disc | ABFD125120(A/Z) |
| 178mm x 22mm x 24g Fibre Sanding Disc | ABFD178024(A/Z) |
| 78mm x 22mm x 36g Fibre Sanding Disc | ABFD178036(A/Z) |
| 78mm x 22mm x 60g Fibre Sanding Disc | ABFD178060(A/Z) |
| 78mm x 22mm x 80g Fibre Sanding Disc | ABFD178080(A/Z) |
| 178mm x 22mm x 100g Fibre Sanding Disc | ABFD178100(A/Z) |
| 178mm x 22mm x 120g Fibre Sanding Disc | ABFD178120(A/Z) |

BACKING PADS

- Manufactured from premium nylon compound.
- Maximum flexibility & support.
- Long life.
- Suitable for fibre discs & semi-flexible grinding discs.



| Specification | Article Number |
|--------------------------------|-------------------|
| 115mm x M14 Thread Backing Pad | PHBP11514 |

FULL ABRACS RANGE AVAILABLE ON REQUEST CONTACT THE OWLETT-JATON TEAM

SPINDLE MOUNTED FLAP WHEELS

- Ideal for deburring & general cleaning applications.
- Designed for use with electric drills & air tools.
- Suitable for use on Mild Steel, Construction Steel, Alloy Steel & Iron.



MULTI SUPERIOR CLEANING



| Specification | Number |
|--|---------------|
| 25mm x 15mm x 40g Spindle Mounted Flap Wheel | PHFWSA2515040 |
| 25mm x 15mm x 60g Spindle Mounted Flap Wheel | PHFWSA2515060 |
| 25mm x 15mm x 80g Spindle Mounted Flap Wheel | PHFWSA2515080 |
| 30mm x 20mm x 40g Spindle Mounted Flap Wheel | PHFWSA3020040 |
| 30mm x 20mm x 60g Spindle Mounted Flap Wheel | PHFWSA3020060 |
| 30mm x 20mm x 80g Spindle Mounted Flap Wheel | PHFWSA3020080 |
| 40mm x 20mm x 40g Spindle Mounted Flap Wheel | PHFWSA4020040 |
| 40mm x 20mm x 60g Spindle Mounted Flap Wheel | PHFWSA4020060 |
| 40mm x 20mm x 80g Spindle Mounted Flap Wheel | PHFWSA4020080 |
| 10mm x 30mm x 40g Spindle Mounted Flap Wheel | PHFWSA4030040 |
| 40mm x 30mm x 60g Spindle Mounted Flap Wheel | PHFWSA4030060 |
| 40mm x 30mm x 80g Spindle Mounted Flap Wheel | PHFWSA4030080 |
| 50mm x 20mm x 60g Spindle Mounted Flap Wheel | PHFWSA5020060 |
| 50mm x 30mm x 40g Spindle Mounted Flap Wheel | PHFWSA5030040 |
| 50mm x 30mm x 60g Spindle Mounted Flap Wheel | PHFWSA5030060 |
| 50mm x 30mm x 80g Spindle Mounted Flap Wheel | PHFWSA5030080 |
| 50mm x 40mm x 60g Spindle Mounted Flap Wheel | PHFWSA5040060 |
| 60mm x 30mm x 60g Spindle Mounted Flap Wheel | PHFWSA6030060 |
| 60mm x 40mm x 40g Spindle Mounted Flap Wheel | PHFWSA6040040 |
| 60mm x 40mm x 60g Spindle Mounted Flap Wheel | PHFWSA6040060 |

EMERY ROLLS

- Industrial quality.
- Premium quality aluminium oxide grain.
- Popular for use in the automotive industry.
- Suitable for use on Rust, Metal, Paint & Non Ferrous.







ABRACS

| Specification | Article Number |
|--|-------------------|
| 25mm x 50m x 040/060/080/100/120/150/180/280g Emery Roll | ABER2550(GRIT) |
| 50mm x 50m x 040/060/080/100/120/150/180/280g Emery Roll | ABER5050(GRIT) |

EMERY SHEETS

- Industrial quality.
- Premium quality aluminium oxide grain.
- Popular for use in the automotive industry.
- Suitable for use on Rust, Metal, Paint & Non Ferrous.



230mm x 280mm x 040/060/080/100/120/150/280g Emery Sheets ABES(GRIT)

WATERPROOF PAPER SHEETS

- Flexible anti-slip backing paper & resin bonded grit.
- Can be used wet or dry as a durable abrasive for hand finishing.
- Popular for use in the automotive industry.
- Suitable for use on Primer, Metal, Paint & Fillers.





ABWD(GRIT)

230mm x 280mm x 120/180/220/240/280/320/400/500/600/800/1000/1200/1500/2000g Waterproof Paper Sheets

GENERAL PURPOSE SANDPAPER SHEETS

- · Industrial quality aluminium oxide
- Packed & sold in 25s in handy dispenser boxes.
- Suitable for use on Wood, Metal, Paint & Fillers.







230mm x 280mm x 040/060/080/120/150/180/220g Production Paper Sheets ABSP(GRIT)

GENERAL PURPOSE SANDPAPER ROLL

- Industrial quality aluminium oxide Sandpaper Rolls.
- Manufactured using premium quality grain & durable E-weight paper backing.
- Resin coated to resist heat & humidity.
- Suitable for use on Wood, Metal, Painted Surfaces & Fillers.
- Suitable for both hand & machine sanding.











SANDING BELTS AL/OX

- For use on portable sanders & large industrial sanders.
- Manufactured from premium quality materials & strong, durable cloth backing
- Suitable for use on Wood, Metal & Fillers.









HOOK & LOOP SANDING DISCS

- Industrial quality.
- Both sizes available with dust extraction holes or without.
- Suitable for use on Wood, Metal, Plastic & Fibrealass.
- Should be used with a suitable backing pad.

STRONG & ANT DURABLE CLOGGING



| Specification | Article Number |
|---|-------------------|
| 125mm x 040/060/080/120g (0 Holes) Hook & Loop Sanding Disc | ABHL0125(GRIT) |
| 125mm x 040/060/080/100/120/180/240/320/400g (8 Holes) Hook & Loop Sanding Disc | ABHL8125(GRIT) |
| 150mm x 040/060/080/100/120/180/240/320/400g (0 Holes) Hook & Loop Sanding Disc | ABHL0150(GRIT) |
| 150mm x 040/060/080/100/120/180/240/320/400g (6 Holes) Hook & Loop Sanding Disc | ABHL6150(GRIT) |

P.S.A SANDING DISCS

- Premium quality aluminium oxide grain on 160gm paper backing.
- Suitable for general purpose sanding applications.
- Unique "easy peel" tab for easy removal & fitting.
- Suitable for use on Wood, Metal, Plastic & Fibreglass.





MULTI

150mm x 80g (O Holes) P.S.A Sanding Disc ABPSA150080

HAND PADS NON-WOVEN

- Consistent surface preparation.
- Designed to resist loading, prolonging pad life.
- Ideal for grooves, scratch in channels & other hard to reach areas.
- Suitable for use on Stainless Steel, Metal, Plastic & Aluminium.








| Specification | Number |
|---|-------------|
| 150mm x 230mm Coarse Non-Woven Hand Pads | ABFHPBROWN |
| 150mm x 230mm General Purpose Non-Woven Hand Pads | ABFHPGREEN |
| 150mm x 230mm Fine Non-Woven Hand Pads | ABFHPGREY |
| 150mm x 230mm Medium Non-Woven Hand Pads | ABFHPMAROON |
| | |

STEEL WOOL

- Made from selected high grade steel.
- Designed to be pliable enough to reach contours on ornate surfaces.
- Suitable for use on Metal, Non Ferrous, Rust & Paint.





13

WIRE BRUSHES TWIST KNOT CUP

- Suitable for angle grinders & other specialist machinery.
- Sturdy & agaressive whilst offering maximum safety.
- Ideal for the removal of slag, rust, paint & residues of any kind.
- Suitable for use on Rust, Metal, Paint & Concrete.







| Specification | Article Number |
|-----------------------------|-------------------|
| 70mm Diameter x M14 Thread | ABWB07014T |
| 95mm Diameter x M14 Thread | ABWB09514T |
| 120mm Diameter x M14 Thread | ABWB12014T |

WIRE BRUSHES CRIMPED CUP

- Brass dipped crimped steel
- Suitable for angle grinders & other special machinery.
- High-density crimped wire makes the brushes ideal for polishing, surface preparation & most other cleaning applications.
- Suitable for use on Rust, Metal & Paint.







| Specification | Article Number |
|-----------------------------|-------------------|
| 75mm Diameter x M14 Thread | ABWB07514C |
| 100mm Diameter x M14 Thread | ABWB10014C |
| 120mm Diameter x M14 Thread | ABWB12014C |

WIRE BRUSHES BEVELLED (CONIC)

- Twisted Knot version is aggressive & ideal for removing slag & rust.
- Crimped wire version is suitable for less aggressive applications.
- Suitable for use on Metal, Rust, Paint & Concrete.







| Specification | Article Number |
|---------------------------------|-------------------|
| 100mm Diameter x M14 Twist Knot | ABWBB100M14T |
| 115mm Diameter x M14 Crimp | ABWBB115M14C |
| 115mm Diameter x M14 Twist Knot | ABWBB115M14T |

WIRE BRUSHES BENCH GRINDER

- Crimped Wire Brushes are ideal for metal surface preparation & the removal of rust & scales
- Adaptable to virtually all grinders.
- Suitable for use on Metal, Rust & Paint.





| Specification | Article Number |
|---------------------------|-------------------|
| 150mm x 20mm Crimped Wire | ABWBWF15020C |
| 200mm x 25mm Crimned Wire | ARWRWF20025C |

WIRE BRUSHES SPINDLE MOUNTED

- Crimped wire for general purpose applications.
- All brushes fitted with a 6mm spindle.
- Suitable for use on Rust, Metal & Paint.





| Specification | Article Number |
|----------------------------------|-------------------|
| 19mm Crimped End Brush | ABWBEND |
| 50mm Crimped Circular Brush | ABWBCIR50 |
| 75mm Crimped Circular Brush | ABWBCIR75 |
| 75mm Crimped Circular Brush S/S* | ABWBCIR75S |
| 75mm Crimped Cup Brush | ABWBCUP75 |

WOODEN HANDLED BRUSHES

- Industrial quality brushes suitable for a multitude of cleaning applications.
- The 4 row wooden handled scratch with sturdy metal scraper is for more agaressive applications.
- Suitable for use on Metal, Rust, Paint & Concrete.





| Specification | Article Number |
|--|-------------------|
| 4 Row Traditional Wooden Handled Brush | ABWHB4 |
| 4 Row Brush with Metal Scraper | ABWHBSCR |

PLASTIC HANDLED SCRATCH BRUSH

- Brass dipped, stainless steel & nylon hand wire brushes with plastic handle.
- Curved shape & narrow face means hard to reach places can be cleaned.
- Suitable for use on Stainless Steel, Metal & Paint.








| Specification | Article Number | |
|--|-------------------|--|
| General Purpose Brass Dipped Scratch Brush | ABWBSCRATCH | |
| Stainless Steel Scratch Brush | ABWBSCRATCHSS | |

FULL ABRACS RANGE AVAILABLE ON REQUEST **CONTACT THE OWLETT-JATON TEAM**



WWW.OWLETT-JATON.COM