




CHANNEL BRACKETRY CATALOGUE

Owlett-Jaton

www.owlett-jaton.com



Our comprehensive range of strut channel and bracketry products are designed to help support, brace, mount, and connect lightweight loads within the construction and electrical industries; applications include piping, wiring, as well as the installation of mechanical systems, such as plumbing, ventilation, and air conditioning.

All of the components have been designed for quick and easy installation, without the need for having to weld, or drill.

The products can be attached to existing steelwork or directly to walls, ceilings & floors. They offer versatility too; existing configurations can be modified or added to with minimal effort. Inevitably, this all adds up to cost reductions.

CONTENTS

Angle Brackets	7
Base Plates	8
Cantilever Arms	4
Channel Nuts.....	12-13
Cone Point HT Hexagon Setscrews.....	11
Drop-In Anchors.....	16-17
End Caps.....	5
Flat Plate Hole Brackets.....	5
Joint Plates.....	4
Purlin Clips	9
Right Angle Hole Brackets.....	6
Socket Bolts.....	18
Square Plate Round Hole Washers.....	9-11
Studding	14-15
Wedge Nuts.....	12
Window Beam Clamps	7



PLAIN CANTILEVER ARMS



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032115	150mm	8	8	8
OJ032122	300mm	8	8	8
OJ032139	450mm	8	8	8
OJ032146	600mm	8	8	8
OJ032153	750mm	8	8	8

- ✔ DESIGNED TO SUPPORT LOADS
- ✔ QUICK AND EASY TO INSTALL
- ✔ IDEAL FOR PIPING, CABLE MANAGEMENT, AND INSTALLATION OF MECHANICAL SYSTEMS
- ✔ NO WELDING OR DRILLING IS REQUIRED
- ✔ 2 HOLES

JOINT PLATES



GALV

ARTICLE NUMBER	DESCRIPTION	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032337	Internal	41 x 41mm	25	25	25
OJ032344	External	41 x 41mm	10	10	10

- ✔ DESIGNED TO SECURELY AFFIX TWO LENGTHS OF STRUT CHANNEL TOGETHER
- ✔ QUICK AND EASY TO INSTALL
- ✔ NO WELDING OR DRILLING REQUIRED

PVC END CAPS



ARTICLE NUMBER	COLOUR	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032511	Black	41 x 21mm	100	7,000	100
OJ032504	Black	41 x 41mm	100	7,000	100
OJ032535	White	41 x 21mm	100	7,000	100
OJ032528	White	41 x 41mm	100	7,000	100

- ✓ **DESIGNED TO COVER SHARP ENDS OF STRUT CHANNEL**
- ✓ **QUICK AND EASY TO INSTALL** ✓ **SUPPLIED IN PAIRS**
- ✓ **DURABLE PVC, IDEAL FOR INTERNAL AND EXTERNAL APPLICATIONS**

FLAT PLATE HOLE BRACKETS



Flat Plate 2 Hole



Flat Plate 4 Hole



Flat L 3 Hole



Flat T 4 Hole



Flat Plate 3 Hole

GALV

ARTICLE NUMBER	DESCRIPTION	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032160	Flat Plate 2 Hole Brackets	40 x 84mm	50	50	50
OJ032177	Flat Plate 3 Hole Brackets	40 x 126mm	50	50	50
OJ032184	Flat Plate 4 Hole Brackets	40 x 168mm	50	50	50
OJ032191	Flat L 3 Hole Brackets	86 x 86mm	25	25	25
OJ032207	Flat T 4 Hole Brackets	89 x 138mm	25	25	25

- ✓ **DESIGNED TO SECURE TWO LENGTHS OF STRUT CHANNEL TOGETHER**
- ✓ **QUICK AND EASY TO INSTALL** ✓ **NO WELDING OR DRILLING REQUIRED**
- ✓ **A VARIETY OF DESIGNS AND HOLE CONFIGURATIONS ARE AVAILABLE**

RIGHT ANGLE HOLE BRACKETS



Right Angle
2 Hole



Right Angle 3 Hole



Right Angle 4
(1 x 3) Hole



Right Angle 4
(2 x 2) Hole

GALV

ARTICLE NUMBER	DESCRIPTION	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032214	Right Angle 2 Hole Brackets	48 x 50mm	50	50	50
OJ032245	Right Angle 3 Hole Brackets	41 x 102mm	25	25	25
OJ032221	Right Angle 3 Hole Brackets	50 x 96mm	25	25	25
OJ032238	Right Angle 3 Hole Brackets	57 x 90mm	25	25	25
OJ032252	Right Angle 4 (1 x 3) Hole Brackets	55 x 132mm	25	25	25
OJ032269	Right Angle 4 (2 x 2) Hole Brackets	86 x 102mm	25	25	25

- ✔ **DESIGNED TO SECURE TWO LENGTHS OF STRUT CHANNEL TOGETHER**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**
- ✔ **A VARIETY OF DESIGNS AND HOLE CONFIGURATIONS ARE AVAILABLE**

FIX IT WITH UNIFIX



TRUSTED BY PROFESSIONALS FOR ITS QUALITY AND RELIABILITY

BIGGER AND BETTER RANGE THAN EVER BEFORE



BOXED
 CLAMS
 TUBS
 RETAIL BAGS
 TRADE BAGS
 TRADE TUBS

ANGLE BRACKETS



Obtuse Angle
2 Hole



Acute Angle
2 Hole

GALV

ARTICLE NUMBER	DESCRIPTION	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032276	Obtuse Angle Brackets 2 Hole 45 Degrees	58 x 75mm	25	25	25
OJ032283	Acute Angle Brackets 2 Hole 45 Degrees	72 x 108mm	25	25	25

- ✔ DESIGNED TO SECURE TWO LENGTHS OF STRUT CHANNEL TOGETHER
- ✔ QUICK AND EASY TO INSTALL ✔ NO WELDING OR DRILLING REQUIRED
- ✔ AVAILABLE AS EITHER OBTUSE OR ACUTE ANGLE

WINDOW BEAM CLAMPS



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032313	21mm	25	25	25
OJ032306	41mm	25	25	25

- ✔ DESIGNED TO SECURELY AFFIX STRUT CHANNEL TO GIRDER FLANGES
- ✔ QUICK AND EASY TO INSTALL
- ✔ NO WELDING OR DRILLING REQUIRED
- ✔ COMES COMPLETE WITH TAPPED HOLE AND CONE POINT SETSCREW

GUSSET BASE PLATES



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032290	41mm	12	12	12

- ✓ DESIGNED TO SECURELY AFFIX STRUT CHANNEL VERTICALLY TO THE FLOOR
- ✓ QUICK AND EASY TO INSTALL ✓ SINGLE CHANNEL

BASE PLATES



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032320	40mm	25	25	25

- ✓ DESIGNED TO SECURELY AFFIX STRUT CHANNEL VERTICALLY TO THE FLOOR
- ✓ QUICK AND EASY TO INSTALL ✓ 2 LUG ✓ SINGLE CHANNEL




FREE, NEXT-DAY DELIVERY WITH LOW MINIMUM ORDER LEVELS
ACROSS THE MAJORITY OF THE UK MAINLAND.

Owlett-Jaton

NO.1 FOR QUALITY, SERVICE AND VALUE

PURLIN CLIPS



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032351	Z10	100	100	100

- ✔ **DESIGNED TO SECURELY HANG THREADED ROD**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**

SQUARE PLATE ROUND HOLE WASHERS



BRIGHT ZINC PLATED

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032368	M6 x 40 x 3.0	100	500	100
OJ032375	M6 x 40 x 5.0	100	400	100
OJ235394	M8 x 40 x 3.0	100	500	100
OJ032382	M8 x 40 x 5.0	100	400	100
OJ627786	M8 x 50 x 3.0	100	400	100
OJ235448	M10 x 40 x 3.0	100	500	100
OJ235356	M10 x 40 x 5.0	100	400	100
OJ426181	M10 x 50 x 3.0	100	400	100
OJ060132	M12 x 40 x 3.0	100	500	100
OJ235363	M12 x 40 x 5.0	100	400	100
OJ426204	M12 x 50 x 3.0	100	400	100
OJ493909	M16 x 50 x 3.0	100	400	100
OJ627878	M20 x 50 x 3.0	100	400	100

- ✔ **DESIGNED TO SPREAD THE LOAD OVER A LARGE SURFACE AREA**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**
- ✔ **AVAILABLE IN A WIDE RANGE OF SIZES**

SQUARE PLATE ROUND HOLE WASHERS



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BAG QTY	BOX QTY	CASE QTY	MIN ORDER QTY
Retail Bags					
UB5300	M10 x 50 x 3.0	8	5	5	5
UB5303	M12 x 50 x 3.0	8	5	5	5

SQUARE PLATE ROUND HOLE WASHERS



GALV

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032399	M6 x 40 x 3.0	100	500	100
OJ032436	M6 x 40 x 5.0	100	400	100
OJ032405	M8 x 40 x 3.0	100	500	100
OJ032443	M8 x 40 x 5.0	100	400	100
OJ032412	M10 x 40 x 3.0	100	500	100
OJ032450	M10 x 40 x 5.0	100	400	100
OJ032474	M10 x 50 x 3.0	100	400	100
OJ032429	M12 x 40 x 3.0	100	500	100
OJ032467	M12 x 40 x 5.0	100	400	100
OJ032481	M12 x 50 x 3.0	100	400	100
OJ669830	M16 x 50 x 3.0	100	400	100

- ✔ **DESIGNED TO SPREAD THE LOAD OVER A LARGE SURFACE AREA**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**
- ✔ **AVAILABLE IN A WIDE RANGE OF SIZES**

SQUARE PLATE ROUND HOLE WASHERS



SELF-COLOUR

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ126470	M10 x 40 x 3.0	100	500	100
OJ060149	M10 x 50 x 3.0	100	400	100
OJ060156	M12 x 50 x 3.0	100	400	100
OJ060163	M16 x 50 x 3.0	100	400	100

- ✔ DESIGNED TO SPREAD THE LOAD OVER A LARGE SURFACE AREA
- ✔ QUICK AND EASY TO INSTALL ✔ NO WELDING OR DRILLING REQUIRED
- ✔ AVAILABLE IN A WIDE RANGE OF SIZES

CONE POINT HIGH TENSILE GRADE 8.8 HEXAGON SETSCREWS



BRIGHT ZINC PLATED

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032498	M10 x 40	100	100	100

- ✔ DESIGNED TO SECURELY AFFIX COMPONENTS TO ONE ANOTHER
- ✔ QUICK AND EASY TO INSTALL
- ✔ DESIGNED TO EASILY LOCATE THE SCREW INTO THE HOLE
- ✔ NO WELDING OR DRILLING REQUIRED

WEDGE NUTS



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ032542	M6	100	100	100
OJ032559	M8	100	100	100
OJ032566	M10	100	100	100
OJ032573	M12	100	100	100

- ✔ **DESIGNED TO SECURELY AFFIX THREADED FITTINGS**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**

PLAIN CHANNEL NUTS



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
J10047	M6	100	100	100
J10050	M8	100	100	100
J10053	M10	100	100	100
J10056	M12	100	100	100

- ✔ **DESIGNED TO SECURELY AFFIX THREADED FITTINGS**
- ✔ **SERRATED GROOVES HELP TO CORRECTLY ALIGN THE NUT IN PLACE**
- ✔ **QUICK AND EASY TO INSTALL** ✔ **NO WELDING OR DRILLING REQUIRED**

SHORT SPRING CHANNEL NUTS



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
J10048	M6	100	100	100
J10051	M8	100	100	100
J10054	M10	100	100	100
J10057	M12	100	100	100

- ✓ DESIGNED TO SECURELY AFFIX THREADED FITTINGS
- ✓ SHORT SPRING FOR SHALLOW CHANNELS ✓ QUICK AND EASY TO INSTALL
- ✓ SERRATED GROOVES HELP TO CORRECTLY ALIGN THE NUT IN PLACE

LONG SPRING CHANNEL NUTS



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
J10049	M6	100	100	100
J10052	M8	100	100	100
J10055	M10	100	100	100
J10058	M12	100	100	100

- ✓ DESIGNED TO SECURELY AFFIX THREADED FITTINGS
- ✓ LONG SPRING FOR DEEP CHANNELS ✓ QUICK AND EASY TO INSTALL
- ✓ SERRATED GROOVES HELP TO CORRECTLY ALIGN THE NUT IN PLACE
- ✓ NO WELDING OR DRILLING REQUIRED

STUDDING

1 METRE • GRADE 4.8 • DIN 976-1-A



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ347899	M6 x 1M	1	50	1
OJ347943	M8 x 1M	1	25	1
OJ347998	M10 x 1M	1	25	1
OJ348056	M12 x 1M	1	25	1

- ✔ 1 METRE LENGTH ✔ CAN BE EASILY CUT TO REQUIRED LENGTH
- ✔ BRIGHT ZINC PLATE (BZP) FINISH OFFERS RESISTANCE TO CORROSION

3 METRE • GRADE 4.8 • DIN 976-1-A



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ347929	M6 x 3M	1	50	1
OJ347974	M8 x 3M	1	25	1
OJ348025	M10 x 3M	1	20	1
OJ348087	M12 x 3M	1	10	1

- ✔ 3 METRE LENGTH ✔ CAN BE EASILY CUT TO REQUIRED LENGTH
- ✔ BRIGHT ZINC PLATE (BZP) FINISH OFFERS RESISTANCE TO CORROSION



Available from
www.owlett-jaton.com
• Full range of allthread studs in sizes M4 to M12
• Studding in 1 metre and 3 metre lengths

Owlett-Jaton

1 METRE • GRADE 8.8 HIGH TENSILE • DIN 976-1-A



**BRIGHT ZINC
PLATED**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ393933	M6 x 1M	1	100	1
OJ393940	M8 x 1M	1	50	1
OJ372747	M10 x 1M	1	25	1
OJ676920	M12 x 1M	1	5	1
OJ564470	M10 x 3M	1	20	1
OJ422534	M12 x 3M	1	10	1

- ✓ HIGH TENSILE (HT) STEEL
- ✓ 1 METRE LENGTH
- ✓ BRIGHT ZINC PLATE (BZP) FINISH OFFERS RESISTANCE TO CORROSION

1 METRE • GRADE 10.9 • DIN 976-1-A



**SELF-
COLOUR**

ARTICLE NUMBER	SIZE	BOX QTY	CASE QTY	MIN ORDER QTY
OJ284231	M8 x 1M	1	50	1
OJ284248	M10 x 1M	1	25	1
OJ284255	M12 x 1M	1	20	1
OJ348056	M12 x 1M	1	25	1

- ✓ GRADE 10.9 STEEL
- ✓ 1 METRE LENGTH



FREE, NEXT-DAY DELIVERY WITH LOW MINIMUM ORDER LEVELS
ACROSS THE MAJORITY OF THE UK MAINLAND.

Owlett-Jaton

NO.1 FOR QUALITY, SERVICE AND VALUE



DROP-IN ANCHORS



**ZINC AND
YELLOW PLATED**

PART NO.	INTERNAL THREAD DIAMETER (M)	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	BOX QTY	CASE QTY	MIN ORDER QTY
DBM08	8	10	30	100	2000	100
DBM10	10	12	40	50	1000	50
DBM12	12	15	50	50	500	50

- ✔ CONCRETE C20/25 TO C50/60
- ✔ NON-CRACKED CONCRETE
- ✔ FAST AND SECURE INSTALLATION
- ✔ DEFORMATION-CONTROLLED EXPANSION
- ✔ REACTION TO FIRE CLASS A1
- ✔ PERMANENT SOCKET ALLOWS FOR REMOVAL AND REPLACEMENT OF THE FIXTURE

LIPPED DROP-IN ANCHORS



**ZINC AND
YELLOW PLATED**

PART NO.	INTERNAL THREAD DIAMETER (M)	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	BOX QTY	CASE QTY	MIN ORDER QTY
DBM08SH	8	10	30	100	2000	100
DBM10SH	10	12	30	50	1000	50
DBM10SHL	10	12	40	50	1000	50
DBM12SH	12	15	50	50	500	50

- ✔ CONCRETE C20/25 TO C50/60
- ✔ NON-CRACKED CONCRETE
- ✔ FAST AND SECURE INSTALLATION
- ✔ DEFORMATION-CONTROLLED EXPANSION
- ✔ REACTION TO FIRE CLASS A1
- ✔ PERMANENT SOCKET ALLOWS FOR REMOVAL AND REPLACEMENT OF THE FIXTURE



ETA APPROVED MULTIPLE USE DROP-IN ANCHORS



**BRIGHT ZINC
PLATED**

PART NO.	INTERNAL THREAD DIAMETER (M)	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	BOX QTY	CASE QTY	MIN ORDER QTY
DBM0830	8	10	30	100	2000	100
DBM1040	10	12	40	50	1000	50
DBM1250	12	16	50	50	500	50

- ✓ CONCRETE C20/25 TO C50/60
- ✓ CRACKED CONCRETE
- ✓ NON-CRACKED CONCRETE
- ✓ ETAG 001-6
- ✓ FAST AND SECURE INSTALLATION
- ✓ DEFORMATION-CONTROLLED EXPANSION
- ✓ REACTION TO FIRE CLASS A1 AND
FIRE RESISTANCE LOADING UP TO 120 MIN
- ✓ PERMANENT SOCKET ALLOWS FOR
REMOVAL AND REPLACEMENT OF THE FIXTURE

ETA APPROVED MULTIPLE USE LIPPED DROP-IN ANCHORS



**BRIGHT ZINC
PLATED**

PART NO.	INTERNAL THREAD DIAMETER (M)	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	BOX QTY	CASE QTY	MIN ORDER QTY
DBM0830SH	8	10	30	100	2000	100
DBM1030SH	10	12	30	50	1000	50
DBM1040SH	10	12	40	50	1000	50
DBM1250SH	12	16	50	50	500	50

- ✓ CONCRETE C20/25 TO C50/60
- ✓ CRACKED CONCRETE
- ✓ NON-CRACKED CONCRETE
- ✓ ETAG 001-6
- ✓ FAST AND SECURE INSTALLATION
- ✓ DEFORMATION-CONTROLLED EXPANSION
- ✓ REACTION TO FIRE CLASS A1 AND
FIRE RESISTANCE LOADING UP TO 120 MIN
- ✓ PERMANENT SOCKET ALLOWS FOR
REMOVAL AND REPLACEMENT OF THE FIXTURE

SOCKET BOLTS



**BRIGHT ZINC
PLATED**

PART NO.	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	INTERNAL THREAD DIAMETER (M)	BOX QTY	CASE QTY	MIN ORDER QTY
JAB06/08SOCKET	6	75	8 & 10	50	250	50
JAB06/08SOCM08	6	55	8	100	500	100
JAB06/08SOCM10	6	55	10	100	500	100

- ✓ CONCRETE C20/25 TO C50/60
- ✓ NON-CRACKED CONCRETE
- ✓ EXPANSION FREE
- ✓ FAST AND SECURE INSTALLATION
- ✓ FIRE EXPOSURE LOADS

ETA APPROVED SOCKET BOLTS



**BRIGHT ZINC
PLATED**

PART NO.	ANCHOR HOLE SIZE (mm)	ANCHOR LENGTH (mm)	INTERNAL THREAD DIAMETER (M)	BOX QTY	CASE QTY	MIN ORDER QTY
JAB06/08SOCETA	6	85	8 & 10	100	500	100

- ✓ CONCRETE C20/25 TO C50/60
- ✓ CRACKED CONCRETE
- ✓ NON-CRACKED CONCRETE
- ✓ ETAG 001-6
- ✓ EXPANSION FREE
- ✓ FAST AND SECURE INSTALLATION
- ✓ REACTION TO FIRE CLASS A1 AND FIRE RESISTANCE LOADING UP TO 120 MIN

VIEW THE COMPLETE RANGE



Owlett-Jaton

Scan to visit
the website



WWW.OWLETT-JATON.COM

THE NO.1 CHOICE FOR QUALITY, SERVICE AND VALUE



Scan to visit
the website



WWW.JCPFIXINGS.CO.UK



SPECIALIST FIXINGS BACKED BY TECHNICAL SUPPORT



**CONVENIENT
AND EASY
ORDERING**



**NEXT DAY
NATIONWIDE
DELIVERY***




**COMPLETE
WHOLESALE
SOLUTION**



**UNRIVALLED
CUSTOMER
SERVICE**



OWLETT-JATON AREA SALES MANAGERS MAP





SCOTLAND
Paul Johnstone
paul.johnstone@owlett-jaton.com



NORTHERN HOME COUNTIES
Steve Silford
steve.silford@owlett-jaton.com



NORTH WEST
Greg Kirby
greg.kirby@owlett-jaton.com



SOUTH WEST
Elaine Farmer
elaine.farmer@owlett-jaton.com



YORKSHIRE AND NORTH EAST
Rob Garwood
rob.garwood@owlett-jaton.com



DEVON AND CORNWALL
Gabriel Vasarheli
gabriel.vasarheli@owlett-jaton.com



STAFFORDSHIRE, NORTH & MID WALES
Holly Derricutt
holly.derricutt@owlett-jaton.com



IRELAND
Katie Thomas
katie.thomas@owlett-jaton.com



EAST ANGLIA
Kelly Jones
kelly.jones@owlett-jaton.com



SOUTH EAST
Jonathan Watts
jonathan.watts@owlett-jaton.com



WEST MIDLANDS
Hayley Cooper
hayley.cooper@owlett-jaton.com



SOUTH WALES, HEREFORD AND WORCESTERSHIRE
Lucy Morrissey
lucy.morrissey@owlett-jaton.com



JCP TECHNICAL REPRESENTATIVES



SOUTH EAST
Mark Brown
mark.brown@hexstone.co.uk



SOUTH WEST
Jonathan Kesselman
jonathan.kesselman@hexstone.co.uk



THE NORTH
Daniel Jennings
daniel.jennings@hexstone.co.uk

STUDDING DISPLAY STAND



- ✓ **MERCHANDISE 6 DIFFERENT SIZES OF 1M THREADED BAR.**
- ✓ **DISPLAY RETAIL BAGS CONTAINING SMALL QUANTITIES OF STUDDING-ASSOCIATED FASTENERS.**
- ✓ **SMALL FOOTPRINT - 500MM WIDE**

Our dedicated merchandising team will visit your store to professionally install and stock the stand with minimal disruption.

For more information on the stock profiles and spend required, contact your local Owlett-Jaton sales office or Area Sales Manager.



CUSTOMER SUPPORT MATERIALS

WINDOW STICKERS

BRAND	SIZE
Unifix	200mm x 100mm



OUTDOOR BANNERS

BRAND	SIZE
Unifix	2000mm x 600mm



BRANDED POSTERS

BRAND	SIZE
Unifix-1	Download A1 or A3
Unifix-2	Download A1 or A3



OWLETT-JATON SALES OFFICES

DARTFORD
01322 277733

ELLAND
01422 370121

MILTON KEYNES
01908 201600

STONE
01785 819819

SWINDON
01793 527829



**NEXT-DAY
DELIVERY**



**LARGEST
STOCKHOLDER**



**GREAT
BRANDS**



**OVER 30,000
PRODUCTS**

Owlett-Jaton

www.owlett-jaton.com



owlett-jaton



@OwlettJaton